

## LAMPIRAN

```
<?php
    session_start() ;
    include "inc/config.php" ;

?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <!-- The above 3 meta tags *must* come first in the head; any other
head content must come *after* these tags -->

        <title>Bakso Sony</title>

        <!-- Google font -->
        <link
href="https://fonts.googleapis.com/css?family=Montserrat:400,500,700"
rel="stylesheet">

        <!-- Bootstrap -->
        <link type="text/css" rel="stylesheet" href="css/bootstrap.min.css"/>

        <!-- Slick -->
        <link type="text/css" rel="stylesheet" href="css/slick.css"/>
        <link type="text/css" rel="stylesheet" href="css/slick-theme.css"/>

        <!-- nouislider -->
        <link type="text/css" rel="stylesheet" href="css/nouislider.min.css"/>

        <!-- Font Awesome Icon -->
        <link rel="stylesheet" href="css/font-awesome.min.css">

        <!-- Custom stylesheet -->
        <link type="text/css" rel="stylesheet" href="css/style.css"/>
        <style type="text/css">
            body,td,th {
                font-family: Montserrat, sans-serif;
            }
            body {
                background-color: #F90;
            }
        </style>

        <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements
and media queries -->
        <!-- WARNING: Respond.js doesn't work if you view the page via file://
-->

        <!--[if lt IE 9]>
```

```

<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->

</head>
<body>
<!-- HEADER -->
<header>
<!-- TOP HEADER -->
<div id="top-header">
<div class="container">
<ul class="header-links pull-left">
<li><a href="#"><i class="fa fa-
phone"></i> 085775271382</a></li>
<li><a href="#"><i class="fa fa-
envelope-o"></i> baksosony@gmail.com</a></li>
<li><a href="#"><i class="fa fa-map-
marker"></i> Jl.Pemuda, Enggal, Kota Bandar Lampung

</a></li>
</ul>
<ul class="header-links pull-right">
<li><a
href="index.php?module=pendaftaran"><i class="fa fa-user-o"></i>Daftar</a></li>
</ul>
</div>
</div>
<!-- /TOP HEADER -->

<!-- MAIN HEADER -->
<div id="header">
<!-- container -->
<div class="container">
<!-- row -->
<div class="row">
<!-- LOGO -->
<div class="col-md-3">
<div class="header-logo">
<a href="#"
class="logo">

</a>
</div>
</div>
<!-- /LOGO -->

<!-- SEARCH BAR -->
<div class="col-md-6">
<div class="header-search">
<form>

```

```

class="input-select">
value="0">All Categories</option>

</select>
<input
class="input" placeholder="Search here">

<button
class="search-btn">CARI</button>

</form>
</div>
</div>
<!-- /SEARCH BAR -->

<!-- ACCOUNT -->
<div class="col-md-3 clearfix">
  <div class="header-ctn">
    <!-- Wishlist -->
    <div>
      <!-- <a href="#">
        <i
class="fa fa-heart-o"></i>

      <span>Your Wishlist</span>

    </div>
    class="qty">2</div>

    </a> -->
  </div>
  <!-- /Wishlist -->

  <!-- Cart -->
  <div>

    class="dropdown">

    <!-- <a
class="dropdown-toggle" data-toggle="dropdown" aria-expanded="true">

    <i
class="fa fa-shopping-cart"></i>

    <span>Your Cart</span>

  </div>
  class="qty">3</div>

  </a> -->
  <div>

    class="cart-dropdown">

    <div>

      class="cart-list">

        <div class="product-widget">

          <div class="product-img">

            

```

```

</div>

<div class="product-body">

    <h3 class="product-name"><a href="#">HandsFree JBL X01</a></h3>

    <h4 class="product-price"><span
class="qty">1x</span>Rp.250.000</h4>

</div>

<button class="delete"><i class="fa fa-close"></i></button>

</div>

<div class="product-widget">

<div class="product-img">

    

</div>

<div class="product-body">

    <h3 class="product-name"><a href="#">product name goes
here</a></h3>

    <h4 class="product-price"><span
class="qty">3x</span>Rp.250.000</h4>

</div>

<button class="delete"><i class="fa fa-close"></i></button>

</div>

</div>
<div
class="cart-summary">

    <small>3 Item(s) selected</small>

    <h5>SUBTOTAL: $2940.00</h5>

</div>
<div
class="cart-btns">

    <a href="#">View Cart</a>

    <a href="#">Checkout <i class="fa fa-arrow-circle-right"></i></a>

</div>

```

```

        </div>
    </div>
    <!-- /Cart -->

    <!-- Menu Toogle -->
    <div class="menu-

toggle">

        <a href="#">
            <i

class="fa fa-bars"></i>

            <span>Menu</span>

        </a>
    </div>
    <!-- /Menu Toogle -->
</div>
</div>
<!-- /ACCOUNT -->
</div>
<!-- row -->
</div>
<!-- container -->
</div>
<!-- /MAIN HEADER -->
</header>
<!-- /HEADER -->

<!-- NAVIGATION -->
<nav id="navigation">
    <!-- container -->
    <div class="container">
        <!-- responsive-nav -->
        <div id="responsive-nav">
            <!-- NAV -->
            <ul class="main-nav nav navbar-nav">
                <li class="active"><a
href="index.php?module=home">Beranda</a></li>
                <li><a href="index.php?module=home">Produk</a></li>

                <?php

                    error_reporting(0);

                    if (empty($_SESSION['idsony'])) {
                        ?>
                        <li><a href="index.php?module=pendaftaran">Daftar</a></li>
                        <li><a href="index.php?module=login">Masuk</a></li>
                        <?php

                            }
                        else {
                            ?>
                            <li><a
href="index.php?module=keranjang">Keranjang Belanja</a></li>

```

```
<li><a href="index.php?module=pembayaran">Konfirmasi
Pembayaran</a></li>
<li><a href="login/logout.php"
class="tran3s">Keluar</a></li>
```

```
<?php } ?>
</ul>
<!-- /NAV -->
</div>
<!-- /responsive-nav -->
</div>
<!-- /container -->
</nav>
<!-- /NAVIGATION -->
```

```
<!-- SECTION -->
<div class="section">
  <!-- container -->
  <div class="container">
    <!-- row -->
    <?php
    include"content.php";

    ?>
  </div>
  <!-- /container -->
</div>
<!-- /SECTION -->
```

```
<!-- FOOTER -->
<footer id="footer">
  <!-- top footer -->
  <div class="section">
    <!-- container -->
    <div class="container">
      <!-- row -->
      <div class="row">
        <div class="col-md-3 col-xs-6">
          <div class="footer">
            <h3 class="footer-
title">About Us</h3></p>
            <ul class="footer-
links">
              <li><a
href="#"><i class="fa fa-map-marker"></i>JL.Pemuda Enggal, Bandar Lampung
</a></li>
              <li><a
href="#"><i class="fa fa-phone"></i>085775271382</a></li>
              <li><a
href="#"><i class="fa fa-envelope-o"></i>baksosony@Gmail.com</a></li>
```

```

<li>
sonyLampung</li>
<li>
baksosony@gmail.com</li>
</ul>
</div>
</div>
<div class="col-md-3 col-xs-6">
<div class="footer">
<h3 class="footer-
title">Top Selling</h3>
<ul class="footer-
links">
<li><a
href="#">Bakso</a></li>
<li><a
href="#">Mie Ayam</a></li>
<li><a
href="#">Otak - Otak</a></li>
</ul>
</div>
</div>
<div class="clearfix visible-xs"></div>
<div class="col-md-3 col-xs-6">
<div class="footer">
<h3 class="footer-
title">Information</h3>
<ul class="footer-
links">
<li><a
href="#">About Us</a></li>
<li><a
href="#">Contact Us</a></li>
<li><a
href="#">Privacy Policy</a></li>
<li><a
href="#">Orders and Returns</a></li>
<li><a
href="#">Terms & Conditions</a></li>
</ul>
</div>
</div>
<div class="col-md-3 col-xs-6">
<div class="footer">
<h3 class="footer-
title">Service</h3>
<ul class="footer-
links">

```

```

href="#">My Account</a></li>
href="#">View Cart</a></li>
href="#">Wishlist</a></li>
href="#">Track My Order</a></li>
href="#">Help</a></li>
</ul>
</div>
</div>
<!-- /row -->
</div>
<!-- /container -->
</div>
<!-- /top footer -->
<!-- bottom footer -->
<div id="bottom-footer" class="section">
  <div class="container">
    <!-- row -->
    <div class="row">
      <div class="col-md-12 text-center">
        <ul class="footer-payments">
          <li><a href="#"><i
class="fa fa-cc-visa"></i></a></li>
          <li><a href="#"><i
class="fa fa-credit-card"></i></a></li>
          <li><a href="#"><i
class="fa fa-cc-paypal"></i></a></li>
          <li><a href="#"><i
class="fa fa-cc-mastercard"></i></a></li>
          <li><a href="#"><i
class="fa fa-cc-discover"></i></a></li>
          <li><a href="#"><i
class="fa fa-cc-amex"></i></a></li>
        </ul>
        <span class="copyright">
          <!-- Link back to
Colorlib can't be removed. Template is licensed under CC BY 3.0. -->
          Copyright
©<script>document.write(new Date().getFullYear());</script> All rights reserved | This
template is made with <i class="fa fa-heart-o" aria-hidden="true"></i> by <a
href="https://colorlib.com" target="_blank">Colorlib</a>
          <!-- Link back to Colorlib can't
be removed. Template is licensed under CC BY 3.0. -->
        </span>
      </div>
    </div>
  </div>
<!-- /row -->

```



```

        </div>
        <!-- /container -->
    </div>
    <!-- /bottom footer -->
</footer>
<!-- /FOOTER -->

<!-- jQuery Plugins -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/slick.min.js"></script>
<script src="js/nouislider.min.js"></script>
<script src="js/jquery.zoom.min.js"></script>
<script src="js/main.js"></script>

</body>
</html>
<div class="row">

        <!-- section title -->
        <div class="col-md-12">
            <div class="section-title">
                <h3 class="title">Produk
Baru</h3>

            </div>
        </div>
        <!-- /section title -->

        <!-- Products tab & slick -->
        <div class="col-md-12">
            <div class="row">
                <div class="products-tabs">
                    <!-- tab -->
                    <div id="tab1"
class="tab-pane active">

                        <div
class="products-slick" data-nav="#slick-nav-1">

                            <?php
                            $sql =
mysql_query("select * from produk order by harga asc");
                            while
                            ($q = mysql_fetch_array($sql)){
                                <!--
                                product -->
                                <div
class="product">

                                    <div class="product-img">

                                        

```

```

<div class="product-label">

    <span class="new">Baru</span>

</div>

</div>

<div class="product-body">

    <h3 class="product-name"><a href="#"><?php echo $q['namaproduk']
?></a></h3>

    <h4 class="product-price">Rp.<?php echo $q['harga'] ?> <del class="product-
old-price">$990.00</del></h4>

    <div class="product-rating">

        <i class="fa fa-star"></i>

        <i class="fa fa-star"></i>

        <i class="fa fa-star"></i>

        <i class="fa fa-star"></i>

        <i class="fa fa-star-o"></i>

    </div>

    <div class="product-btns">

        <button class="add-to-wishlist"><i class="fa fa-heart-o"></i><span
class="tooltip">add to wishlist</span></button>

        <button class="add-to-compare"><i class="fa fa-exchange"></i><span
class="tooltip">add to compare</span></button>

        <button class="quick-view"><i class="fa fa-eye"></i><span
class="tooltip">quick view</span></button>

    </div>

</div>

<div class="add-to-cart">

    <a href="index.php?module=pemesanan&id=<?php echo
$q['kodeproduk']?>"><button class="add-to-cart-btn"><i class="fa fa-shopping-
cart"></i> Pesan</button></a>

</div>

```

```

</div>
<!--

/product -->

<?php
}
?>

</div>
<div id="slick-
nav-1" class="products-slick-nav"></div>

</div>
<!-- /tab -->

</div>

</div>

</div>
<!-- Products tab & slick -->

</div>
<!-- /row -->

<div class="row">

<!-- section title -->
<div class="col-md-12">
<div class="section-title">
<h3 class="title">Produk
Baru</h3>

</div>

</div>
<!-- /section title -->

<!-- Products tab & slick -->
<div class="col-md-12">
<div class="row">
<div class="products-tabs">
<!-- tab -->
<div id="tab1"
class="tab-pane active">

<div
class="products-slick" data-nav="#slick-nav-1">

<?php
$kode =

$_GET['id'];

$sql =

mysql_query("select * from produk where kodeproduk='$kode'");

$q =

mysql_fetch_array($sql);

?>

<!--

product -->

```

```
<div
class="product">

    <div class="product-img">

        

        <div class="product-label">

            <span class="new">Baru</span>

        </div>

    </div>

    <div class="product-body">

        <h3 class="product-name"><a href="#"><?php echo $q['namaproduk']
?></a></h3>

        <h4 class="product-price">Rp.<?php echo $q['harga'] ?> <del class="product-
old-price">$990.00</del></h4>

        <div class="product-rating">

            <i class="fa fa-star"></i>

            <i class="fa fa-star"></i>

            <i class="fa fa-star"></i>

            <i class="fa fa-star"></i>

            <i class="fa fa-star-o"></i>

        </div>

        <div class="product-btns">

            <button class="add-to-wishlist"><i class="fa fa-heart-o"></i><span
class="tooltip">add to wishlist</span></button>

            <button class="add-to-compare"><i class="fa fa-exchange"></i><span
class="tooltip">add to compare</span></button>

            <button class="quick-view"><i class="fa fa-eye"></i><span
class="tooltip">quick view</span></button>

        </div>

    </div>

</div>

</div>
```

```

<!--
/product -->

</div>
<div id="slick-
nav-1" class="products-slick-nav"></div>

</div>
<!-- /tab -->

</div>

</div>
<!-- Products tab & slick -->

</div>
<!-- /row -->

<div class="row">

<?php

error_reporting(0);
if (empty($_SESSION['idsony'])) {
    ?>
    <div id="blink">

<span><marquee>SILAHKAN LOG IN ATAU DAFTAR SEBELUM
MEMBELI BARANG</marquee></span></div>
    <?php

    }
    else { ?>
    <form method="post" action="simpan_pemesananmember.php">
    <table width="680" height="336" class="table table-boxed">
    <tr>
    <td></td>
    <td></td>
    </tr>

    <tr>
    <td style="text-align:center;"><span
class="style2">Jumlah</span></td>
    <td>
    <?php

    $idpelanggan = $_SESSION['idsony'];

    $dd = mysql_query("select * from pemesanan where
idpelanggan='$idpelanggan'");

    $ff = mysql_num_rows($dd);

    ?>

    <input type="hidden" name="idpemesanan"
id="idpemesanan" class="form-control" value="<?php echo $idpelanggan ?>-<?php echo
$ff ?>">

```

```

                <input type="hidden" class="form-control"
name="kodeproduk" value="<?php echo $q['kodeproduk'] ?>" required>
                <input type="hidden" class="form-control" name="harga"
value="<?php echo $q['harga'] ?>"required>
                <input type="text" class="form-control" name="jumlah"
required></td>
            </tr>
            <tr>
                <td></td>
                <td><input type="submit" class="btn btn-theme"
value="Pesan">
            </td>
            </tr>
        </table><!--//table-->
    </form>
    <?php } ?>
</div>
```