

LAMPIRAN

Aksi.php

```
<?php
session_start();
error_reporting(0);
include "config/koneksi.php";
include "config/library.php";
if (empty($_SESSION[username]) AND empty($_SESSION[password])) {
    header('location:media.php?module=warning');
}
else {
    $module=$_GET[module];
    $act=$_GET[act];
    if ($module=='keranjang' AND $act=='tambah'){
        $sid = $_SESSION[email];
        $sql2 = mysql_query("SELECT stok FROM produk WHERE id_produk='$_GET[id]'");
        $r=mysql_fetch_array($sql2);
        $stok=$r[stok];

        if ($stok == 0){
            echo "stok habis";
        }
        else{
            // check if the product is already
            // in cart table for this session
            $sql = mysql_query("SELECT id_produk FROM orders_temp
                WHERE id_produk='$_GET[id]' AND id_session='$sid'");
            $ketemu=mysql_num_rows($sql);
            if ($ketemu==0){
                // put the product in cart table
```

```

        mysql_query("INSERT INTO orders_temp (id_produk, jumlah, id_session,
tgl_order_temp, jam_order_temp, stok_temp)
                                VALUES      ('$_GET[id]',      1,      '$sid',      '$tgl_sekarang',
'$jam_sekarang', '$stok)");
    } else {
        // update product quantity in cart table
        mysql_query("UPDATE orders_temp
                                SET jumlah = jumlah + 1
                                WHERE id_session ='$sid' AND id_produk='$_GET[id]");
    }
    deleteAbandonedCart();
    header('Location:media.php?module=keranjangbelanja');
}
}
elseif ($module=='keranjang' AND $act=='hapus'){
    mysql_query("DELETE FROM orders_temp WHERE id_orders_temp='$_GET[id]");
    header('Location:media.php?module=keranjangbelanja');
}
elseif ($module=='keranjang' AND $act=='update'){
    $id      = $_POST[id];
    $jml_data = count($id);
    $jumlah  = $_POST[jml]; // quantity
    for ($i=1; $i <= $jml_data; $i++){
        $sql2 = mysql_query("SELECT stok_temp FROM orders_temp WHERE
id_orders_temp='".$id[$i]."'");
        while($r=mysql_fetch_array($sql2)){
            if ($jumlah[$i] > $r[stok_temp]){
                echo "<script>window.alert('Jumlah yang dibeli melebihi stok yang ada');
                window.location=('media.php?module=keranjangbelanja')</script>";
            }
        }
    }
}

```

```

elseif($jumlah[$i] == 0){
    echo "<script>window.alert('Anda tidak boleh menginputkan angka 0 atau mengkosongkannya!');
    window.location=('media.php?module=keranjangbelanja')</script>";
}
else{
    mysql_query("UPDATE orders_temp SET jumlah = ".$jumlah[$i].""
                WHERE id_orders_temp = ".$sid[$i]."");
    header('Location:media.php?module=keranjangbelanja');
}
}
}
}
}
}
/*
    Delete all cart entries older than one day
*/
function deleteAbandonedCart(){
    $kemarin = date('Y-m-d', mktime(0,0,0, date('m'), date('d') - 1, date('Y')));
    mysql_query("DELETE FROM orders_temp
                WHERE tgl_order_temp < '$kemarin'");
}

                Captcha.php

?>
<?php
session_start();
header("Content-type: image/png");

$captcha_image = imagecreatefrompng("counter/captcha.png");
$captcha_font = imageloadfont("counter/font.gdf");

```

```
$captcha_text = substr(md5(uniqid("")), -6, 6);
```

```
$_SESSION['captcha_session'] = $captcha_text;
```

```
$captcha_color = imagecolorallocate($captcha_image, 0, 0, 0);
```

```
imagestring($captcha_image, $captcha_font, 15, 5, $captcha_text, $captcha_color);
```

```
imagepng($captcha_image);
```

```
imagedestroy($captcha_image);
```

```
?>
```

Diskon_stok.php

```
<?php
```

```
    // diskon
```

```
    $harga    = format_rupiah($r[harga]);
```

```
    $disc     = ($r[diskon]/100)*$r[harga];
```

```
    $hargadisc = number_format(($r[harga]-$disc), 0, ",", ".");
```

```
    $d=$r['diskon'];
```

```
    $hargatetap = "<span class='price'> <br /></span>&nbsp;";
```

```
                <span style=\"color:#ff6600;font-size:14px;\"> Rp. <b>$hargadisc,-</b></span>";
```

```
    $hargadiskon = "<span style='text-decoration:line-through;font-size:14px;' class='price'>Rp. $harga  
<br /></span>
```

```
                <div style='text-align:center;font-size:14px;'>&nbsp;diskon  
$d%</div>
```

```
                <span style=\"color:#ff6600;font-size:14px;\"> Rp. <b>$hargadisc,-</b></span>";
```

```
    if ($d!=0){
```

```
        $divharga=$hargadiskon;
```

```
    }else{
```

```
        $divharga=$hargatetap;
```

```
    }
```

```
    // tombol stok habis kalau stoknya 0
```

```
    $stok    = $r['stok'];
```

```
    $tombolbeli = "
```

```

$tombolhabis = "<div class='prod_cart_habis'>habis</div>";
if ($stok!=0){
    $tombol=$tombolbeli;
}else{
    $tombol=$tombolhabis;
}
?>

```

Index.php

```

<?php
header('location:media.php?module=home');
?>

```

Item.php

```

<?php
    $sid = $_SESSION[email];

    $sql = mysql_query("SELECT SUM(jumlah*(harga-(diskon/100)*harga)) as total,SUM(jumlah)
as totaljumlah FROM orders_temp, produk
                                WHERE                                id_session='$sid'                                AND
orders_temp.id_produk=produk.id_produk");

    //$disc    = ($r[diskon]/100)*$r[harga];
    //$subtotal = ($r[harga]-$disc) * $r[jumlah];

    while($r=mysql_fetch_array($sql)){

if ($r['totaljumlah'] != ""){
    $total_rp = format_rupiah($r['total']);

    echo "($r[totaljumlah]) item produk <br />
        <span class='border_cart'></span>

```

```
Total: <span class='price'>Rp. $total_rp</span><br />";
}
else{
    echo "<i>0 item produk</i><br />";
    <span class='border_cart'></span>
    Total: <span class='price'>Rp. 0</span>";
}
}
?>
```

Logout.php

```
<?php
session_start();
session_destroy();
header('location:index.php');
?>
```

Makanan_bor.sql

```
-- phpMyAdmin SQL Dump
-- version 3.5.2.2
-- http://www.phpmyadmin.net
--
-- Host: 127.0.0.1
-- Generation Time: Aug 06, 2017 at 04:04 PM
-- Server version: 5.5.27
-- PHP Version: 5.4.7
```

```
SET SQL_MODE="NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
```

```

/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;

--
-- Database: `makanan_bor`
--
-----
--
-- Table structure for table `admins`
--
CREATE TABLE IF NOT EXISTS `admins` (
  `username` varchar(50) COLLATE latin1_general_ci NOT NULL,
  `password` varchar(50) COLLATE latin1_general_ci NOT NULL,
  `nama_lengkap` varchar(100) COLLATE latin1_general_ci NOT NULL,
  `email` varchar(100) COLLATE latin1_general_ci NOT NULL,
  `no_telp` varchar(20) COLLATE latin1_general_ci NOT NULL,
  `level` varchar(20) COLLATE latin1_general_ci NOT NULL DEFAULT 'user',
  `blokir` enum('Y','N') COLLATE latin1_general_ci NOT NULL DEFAULT 'N',
  PRIMARY KEY (`username`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci;
--
-- Dumping data for table `admins`
--
INSERT INTO `admins` (`username`, `password`, `nama_lengkap`, `email`, `no_telp`, `level`, `blokir`)
VALUES
('admin', '21232f297a57a5a743894a0e4a801fc3', 'Administrator', 'redaksi@bukulokomedia.com',
'08238923848', 'admin', 'N');
-----
--

```



```

-- Table structure for table `hubungi`
--
CREATE TABLE IF NOT EXISTS `hubungi` (
  `id_hubungi` int(5) NOT NULL AUTO_INCREMENT,
  `id_kustomer` int(5) NOT NULL,
  `subjek` varchar(100) COLLATE latin1_general_ci NOT NULL,
  `pesan` text COLLATE latin1_general_ci NOT NULL,
  `tanggal` date NOT NULL,
  PRIMARY KEY (`id_hubungi`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
  AUTO_INCREMENT=20 ;
--
-- Dumping data for table `hubungi`
--
INSERT INTO `hubungi` (`id_hubungi`, `id_kustomer`, `subjek`, `pesan`, `tanggal`) VALUES
(18, 8, 'Kritik', 'untuk barang nya bgus banget', '2017-08-01'),
(19, 8, 'kritik', 'barang jelek banget', '2017-08-01');
-----
--
-- Table structure for table `kategori`
--
CREATE TABLE IF NOT EXISTS `kategori` (
  `id_kategori` int(5) NOT NULL AUTO_INCREMENT,
  `nama_kategori` varchar(100) COLLATE latin1_general_ci NOT NULL,
  PRIMARY KEY (`id_kategori`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
  AUTO_INCREMENT=19 ;
--
-- Dumping data for table `kategori`
--

```

```

INSERT INTO `kategori` (`id_kategori`, `nama_kategori`) VALUES
(18, 'Keripik Ikan'),
(16, 'Keripik Singkong'),
(17, 'Keripik Pisang');

-----

--
-- Table structure for table `kota`
--
CREATE TABLE IF NOT EXISTS `kota` (
  `id_kota` int(3) NOT NULL AUTO_INCREMENT,
  `nama_kota` varchar(100) NOT NULL,
  `ongkos_kirim` int(10) NOT NULL,
  PRIMARY KEY (`id_kota`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=12 ;

--
-- Dumping data for table `kota`
--
INSERT INTO `kota` (`id_kota`, `nama_kota`, `ongkos_kirim`) VALUES
(1, 'Jakarta', 13000),
(2, 'Bandung', 13500),
(3, 'Semarang', 10000),
(4, 'Medan', 20000),
(5, 'Aceh', 25000),
(6, 'Banjarmasin', 17500),
(7, 'Balikpapan', 18500),
(8, 'Samarinda', 19500),
(9, 'Lainnya', 10000),
(10, 'Palembang', 23000),
(11, 'Surabaya', 13000);

-----

```

```

--
-- Table structure for table `kustomer`
--
CREATE TABLE IF NOT EXISTS `kustomer` (
  `id_kustomer` int(5) NOT NULL AUTO_INCREMENT,
  `password` varchar(50) COLLATE latin1_general_ci NOT NULL,
  `nama_lengkap` varchar(100) COLLATE latin1_general_ci NOT NULL,
  `alamat` text COLLATE latin1_general_ci NOT NULL,
  `email` varchar(100) COLLATE latin1_general_ci NOT NULL,
  `telpon` varchar(20) COLLATE latin1_general_ci NOT NULL,
  `id_kota` int(5) NOT NULL,
  PRIMARY KEY (`id_kustomer`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
AUTO_INCREMENT=9 ;
--
-- Dumping data for table `kustomer`
--
INSERT INTO `kustomer` (`id_kustomer`, `password`, `nama_lengkap`, `alamat`, `email`, `telpon`,
`id_kota`) VALUES
(1, 'e10adc3949ba59abbe56e057f20f883e', 'Lukmanul Hakim', 'Jl. Prof. Dr. Soepomo No. 178, Tebet,
Jakarta Timur 17280', 'algorithms@gmail.com', '081804396000', 1),
(2, 'cec1de94b66011a1cfed0a45f8ba8e16', 'budiono', 'Jl. Dipenogoro', 'budiono_114@yahoo.com',
'083242233323', 5),
(3, '4b0cf71ac4f5267ae87e1092e98395ba', 'budionokompas1', 'Jl. Dorak, Selatpanjang1',
'budiono.115@gmail.com', '081275371724', 3),
(4, '21232f297a57a5a743894a0e4a801fc3', 'budionokompas', 'tes', 'budiono.114@gmail.com',
'081275371724', 5),
(8, '21232f297a57a5a743894a0e4a801fc3', 'reza', 'bandar lampung', 'reza@gmail.com', '0802937297323',
10);
--
-----
--
-- Table structure for table `modul`
--

```

```

CREATE TABLE IF NOT EXISTS `modul` (
  `id_modul` int(5) NOT NULL AUTO_INCREMENT,
  `static_content` text COLLATE latin1_general_ci NOT NULL,
  `gambar` varchar(100) COLLATE latin1_general_ci NOT NULL,
  PRIMARY KEY (`id_modul`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
AUTO_INCREMENT=58 ;

--
-- Dumping data for table `modul`
--

INSERT INTO `modul` (`id_modul`, `static_content`, `gambar`) VALUES
(1, '

<font color="#FF0000">Toko Farid Keripik</font></p></p><font color="#FF0000"></font></p><p><font color="#FF0000"></font>Kami Juga menerima pESANAN kripik lainnya</font></p><p><font color="#FF0000">Alamat Toko :</font></p><p><font color="#FF0000">Jl. Ahmad Yani, No.12</font></p><p><font color="#FF0000">Tulang Bawang</font></p></p>', 'logo_baru_mixcol.png'),
(2, 'tesrt</p>', ''),
(3, '<p></p>Pembayaran dilakukan Melalui Rekening Toko Kami di bawah ini :</p><p></p><strong>BRI :1909.8099.00.11</strong></p><p></p></p></p> &nbsp; : Farid</p><p></p><strong>Mandiri : 503.0292.22</strong></p><p></p></p></p> : Bor</p><p></p><strong>BNI :&nbsp; 09.8099.00.</strong></p><p></p></p></p> : Boy</p><p></p></p>&nbsp;</p><p></p></p>&nbsp;</p><p></p></p>&nbsp;</p><p></p></p>&nbsp;</p><p></p></p>&nbsp;</p></p></p>&nbsp;</p></p>', '');

-----
--
-- Table structure for table `orders`
--

CREATE TABLE IF NOT EXISTS `orders` (
  `id_orders` int(5) NOT NULL AUTO_INCREMENT,
  `status_order` varchar(50) COLLATE latin1_general_ci NOT NULL DEFAULT 'Baru',
  `tgl_order` date NOT NULL,
  `jam_order` time NOT NULL,
  `id_kustomer` int(5) NOT NULL,


```

```

PRIMARY KEY (`id_orders`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
AUTO_INCREMENT=48 ;

--

-- Dumping data for table `orders`

--

INSERT INTO `orders` (`id_orders`, `status_order`, `tgl_order`, `jam_order`, `id_kustomer`) VALUES
(36, 'Baru', '2017-07-14', '12:46:04', 8),
(35, 'Baru', '2017-07-14', '12:28:14', 8),
(34, 'Baru', '2017-07-14', '12:27:08', 0),
(33, 'Lunas', '2017-06-30', '06:57:17', 8),
(37, 'Baru', '2017-07-14', '13:04:00', 8),
(38, 'Baru', '2017-07-14', '14:15:37', 0),
(39, 'Baru', '2017-07-14', '14:16:01', 8),
(40, 'Baru', '2017-07-14', '15:20:15', 0),
(41, 'Baru', '2017-07-14', '15:20:50', 8),
(42, 'Baru', '2017-07-14', '16:03:52', 0),
(43, 'Baru', '2017-07-14', '16:04:22', 8),
(44, 'Baru', '2017-07-14', '16:05:17', 8),
(45, 'Baru', '2017-07-14', '16:05:29', 8),
(46, 'Baru', '2017-07-16', '16:39:04', 0),
(47, 'Baru', '2017-07-25', '16:33:25', 8);

-----

--

-- Table structure for table `orders_detail`

--

CREATE TABLE IF NOT EXISTS `orders_detail` (
  `id_orders` int(5) NOT NULL,
  `id_produk` int(5) NOT NULL,
  `jumlah` int(5) NOT NULL

```

```
) ENGINE=MyISAM DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci;
```

```
--
```

```
-- Dumping data for table `orders_detail`
```

```
--
```

```
INSERT INTO `orders_detail` (`id_orders`, `id_produk`, `jumlah`) VALUES
```

```
(43, 36, 6),
```

```
(42, 36, 4),
```

```
(41, 36, 1),
```

```
(41, 35, 1),
```

```
(39, 36, 1),
```

```
(37, 36, 1),
```

```
(35, 36, 1),
```

```
(34, 36, 1),
```

```
(33, 36, 1),
```

```
(45, 36, 3),
```

```
(46, 36, 1),
```

```
(47, 36, 5);
```

```
-----
```

```
--
```

```
-- Table structure for table `orders_temp`
```

```
--
```

```
CREATE TABLE IF NOT EXISTS `orders_temp` (
```

```
  `id_orders_temp` int(5) NOT NULL AUTO_INCREMENT,
```

```
  `id_produk` int(5) NOT NULL,
```

```
  `id_session` varchar(100) COLLATE latin1_general_ci NOT NULL,
```

```
  `jumlah` int(5) NOT NULL,
```

```
  `tgl_order_temp` date NOT NULL,
```

```
  `jam_order_temp` time NOT NULL,
```

```
  `stok_temp` int(5) NOT NULL,
```

```
  PRIMARY KEY (`id_orders_temp`)
```

```
) ENGINE=MyISAM          DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
AUTO_INCREMENT=207 ;
```

```
-----
```

```
--
```

```
-- Table structure for table `produk`
```

```
--
```

```
CREATE TABLE IF NOT EXISTS `produk` (
```

```
  `id_produk` int(5) NOT NULL AUTO_INCREMENT,
```

```
  `id_kategori` int(5) NOT NULL,
```

```
  `nama_produk` varchar(100) COLLATE latin1_general_ci NOT NULL,
```

```
  `deskripsi` text COLLATE latin1_general_ci NOT NULL,
```

```
  `harga` int(20) NOT NULL,
```

```
  `stok` int(5) NOT NULL,
```

```
  `berat` decimal(5,2) unsigned NOT NULL DEFAULT '0.00',
```

```
  `tgl_masuk` date NOT NULL,
```

```
  `gambar` varchar(100) COLLATE latin1_general_ci NOT NULL,
```

```
  `dibeli` int(5) NOT NULL DEFAULT '1',
```

```
  `diskon` int(5) NOT NULL,
```

```
  PRIMARY KEY (`id_produk`)
```

```
) ENGINE=MyISAM          DEFAULT CHARSET=latin1 COLLATE=latin1_general_ci
AUTO_INCREMENT=37 ;
```

```
--
```

```
-- Dumping data for table `produk`
```

```
--
```

```
INSERT INTO `produk` (`id_produk`, `id_kategori`, `nama_produk`, `deskripsi`, `harga`, `stok`, `berat`,
`tgl_masuk`, `gambar`, `dibeli`, `diskon`) VALUES
```

(34, 16, 'KERIPIK SINGKONG 4 RASA ', 'Keripik yang dibuat dari Singkong kualitas terbaik diiris tipis yang digoreng hingga renyah ini mampu membuat siapapun yang mencobanya akan ketagihan. Singkong memiliki karbohidrat yang tinggi, tidak heran jika kita memakan keripik singkong terus menerus di dalam waktu yang sama dapat menimbulkan rasa kenyang pada perut kita. Bagi anda pecinta kerenyahan dari sebuah keripik singkong dengan rasa yang sangat bervariasi, keripik singkong 4 rasa dari Kepomart ini dapat menjadi pilihan anda.\r\n', 65000, 23, 0.70, '2017-05-28', '52singko.jpg', 1, 10),

(35, 17, 'Keripik Pisang "Mawar Indah"', 'Keripik Pisang ini terbuat dari pisang kepek asli banyuwangi. Manfaat Pisang untuk kesehatan :Menambahkan pisang dalam menu diet harian, memiliki berbagai manfaat dalam tubuh. Pisang membantu tubuh mencapai tujuan penurunan berat, menjaga perut tetap ...\r\n', 15000, 13, 0.60, '2017-05-28', '81pisang.jpg', 1, 15),

(36, 18, 'Keripik Ikan Mujair Renyah Dan Gurih', 'Keripik Ikan Mujair Renyah Dan Gurih\r\n', 30000, 18, 0.75, '2017-05-28', '37ikan.jpg', 3, 15);

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

Media.php

```
<?php
```

```
error_reporting(0);
```

```
session_start();
```

```
include "config/koneksi.php";
```

```
include "config/fungsi_indotgl.php";
```

```
include "config/fungsi_combobox.php";
```

```
include "config/library.php";
```

```
include "config/fungsi_autolink.php";
```

```
include "config/fungsi_rupiah.php";
```

```
?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
```



```

<title>Toko Makanan Ringan</title>
<link rel="shortcut icon" type="image/x-icon" href="template/images/favicon.ico" />
<link rel="stylesheet" type="text/css" href="template/css/style.css" media="screen" />
<link rel="stylesheet" type="text/css" href="template/css/common.css" media="screen" />
<link rel="stylesheet" type="text/css" href="template/css/button.css" media="screen" />
<script src="template/js/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="template/js/slides.min.jquery.js" type="text/javascript"></script>
<script type="text/javascript">
    $(function(){
        $('.slides').slides({
            preload: true,
            generatePagination: true,
            play:3000
        });
    });
</script>
</head>
<body>
<!--Wrapper-->
<div id="wrapper">
    <!--Page-->
    <div class="page shadow">
<!--Header-->
<div id="header">
    <div class="primary-section">
        <?php
            $bor = mysql_query("select * from modul where id_modul='1'");
            $nona = mysql_fetch_array($bor);
            ?>
    <div class="logo"></div>

```

```

<div class="header-aside">
  <ul>
    <?php
      if ($_SESSION[email]=="") {
        echo "
          <li class='border'><a href='media.php?module=login' class='log'> login
</a></li>
          <li><a href='media.php?module=register' class='user'>register</a></li>
          ";
        }
      else {
        echo "<li class='border'><a href='logout.php' class='log'> Logout </a></li>";
      }
    ?>
    <li class="carts"><a href="media.php?module=keranjangbelanja" class="cart">Shopping
Cart</a></li>
  </ul>
</div>
<div class="nav-section">
  <ul class="navigation">
    <li class="home"><a href="media.php?module=home" class="home">Home </a></li>
    <li><a href="media.php?module=profilkami">Profil </a></li>
    <li><a href="media.php?module=carabeli">Cara Pembelian</a></li>
    <li><a href="media.php?module=keranjangbelanja">Keranjang Belanja </a></li>
    <li><a href="media.php?module=pemesanan">Hubungi Kami</a></li>
  </ul>
</div>
<!--Header-->
<!--Content-->

```

```

<div id="content">
  <div class="sidebar">

    <?php
    if ($_SESSION[email] != "") {
    echo "
    <div class='latest-product'>
      <h2>Your Menu</h2>
      <ul class='info'>
        <img src='template/images/1384271379_Admin.png' />
        <li><a href='media.php?module=profilKustomer'>My Profil</a></li>
        <li><a href='media.php?module=keranjangbelanja'>Shopping Cart<img
src='template/images/cart.gif' /></a></li>
        ";
        echo " <div style='color:#E1473D;border:1px solid
#E78686;padding:10px;background:#FFE1E1;'>";
        include "item.php";
        echo "</div>";
      echo "
      <li><a href='logout.php'>Logout</a></li>
    </ul>
    </div>
    ";
    }
    ?>
    <div class="latest-product">
      <h2>Produk Terlaris</h2>
      <ul class="info">
    <?php

```

```

$best=mysql_query("SELECT * FROM produk ORDER BY dibeli DESC LIMIT 3");
while($a=mysql_fetch_array($best)){
    $harga = format_rupiah($a[harga]);
        echo "<li><img src='foto_produk/small_{$a[gambar]}' height='50' width='30' />
                <div class='p-info'><a href='media.php?module=detailproduk&id={$a[id_produk]}'>{$a[nama_produk]</a></div>
                </li>
        ";
    }

?>
</ul>
</div>
<div class="latest-product ">
    <h2>Kategori Produk</h2>
    <ul class="info">
        <?php
            $kategori=mysql_query("select nama_kategori, kategori.id_kategori,
            count(produk.id_produk) as jml
            from kategori left join produk
            on produk.id_kategori=kategori.id_kategori
            group by nama_kategori");
            $no=1;
            while($k=mysql_fetch_array($kategori)){
                echo " <li><a href='media.php?module=detailkategori&id={$k[id_kategori]}'>
                {$k[nama_kategori]} ({$k[jml]}</a></li>";
                $no++;
            }
?>

```

Kami Menerima Pesanan

```




```

```
</ul>
```

```
</div>
```

```
<div class="latest-product f-des">
```

```
<div class="plugin">
```

```
<div id="fb-root"></div>
```

```
<div class="fb-like-box" data-href="http://www.facebook.com/webgranth" data-width="289"
data-show-faces="true" data-stream="false" data-header="true"></div>
```

```
</div> </div>
```

```
</div>
```

```
<div class="content-right" >
```

```
<?PHP include "tengah.php";?>
```

```
</div>
```

```
</div>
```

```
<!-- Content-->
```

```
</div>
```

```
<!--Footer-->
```

```
<div id="footer">
```

```
<div class="footer-top">
```

```
<div class="page">
```

```
<div class="footer-bottom">
```

```
<div class="copyright">
```

```
<ul>
```

```
<li>&copy; 2017 </li>
```

```
<li><a href="#" class="select"> CV. DWI PUTRA </a> All Rights Reserved.</li>
```

 Tulang Bawang Barat All Rights Reserved.

<li class="last">

</div>

<div class="social-icon">

</div>

</div>

</div>

<!--Footer-->

</div>

<!--Wrapper-->

</body>

</html>