

LAMPIRAN

Index.html

```
switch (ENVIRONMENT)
{
    case 'development':
        error_reporting(-1);
        ini_set('display_errors', 1);
        break;

    case 'testing':
    case 'production':
        ini_set('display_errors', 0);
        if (version_compare(PHP_VERSION, '5.3', '>='))
        {
            error_reporting(E_ALL & ~E_NOTICE &
~E_DEPRECATED & ~E_STRICT & ~E_USER_NOTICE &
~E_USER_DEPRECATED);
        }
        else
        {
            error_reporting(E_ALL & ~E_NOTICE & ~E_STRICT &
~E_USER_NOTICE);
        }
        break;

    default:
        header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
        echo 'The application environment is not set correctly.';
        exit(1); // EXIT_ERROR
}
```

```
/*
```

```
if (defined('STDIN'))
{
    chdir(dirname(__FILE__));
}

if (($_temp = realpath($system_path)) !== FALSE)
{
    $system_path = $_temp.DIRECTORY_SEPARATOR;
}
else
{
    // Ensure there's a trailing slash
    $system_path = strtr(
        rtrim($system_path, '\\'),
        '\\',
        if (($_temp = realpath($application_folder)) !== FALSE)
        {
            $application_folder = $_temp;
        }
        else
        {
            $application_folder = strtr(
                rtrim($application_folder, '\\'),
                '\\',

DIRECTOR_SEPARATOR.DIRECTOR_SEPARATOR
        );
    }
}
```

```

    }
elseif
(is_dir(BASEPATH.$application_folder.DIRECTORY_SEPARATOR))
{
    $application_folder = BASEPATH.strtr(
        trim($application_folder, '\\'),
        '\\',
        DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
    );
}
else
{
    header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
    echo 'Your application folder path does not appear to be set correctly.
Please open the following file and correct this: '.SELF;
    exit(3); // EXIT_CONFIG
}

define('APPPATH', $application_folder.DIRECTORY_SEPARATOR);

// The path to the "views" directory
if ( ! isset($view_folder[0]) &&
is_dir(APPPATH.'views'.DIRECTORY_SEPARATOR))
{
    $view_folder = APPPATH.'views';
}
elseif (is_dir($view_folder))
{
    if (($_temp = realpath($view_folder)) !== FALSE)
    {

```

```

        $view_folder = $_temp;
    }
    else
    {
        $view_folder = strtr(
            rtrim($view_folder, '\\'),
            '\\',
            DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
        );
    }
}
elseif (is_dir(APPPATH.$view_folder.DIRECTORY_SEPARATOR))
{
    $view_folder = APPPATH.strtr(
        trim($view_folder, '\\'),
        '\\',
        DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
    );
}
else
{
    header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
    echo 'Your view folder path does not appear to be set correctly. Please
open the following file and correct this: '.SELF;
    exit(3); // EXIT_CONFIG
}

define('VIEWPATH', $view_folder.DIRECTORY_SEPARATOR);

```

```
/*
* -----
* LOAD THE BOOTSTRAP FILE
* -----
*
* And away we go...
*/
require_once BASEPATH.'core/CodeIgniter.

Database.php
$active_group = 'default';
$query_builder = TRUE;

$db['default'] = array(
    'dsn' => "",
    'hostname' => '127.0.0.1',
    'username' => 'general',
    'password' => 'aaaa',
    'database' => 'sangbung',
    'dbdriver' => 'mysqli',
    'dbprefix' => "",
    'pconnect' => FALSE,
    'db_debug' => (ENVIRONMENT !== 'production'),
    'cache_on' => FALSE,
    'cachedir' => "",
    'char_set' => 'utf8',
    'dbcollat' => 'utf8_general_ci',
    'swap_pre' => "",
    'encrypt' => FALSE,
    'compress' => FALSE,
    'stricton' => FALSE,
```

```
        'failover' => array(),
        'save_queries' => TRUE
    );
```

```
$db['sms'] = array(
    'dsn' => "",
    'hostname' => '127.0.0.1',
    'username' => 'general',
    'password' => 'aaaa',
    'database' => 'sms',
    'dbdriver' => 'mysqli',
    'dbprefix' => "",
    'pconnect' => FALSE,
    'db_debug' => (ENVIRONMENT !== 'production'),
    'cache_on' => FALSE,
    'cachedir' => "",
    'char_set' => 'utf8',
    'dbcollat' => 'utf8_general_ci',
    'swap_pre' => "",
    'encrypt' => FALSE,
    'compress' => FALSE,
    'stricton' => FALSE,
    'failover' => array(),
    'save_queries' => TRUE
);
```

Login.php

```
<?php
```

```
defined('BASEPATH') OR exit('No direct script access allowed');
```

```
class Login extends PublicCr {
```

```

public function index() {
    $this->data['action'] = 'admin/login/lgn';
    $this->load->view('admin/login', $this->data);
}

public function lgn() {
    $data = $this->input->post(null, true);
    if ($this->Login->login($data)) {
        $level = $this->session->userdata('level');
        if($level == 'admin') redirect('admin/home');
        elseif ($level == 'User') redirect('user/home');
    } else {
        $this->setMessage('message_error', 'Username atau Password
salah. ');
        $this->data['action'] = 'admin/login/lgn';
        $this->load->view('admin/login', $this->data);
    }
}

public function logout() {
    $this->Login->logout();
    redirect('home');
}

private function setMessage($se, $ms) {
    if($se == 'success') {
        $this->session->set_flashdata('message_success', 'Login
Berhasil. '.$ms.' ');
    } else {

```

```
                $this->session->set_flashdata('message_error', 'Login Gagal.  
'.$ms.'.');  
            }  
        }  
    }
```

```
    private function setFlashDataValidate() {  
        $this->session->set_flashdata('message_error',  
  
form_error('username').  
  
form_error('password'));  
    }
```

```
        public $form_rules = array(  
array(  
    'field' => 'username',  
    'label' => 'Username',  
    'rules' => 'trim|xss_clean|required'  
),  
    array(  
    'field' => 'password',  
    'label' => 'Password',  
    'rules' => 'trim|xss_clean|required'  
    )  
);  
}
```

Uploadpesanan.php

```
<?php  
defined('BASEPATH') OR exit('No direct script access allowed');
```

```

class Uploadpesanan extends PublicCr {
    private function getMenu() {
    }

    public function getpemesan() {
        $s = $this->input->post('idpemesanan');
        $rs = $this->Uploadpesanan->getAllSome('pemesanan', 'idpemesanan', $s);
        $namapemesan = "";
        foreach ($rs as $row) {
            $namapemesan = $row->nama;
        }
        echo json_encode($namapemesan);
        return;
    }

    public function aud($aud, $id) {
        $this->getMenu();

        if($aud == 'add') {
            $this->data['aud'] = 'add';
            $this->data['action'] = 'uploadpesanan/tambah';
            $this->load->view('uploadpesanan', $this->data);
        }
    }

    public function tambah() {
        $data = $this->input->post(null);
        if (! $this->Uploadpesanan->validate('form_rules')) {
            $this->setFlashDataValidate();
            $this->getMenu();
        }
    }
}

```

```

        $this->data['data'] = (object) $data;
        $this->data['aud'] = 'add';
        $this->data['action'] = 'uploadpesanan/tambah';
        $this->load->view('uploadpesanan', $this->data);
        return;
    }

    if($this->Uploadpesanan->tambah($data)) {
        $this->setMessage('success', 'Dikirim');
        redirect('uploadpesanan/aud/add/0');
    } else {
        $this->setMessage('error', 'Dikirim');
        redirect('uploadpesanan/aud/add/0');
    }
}

private function setMessage($se, $ms) {
    if($se == 'success') {
        $this->session->set_flashdata('message_success', 'Berhasil
'. $ms. ');
    } else {
        $this->session->set_flashdata('message_error', 'Gagal '. $ms. ');
    }
}

private function setFlashDataValidate() {
    $this->session->set_flashdata('message_error',
        form_error('idpemesanan'));
}

```

```
public $form_rules = array(
    array(
        'field' => 'idpemesanan',
        'label' => 'ID PEMESANAN',
        'rules' => 'trim|xss_clean|required'
    )
);
}
```

Validasi.php

```
<?php
```

```
defined('BASEPATH') OR exit('No direct script access allowed');
```

```
class Validasi extends PublicCr {
    private function getMenu() {
    }

    public function biaya() {
        $s = $this->input->post('idpemesanan');
        $rs = $this->Validasi->getAllSome('pemesanan', 'idpemesanan', $s);
        $totalharga = $s;
        foreach ($rs as $row) {
            $totalharga = $row->totalharga;
        }
        echo json_encode($totalharga);
        return;
    }

    public function th($id) {
```

```

        $qr = $this->db->query("SELECT totalharga FROM pemesanan WHERE
idpemesanan='".$Sid."'");
        $totalharga = "0";
        foreach ($qr->result_array() as $r) {
            $totalharga = $r['totalharga'];
        }
        echo $totalharga;
    }

```

```

    public function aud($aud, $id) {
        $this->getMenu();

        if($aud == 'add') {
            $this->data['aud'] = 'add';
            $this->data['action'] = 'validasi/tambah';
            $this->load->view('validasi', $this->data);
        }
    }

```

```

    public function tambah() {
        $data = $this->input->post(null);
        if (! $this->Validasi->validate('form_rules')) {
            $this->setFlashDataValidate();
            $this->getMenu();

            $this->data['data'] = (object) $data;
            $this->data['aud'] = 'add';
            $this->data['action'] = 'validasi/tambah';
            $this->load->view('validasi', $this->data);
            return;
        }
    }

```

```

    }

    if($this->Validasi->tambah($data)) {
        $this->setMessage('success', 'Dikirim');
        redirect('validasi/aud/add/0');
    } else {
        $this->setMessage('error', 'Dikirim');
        redirect('validasi/aud/add/0');
    }
}

private function setMessage($se, $ms) {
    if($se == 'success') {
        $this->session->set_flashdata('message_success', 'Berhasil
'.$ms.'.');
    } else {
        $this->session->set_flashdata('message_error', 'Gagal '.$ms.'.');
    }
}

private function setFlashDataValidate() {
    $this->session->set_flashdata('message_error',
        form_error('tanggal').
        form_error('bayar').
        form_error('atasnama'));
}

public $form_rules = array(
    array(
        'field' => 'tanggal',

```

```

        'label' => 'Tanggal',
        'rules' => 'trim|xss_clean|required'
    ),
    array(
        'field' => 'bayar',
        'label' => 'Bayar',
        'rules' => 'trim|xss_clean|required'
    ),
    array(
        'field' => 'atasnama',
        'label' => 'Atas Nama',
        'rules' => 'trim|xss_clean|required'
    )
);
}

```

Promosimdl.php

```
<?php
```

```

class PromosiMdl extends DbsCr {
    public function tambah($data) {
        $data = (object)$data;

        $pemesanan = $this->getAll('pemesanan', 'idpemesanan', 'ASC');

        $otherdb = $this->load->database('sms', TRUE);

        $jmlSMS = ceil(strlen($data->pesan)/153);
        $pecah = str_split($data->pesan, 153);
        $qry = $otherdb->query("SHOW TABLE STATUS LIKE 'outbox'");
        foreach ($qry->result() as $q) {
            $newID = $q->Auto_increment;

```

```

}

foreach ($pemesanan as $p) {

    for ($i=1; $i<=$jmlSMS; $i++) {
        $udh = "050003A7".sprintf("%02s", $jmlSMS).sprintf("%02s", $i);
        $msg = $pemesanan[$i-1];

        if ($i == 1) {
            $field = array(
                'DestinationNumber' => $p->notelp,
                'UDH' => $udh,
                'TextDecoded' => $msg,
                'ID' => $newID,
                'MultiPart' => "true",
                'CreatorID' => "1"
            );

            $otherdb->insert('outbox', $field);
        } else {
            $field = array(
                'UDH' => $udh,
                'TextDecoded' => $msg,
                'ID' => $newID,
                'SequencePosition' => $i
            );

            $otherdb->insert('outbox_multipart', $field);
        }
    }
}

```

```
    }  
    return true;  
  }  
}
```