

DAFTAR PUSTAKA

- [1] D. Reay, C. Sabine, P. Smith, and G. Hymus, *Intergovernmental Panel on Climate Change. Fourth Assessment Report. Geneva, Switzerland: Inter-governmental Panel on Climate Change. Cambridge; UK: Cambridge University Press; 2007. Available from: www.ipcc.ch. 2007. doi: 10.1038/446727a.*
- [2] World Meteorological Organization, *WMO Atlas of Mortality and Economic Losses From Weather, Climate and Water Extremes*, no. 1267. 2019. [Online]. Available: https://library.wmo.int/doc_num.php?explnum_id=10902
- [3] W. Z. Ilmi, A. M. Asbi, and T. Syam, “Identifikasi Karakteristik Kawasan Informal Pesisir Kota Bandar Lampung dan Kerentanan terhadap Dampak Perubahan Iklim (Studi Kasus : Kelurahan Kota Karang dan Kangkung),” *J. Pembang. Wil. Kota*, vol. 17, no. 2, pp. 149–167, 2021, doi: 10.14710/pwk.v17i2.33130.
- [4] W. Wibisono, “Strategi Penataan Ruang Berbasis Mitigasi Bencana Berdasarkan Tingkat Kerentanan Bencana Kota Bandar Lampung,” *PWK Inst. Teknol. Sumatera*, no. 24, pp. 1–16, 2019.
- [5] M. T. Sinaga, “Kesiapsiagaan Masyarakat Desa Tangguh Bencana Di Desa Sukaraja Kecamatan Rajabasa Kabupaten Lampung Selatan,” *J. Penelit. Geogr.*, vol. 7, no. 6, 2019.
- [6] M. A. Marfai, D. Mardiatno, A. Cahyad, and F. Nucifera, “Pemodelan Spasial Bahaya Banjir Rob Berdasarkan Skenario,” *Bumi Lestari*, vol. 13, no. 2, pp. 244–256, 2017.
- [7] M. S. Elbisy *et al.*, “Prediction of Daily Tidal Levels Along the Central Coast of Eastern Red Sea Using Artificial Neural Networks,” *Int. J. GEOMATE*, vol. 19, no. 76, pp. 54–61, 2020, doi: 10.21660/2020.76.79417.
- [8] Z. P. N. Monang Panjaitan, Ahmad Perwira Mulia, “PEMETAAN BANJIR ROB MEDAN UTARA MENGGUNAKAN ARTIFICIAL NEURAL NETWORK DAN GIS UNTUK LANGKAH MITIGASI,” *J. Syntax Admiration*, vol. Vol. 2, no. No. 8, 2021.
- [9] Y. Y. Xiaoling Chen, Haihua Li, “A Genetic Neural Network for Tide Forecasting,” *2021 IEEE 4th Int. Electr. Energy Conf.*, 2021, doi: 10.1109/CIEEC50170.2021.9510502.
- [10] N. Raj and Z. Gharineiat, “Evaluation of multivariate adaptive regression splines and artificial neural network for prediction of mean sea level trend around northern australian coastlines,” *Mathematics*, vol. 9, no. 21, Nov. 2021, doi:

- 10.3390/MATH9212696.
- [11] B. V. Primo de Siqueira and A. de M. Paiva, "Using neural network to improve sea level prediction along the southeastern Brazilian coast," *Ocean Model.*, vol. 168, p. 101898, Dec. 2021, doi: 10.1016/J.OCEMOD.2021.101898.
- [12] S. M. B. & Q. B. P. M. R. Khaledian, M. Isazadeh, "Simulating Caspian Sea surface water level by artificial neural network and support vector machine models," *Res. Artic. - Hydrol.*, 2020.
- [13] W. Bin WANG Bao, "Real-time Tide Prediction Based on An Hybrid HA-WANN Model Using Wind Information," *2018 14th IEEE Int. Conf. Signal Process.*, 2018, doi: 10.1109/ICSP.2018.8652339.
- [14] M. Pham Quang and K. Tallam, "Predicting Flood Hazards in the Vietnam Central Region: An Artificial Neural Network Approach," *Sustain.*, vol. 14, no. 19, 2022, doi: 10.3390/su141911861.
- [15] Ruhhee Tabbussum & Abdul Qayoom Dar, "Performance evaluation of artificial intelligence paradigms—artificial neural networks, fuzzy logic, and adaptive neuro-fuzzy inference system for flood prediction," *Environ. Sci. Pollut. Res.*, 2021.
- [16] Jaeyeong Lee and Byunghyun Kim, "Scenario-Based Real-Time Flood Prediction with Logistic Regression," *Water*, 2021, doi: <https://doi.org/10.3390/w13091191>.
- [17] M. El-Rawy, W. M. Elsadek, and F. De Smedt, "Flash Flood Susceptibility Mapping in Sinai, Egypt Using Hydromorphic Data, Principal Component Analysis and Logistic Regression," *Water (Switzerland)*, vol. 14, no. 15, 2022, doi: 10.3390/w14152434.
- [18] Y. Muliati, *Rekayasa pantai*, vol. 1. 2010.
- [19] S. Wirjohamidjojo and Y. S. Swarinoto, "Meteorologi sinoptik," *Meteorol. Sinoptik Anal. Dan Penaksiran Has. Anal. Cuaca Sinoptik*, p. 276, 2013.
- [20] Secretariat of the World Meteorological Organization, *Annual Report of the World Meteorological Organization*. 1980.
- [21] Alfahmi, *PETUNJUK TEKNIK PEMBUATAN PRODUK PERINGATAN DINI BANJIR PESISIR (ROB)*. BMKG, 2020.
- [22] Utnasari I., "Penerapan Jaringan Syaraf Tiruan Pada Pengenalan Karakter Pola Tulisan Incung Dengan Metode Backpropagation," *Comput. Based Inf. Syst. J.*, vol. VOL.06 NO., 2018.
- [23] Alberto Landi; Paolo Piaggi; Marco Laurino; Danilo Menicucci, "Artificial Neural Networks for nonlinear regression and classification," *2010 10th Int. Conf. Intell. Syst. Des. Appl.*, 2010, doi: 10.1109/ISDA.2010.5687280.

- [24] James Bergstra and Yoshua Bengio, “Random search for hyper-parameter optimization,” *J. Mach. Learn. Res.*, vol. 13:281–305, 2012.
- [25] P. Probst, A. L. Boulesteix, and B. Bischl, “Tunability: Importance of hyperparameters of machine learning algorithms,” *J. Mach. Learn. Res.*, vol. 20, pp. 1–32, 2019.
- [26] M. Y. Aristyanto and R. Kurniawan, “Pengembangan Metode Neural Machine Translation Berdasarkan Hyperparameter Neural Network,” *Semin. Nas. Off. Stat.*, vol. 2021, no. 1, pp. 935–946, 2021, doi: 10.34123/semnasoffstat.v2021i1.789.
- [27] Kementrian Kelautan dan Perikanan, “PESISIR, PULAU-PULAU KECIL/TERLUAR,” 2021. <https://kkp.go.id/djprl/bpsplpadang/page/272-pesisir-pulau-pulau-kecil-terluar#:~:text=Berdasarkan Undang-Undang Republik Indonesia,oleh perubahan di darat dan>
- [28] Badan Informasi Geospasial (BIG), “Stasiun Pasang Surut,” 2022. <https://srgi.big.go.id/tides/panj>