

# LAMPIRAN

## LOGIN ADMIN

```
<!doctype html>

<head>
<meta charset=utf-8> <link rel=dns-prefetch href="http://fonts.googleapis.com/">
<meta http-equiv=X-UA-Compatible content="IE=edge,chrome=1">
<title>.: Administrator - Website :.</title>
<link rel="shortcut icon" href=" ../favicon.png" />
<meta name=description content=""> <meta name=author content="">
<meta name=viewport content="width=device-width,initial-scale=1">
<link rel=stylesheet href='css/zalstyle.css'>

<script src="js/libs/modernizr-2.0.6.min.js"></script>

</head>
<body class=special-page>

<div id=container> <section id=login-box>
<div class=block-border> <div class=block-header>
<h1>LOGIN ADMINISTRATOR</h1> </div>

<form id=login-form class="block-content form" action="cek_login.php" method="post">
<p class=inline-small-label>
<label for=username>Username</label> <input type=text name="username" value=""
class=required> </p>
<p class=inline-small-label> <label for=password>Password</label>
<input type=password name="password" value="" class=required> </p>
<p> </p> <div class=clear></div>

<div class=block-actions> <ul class=actions-left>
<li><a class="button red" id=reset-login
href="javascript:void(0);">BATALKAN</a></li></ul>
<ul class=actions-right><li><input type=submit class=button
value=&nbsp;&nbsp;&nbsp;&nbsp;LOGIN&nbsp;&nbsp;&nbsp;&nbsp;></li>
</ul> </div> </form> </div> </section> </div>
<script src="js/jquery.min.js">
</script> <script>window.jQuery||document.write('<script src="js/libs/jquery-
1.6.2.min.js"></script>');
</script> <script defer src='js/zal.js'></script>
</html>
```

## HALAMAN ADMINISTRATOR

```
<?php
session_start();
error_reporting(0);

//fungsi cek akses user TAMPILAN HALAMAN Administrator
function user_akses($mod,$id){
    $link = "?module=".$mod;
    $cek = mysql_num_rows(mysql_query("SELECT * FROM modul,users_modul
WHERE modul.id_modul=users_modul.id_modul AND users_modul.id_session='$id' AND
modul.link='$link'"));
    return $cek;
}
//fungsi cek akses menu
function umenu_akses($link,$id){
    $cek = mysql_num_rows(mysql_query("SELECT * FROM modul,users_modul
WHERE modul.id_modul=users_modul.id_modul AND users_modul.id_session='$id' AND
modul.link='$link'"));
    return $cek;
}
//fungsi redirect
function akses_salah(){
    $pesan = "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Maaf Anda tidak berhak mengakses halaman ini</center>";
    $pesan.= "<meta http-equiv='refresh' content='2;url=media.php?module=home'>";
    return $pesan;
}

if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){

    echo "
<link href='css/zalstyle.css' rel='stylesheet' type='text/css'>";

    echo "
</head>
<body class='special-page'>
<div id='container'>
<section id='error-number'>

<img src='img/lock.png'>
<h1>AKSES ILEGAL</h1>

<p><span class style=\"font-size:14px; color:#ccc;\">
Maaf, untuk masuk Halaman Administrator
anda harus Login dahulu!</p></span><br/>

</section>

<section id='error-text'>
```

```
<p><a class='button' href='index.php'>&nbsp;&nbsp;&nbsp;<b>LOGIN DI SINI</b>
&nbsp;&nbsp;&nbsp;</a></p>
</section>
</div>;
```

```
}
else{
?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
  <meta charset="utf-8"/>
  <title>.: HALAMAN ADMINISTRATOR :.</title>

  <meta charset="utf-8" />
  <link rel="dns-prefetch" href="http://fonts.googleapis.com/" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
  <link rel="shortcut icon" href=" ../favicon.png" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <link rel="stylesheet" href="css/zalstyle.css" />
  <link href="http://fonts.googleapis.com/css?family=PT+Sans" rel="stylesheet"
type="text/css" />
  <script src="js/libs/modernizr-2.0.6.min.js"></script>

  <script language="javascript" type="text/javascript"
src="editor/tiny_mce_src.js"></script>
<script type="text/javascript">
tinyMCE.init({
  mode : "textareas",
  theme : "advanced",
  plugins :
"table,youtube,advhr,advimage,advlink,emotions,flash,searchreplace,paste,directionality,non
editable,contextmenu",
  theme_advanced_buttons1_add : "fontselect,fontsizeselect",
  theme_advanced_buttons2_add :
"separator,preview,zoom,separator,forecolor,backcolor,liststyle",
  theme_advanced_buttons2_add_before :
"cut,copy,paste,separator,search,replace,separator",
  theme_advanced_buttons3_add_before :
"tablecontrols,separator,youtube,separator",
  theme_advanced_buttons3_add : "emotions,flash",
  theme_advanced_toolbar_location : "top",
  theme_advanced_toolbar_align : "left",
  theme_advanced_statusbar_location : "bottom",
  extended_valid_elements : "hr[class|width|size|noshade]",
```

```

        file_browser_callback : "fileBrowserCallBack",
        paste_use_dialog : false,
        theme_advanced_resizing : true,
        theme_advanced_resize_horizontal : false,
        theme_advanced_link_targets : "_something=My something;_something2=My
something2;_something3=My something3;",
        apply_source_formatting : true
    });

```

```

    function fileBrowserCallBack(field_name, url, type, win) {
        var connector =
        "../../filemanager/browser.html?Connector=connectors/php/connector.php";
        var enableAutoTypeSelection = true;

        var cType;
        tinymcepuk_field = field_name;
        tinymcepuk = win;

        switch (type) {
            case "image":
                cType = "Image";
                break;
            case "flash":
                cType = "Flash";
                break;
            case "file":
                cType = "File";
                break;
        }

        if (enableAutoTypeSelection && cType) {
            connector += "&Type=" + cType;
        }

        window.open(connector, "tinymcepuk", "modal,width=600,height=400");
    }

```

```

</script>
<script type="text/javascript">
$(document).ready(function()
{
    $(".tablesorter").tablesorter();
}
);
$(document).ready(function() {

//When page loads...
$(".tab_content").hide(); //Hide all content
$("ul.tabs li:first").addClass("active").show(); //Activate first tab
$(".tab_content:first").show(); //Show first tab content

```

```

//On Click Event
$("ul.tabs li").click(function() {

    $("ul.tabs li").removeClass("active"); //Remove any "active" class
    $(this).addClass("active"); //Add "active" class to selected tab
    $(".tab_content").hide(); //Hide all tab content

    var activeTab = $(this).find("a").attr("href"); //Find the href attribute value to
identify the active tab + content
    $(activeTab).fadeIn(); //Fade in the active ID content
    return false;
});

});
</script>
<script type="text/javascript">
$(function(){
    $('.column').equalHeight();
});
</script>

```

```

</head>
<body id="top">
<div id="container">
<div id="header-surround">
<header id="header">


```

```

<div id="user-info">
<p>
<a target='_blank' href='../index.php' class="button blue">Lihat Web</a>
<a href="logout.php" class="button red">Logout</a> </p>
</div>
</header>
</div>
<div class="fix-shadow-bottom-height"></div>

```

```

<aside id="sidebar">
<section id="login-details">
<?php include "foto.php"; ?>
<div class='selamat'><SCRIPT language=JavaScript>var d = new Date();
var h = d.getHours();
if (h < 11) { document.write('Selamat pagi,'); }
else { if (h < 15) { document.write('Selamat siang,'); }

```

```
else { if (h < 19) { document.write('Selamat sore,'); }
else { if (h <= 23) { document.write('Selamat malam,'); }
}}}</SCRIPT></div>
<h3><?php include "nama.php"; ?></h3>
```

```
<?php
$jumHub=mysql_num_rows(mysql_query("SELECT * FROM hubungi WHERE
dibaca='N'"));
echo "
<span class=messages> <a href='?module=hubungi'>
<img src='img/icons/packs/fugue/16x16/mail.png' alt='Pesan'> <span class
style=\"color:#66CCFF;\"><b>$jumHub</b></span>
<span class style=\"font-size:11px; color:#fff;\"> belum dibaca</span></a> </span>";
?>
```

```
<div class="clearfix"></div>
</section>
```

```
<nav id="nav">
<ul class="menu collapsible shadow-bottom">
```

```
<li>
<a href="javascript:void(0);">
MENU UTAMA</a>
<ul class="sub">
<?php include "menu1.php"; ?>
</ul>
<li>
<a href="javascript:void(0);">
MODUL BERITA</a>
<ul class="sub">
<?php include "menu2.php"; ?>
</ul>
```

```
<li>
<a href="javascript:void(0);">
MODUL WEB</a>
<ul class="sub">
<?php include "menu5.php"; ?>
</ul>
<li>
<a href="javascript:void(0);">
MODUL USER</a>
<ul class="sub">
<?php include "menu6.php"; ?>
</ul>
</ul>
</nav>
```

```
</aside>
```

```
<div id="main" role="main">
```

```
<div id="title-bar">
```

```
<ul id="breadcrumbs">
```

```
<li><a href="?module=home" title="Beranda"><span id="bc-home"></span></a></li>
```

```
<li class="no-hover">Selamat Datang di Halaman Administrator. </li>
```

```
</ul>
```

```
</div>
```

```
<div class="shadow-bottom shadow-titlebar"></div>
```

```
<?php include "content.php"; ?>
```

```
</div>
```

```
<script src="js/jquery.min.js"></script>
```

```
<script>window.jQuery||document.write('<script src="js/libs/jquery-1.6.2.min.js"></script>');</script>
```

```
<script defer type="text/javascript" src="js/zal.js"></script>
```

```
</body></html>
```

```
<?php
```

```
}
```

```
?>
```



## INDEX HOME WEBSITE

```
<?php
error_reporting(0);
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>

<!-- Script Facebook TAMPILAN HOME USER-->
<div id="fb-root"></div>
<script>(function(d, s, id) {
var js, fjs = d.getElementsByTagName(s)[0];
if (d.getElementById(id)) return;
js = d.createElement(s); js.id = id;
js.src = "//connect.facebook.net/id_ID/all.js#xfbml=1";
fjs.parentNode.insertBefore(js, fjs);} (document, 'script', 'facebook-jssdk'));</script>
<!-- Akhir Script Facebook -->

<!-- Script Copyright -->
<script type="text/javascript">
if(document.location.protocol=="http:"){
var
Tynt=Tynt||[];Tynt.push('accswOR5Kr4yaUacwqm_6r');Tynt.i={"ap": "<br/><b>Sumber
Berita: www.swarakalibata.com</b><hr>"};
(function(){var
s=document.createElement('script');s.async="async";s.type="text/javascript";s.src='http://tcr.t
ynt.com/ti.js';
var h=document.getElementsByTagName('script')[0];h.parentNode.insertBefore(s,h);}());
}
</script>
<!-- Akhir Script Copyright -->

<title><?php include "teraskreasi_titel.php"; ?></title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="robots" content="index, follow">
<meta name="description" content="<?php include "teraskreasi1.php"; ?>">
<meta name="keywords" content="<?php include "teraskreasi2.php"; ?>">
<meta http-equiv="Copyright" content="Sofyan Adi Cahyo" "rizal_fzl@yahoo.com">
<meta name="author" content="Sofyan Adi Cahyo" "http://teraskreasi.com">
<meta http-equiv="imagetoolbar" content="no">
<meta name="language" content="Indonesia">
<meta name="revisit-after" content="7">
<meta name="webcrawlers" content="all">
<meta name="rating" content="general">
<meta name="spiders" content="all">

<link rel="shortcut icon" href="favicon.png" />
<link rel="alternate" type="application/rss+xml" title="RSS 2.0" href="rss.xml" />
```

```

<!-- Bagian Stylesheets -->
<link rel="stylesheet" href="<?php echo "$f[folder]/css/main-stylesheet.css" ?>"
type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/jquery.fancybox.css" ?>"
type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/shortcodes.css" ?>" type="text/css"
/>
<link rel="stylesheet" href="<?php echo "$f[folder]/css/ddsmoothmenu.css" ?>"
type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/style_slider.css" ?>" type="text/css"
/>
<link rel="stylesheet" href="<?php echo "$f[folder]/css/infinitecarousel.css" ?>"
type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/ticker.css" ?>" type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/paging.css" ?>" type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/tabs-1.css" ?>" type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/tags.css" ?>" type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/jquery.ad-gallery.css" ?>"
type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/css/kurs_bca.css" ?>" type="text/css"
/>

```

```

<!-- Bagian JavaScripts/jQuery -->
<script src="<?php echo "$f[folder]/js/flowplayer-3.2.4.min.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/jquery.min.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/jquery.placeholder.min.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/cufon-yui.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/cufon-replace.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/font.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/jquery.fancybox.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/text-scroller.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/tabs.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/ticker.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/newsticker.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/tags.js" ?>" type="text/javascript"></script>

```

```

<script type="text/javascript">
$(document).ready(function(){
    $(function () {
        $(window).scroll(function () { });
        $('a.back-to-top').click(function () {
            $('body,html').animate({
                scrollTop: 0
            }, 800);
            return false;
        });
    });

```

```
});
});
});
</script>
```

```
<script src="<?php echo "$f[folder]/js3/ddsmoothmenu.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js3/menu.js" ?>" type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js2/jquery.easing.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js2/jquery.slidernews.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js4/infinitecarousel.js" ?>"
type="text/javascript"></script>
```

```
<script type="text/javascript">
$(document).ready( function(){
    $('#lofslidecontent45').lofJSidernews( {
        interval:8000,
        easing:'easeInOutElastic',
        duration:5500,
        auto:true
    });
});
</script>
```

```
<script src="<?php echo "$f[folder]/js/easy.js" ?>" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function(){
    $.easy.tooltip();
});
</script>
```

```
<script type="text/javascript">
    $(document).ready(function() {

        $("#a#example1").fancybox();

        $("#a#example2").fancybox({
            'overlayShow' : false,
            'transitionIn' : 'elastic',
            'transitionOut' : 'elastic'
        });

        $("#a#example3").fancybox({
            'transitionIn' : 'none',
            'transitionOut' : 'none'
        });

        $("#a#example4").fancybox({
```

```

        'opacity'           : true,
        'overlayShow'      : false,
        'transitionIn'     : 'elastic',
        'transitionOut'    : 'none'
    });

    $("#example5").fancybox();

    $("#example6").fancybox({
        'titlePosition'     : 'outside',
        'overlayColor'      : '#000',
        'overlayOpacity'    : 0.9
    });

    $("#example7").fancybox({
        'titlePosition'     : 'inside'
    });

    $("#example8").fancybox({
        'titlePosition'     : 'over'
    });

    $("#a[rel=example_group]").fancybox({
        'transitionIn'      : 'none',
        'transitionOut'     : 'none',
        'titlePosition'     : 'over',
        'titleFormat'       : function(title, currentArray,
currentIndex, currentOpts) {
            return '<span id="fancybox-title-over"><span class
style="color:#EA1C1C;">foto ' + (currentIndex + 1) + ' / ' + currentArray.length +
(title.length ? ' &nbsp;'</span> + title : ") + '</span>';
        }
    });

    /*
    * Examples - various
    */

    $("#various1").fancybox({
        'titlePosition'     : 'inside',
        'transitionIn'      : 'none',
        'transitionOut'     : 'none'
    });

    $("#various2").fancybox();

    $("#various3").fancybox({
        'width'              : '75%',
        'height'             : '75%',
        'autoScale'          : false,

```

```

                'transitionIn'      : 'none',
                'transitionOut'     : 'none',
                'type'              : 'iframe'
            });

            $("#various4").fancybox({
                'padding'            : 0,
                'autoScale'         : false,
                'transitionIn'      : 'none',
                'transitionOut'     : 'none'
            });
        });
    </script>

```

```

<script src="<?php echo "$f[folder]/js5/libs/modernizr-2.0.6.min.js" ?>"
type="text/javascript"></script>
<script>window.jQuery || document.write('<script src="js5/libs/jquery-
1.6.2.min.js"></script>')</script>
<script src="<?php echo "$f[folder]/js5/jquery.cycle.all.latest.js" ?>"
type="text/javascript"></script>

```

```

<script type="text/javascript">
    $('#test-widget ul').cycle({
        fx: 'scrollUp',
        speed: 800,
        timeout: 5000,
        next: '#next_test',
        prev: '#prev_test',
        cleartype: true,
        cleartypeNoBg: true
    });
</script>

```

```

<script src="<?php echo "$f[folder]/js6/jquery.ad-gallery.js?rand=995" ?>"
type="text/javascript"></script>

```

```

<script type="text/javascript">
    $(function() {
        $('img.image1').data('ad-desc', 'Whoa! This description is set through elm.data("ad-desc")
instead of using the longdesc attribute.<br>And it contains <strong>H</strong>ow
<strong>T</strong>o <strong>M</strong>eet <strong>L</strong>adies... <em>What?</em>
That aint what HTML stands for? Man...');
        $('img.image1').data('ad-title', 'Title through $.data');
        $('img.image4').data('ad-desc', 'This image is wider than the wrapper, so it has been scaled
down');
        $('img.image5').data('ad-desc', 'This image is higher than the wrapper, so it has been scaled
down');
        var galleries = $('ad-gallery').adGallery();
        $('#switch-effect').change(
            function() {

```

```

        galleries[0].settings.effect = $(this).val();
        return false;
    }
);
$('#toggle-slideshow').click(
    function() {
        galleries[0].slideshow.toggle();
        return false;
    }
);
});
</script>

```

```

<meta charset="UTF-8">

```

```

<style type="text/css">
.style2 {
    color: #FF0000;
    font-weight: bold;
}
</style>

```

```

</head>

```

```

<!--===== BACKGROUND=====-->
<?php
$r=mysql_fetch_array(mysql_query("SELECT * FROM background"));
echo "<body style='background: url(img_background/$r[gambar]) top center repeat-y;'>";
?>
<!--===== AKHIR BACKGROUND=====-->

```

```

<body class="top">

```

```

<div class="main-content-wrapper">
<div class="main-content">

```

```

<!------- ATAS ----->

```

```

<div class="main-header">

```

```

<!------- LOGO ----->

```

```

<div class="logo">
<?php
$logos=mysql_query("SELECT * FROM logo ORDER BY id_logo DESC LIMIT 1");
$link=mysql_fetch_array(mysql_query("SELECT url FROM identitas"));
while($b=mysql_fetch_array($logos)){
    echo "<a href='$link[url]'><img height=100 src='logo/$b[gambar]'/></a>";
}
?>
</div>

```

<!----- AKHIR LOGO ----->

<!----- IKLAN ----->

```
<div class="iklanatas">
```

```
gua lohxxx
```

```
</div>
```

<!----- AKHIR IKLAN ----->

```
</div>
```

<!----- AKHIR ATAS ----->

<!----- MENU ----->

```
<div class="navigation">
```

```
<div id="smoothmenu1" class="ddsmoothmenu">
```

```
<ul>
```

```
<?php
```

```
function get_menu($data, $parent = 0) {
```

```
static $i = 1;
```

```
$tab = str_repeat(" ", $i);
```

```
if ($data[$parent]) {
```

```
$html = "$tab<li>";
```

```
$i++;
```

```
foreach ($data[$parent] as $v) {
```

```
$schild = get_menu($data, $v->id_menu);
```

```
$html .= "$tab<li class='last'>";
```

```
$html .= '<a class=".'$css.'" href=".'$v->link.'">'.$v->nama_menu.'</a>';
```

```
if ($schild) {
```

```
$i--;
```

```
$html .= "<ul>$schild";
```

```
$html .= "$tab</ul>";}
```

```
$html .= '</li>';}
```

```
$html .= "$tab</li>";
```

```
return $html;}
```

```
else {
```

```
return false;}}
```

```
$result = mysql_query("SELECT * FROM menu WHERE aktif='Ya' ORDER BY  
id_menu");
```

```
while ($row = mysql_fetch_object($result)) {
```

```
$data[$row->id_parent][] = $row; }
```

```
$menu = get_menu($data);
```

```
echo "$menu";
```

```
?>
```

```
</ul>
```

```
</div></div>
```

<!----- AKHIR MENU ----->

```

<!----- NEWS UPDATE ----->
<div class="breaking-wrapper">
<p><b>NEWS UPDATE</b></p><div class='horizontal-scroller'><div id='scrollingtext'>
<?php
$sterkini=mysql_query("SELECT * FROM berita ORDER BY id_berita DESC LIMIT 10");
while($p=mysql_fetch_array($sterkini)){
$ Baca = $p[dibaca]+1;
$isi_berita = strip_tags($p['isi_berita']);
$isi = substr($isi_berita,0,100);
$isi = substr($isi_berita,0, strrpos($isi, " "));
$tgl = tgl_indo($p['tanggal']);

echo "
<img src='$f[folder]/images/ico-list-bullet-1.png' width='7' height='6'/>
<a href=berita-$p[judul_seo].html>$p[judul]</a>";}
?>
</div>
</div>
<span class="search">
<form method="POST" action="hasil-pencarian.html">
<input name="kata" type="text" class="input-text" placeholder="pencarian berita" />
<input type="submit" class="input-submit" value="" />
</form></span>
</div>
<!----- AKHIR NEWS UPDATE ----->

<!----- KONTEN ----->
<?php
include "$f[folder]/isi.php";
?>
<!----- AKHIR KONTEN ----->

<div class="mascot-euro">
<div class="mascot">
<?php
$logo=mysql_query("SELECT * FROM logo ORDER BY id_logo DESC LIMIT 1");
$iden=mysql_fetch_array(mysql_query("SELECT * FROM identitas"));
while($b=mysql_fetch_array($logo)){
echo "";}
?>
</div>

<!----- BAGIAN BAWAH ----->
<div class="main-footer">

<!----- COPYRIGHT ----->
<div class="copyright">

```



```
<div class="back-to-top"><a href="#top"><span class='tooltip' title='ke
atas'>&nbsp;&nbsp;&nbsp;</span></a></div>
```

```
Copyright © <?php $tahun=date("Y"); echo "$tahun. "; include "nama_web.php"; ?>.
Developed by <?php include "nama_pemilik.php";?>
</div>
```

```
<div class="social">
<a href="hal-tentang-kami.html">
Tentang Kami</a> <span class style="\color:#EA1C1C;"></span>
```

```
<a href="hubungi-kami.html">
Hubungi Redaksi</a> <span class style="\color:#EA1C1C;"></span>
```

```
<a href="rss.xml" target="_blank" class="rss">RSS Feeds</a></div>
```

```
<?php
// Statistik user
$ip = $_SERVER['REMOTE_ADDR']; // Mendapatkan IP komputer user
$tanggal = date("Ymd"); // Mendapatkan tanggal sekarang
$waktu = time(); //

// Mencek berdasarkan IPnya, apakah user sudah pernah mengakses hari ini
$s = mysql_query("SELECT * FROM statistik WHERE ip='$ip' AND tanggal='$tanggal'");
// Kalau belum ada, simpan data user tersebut ke database
if(mysql_num_rows($s) == 0){
    mysql_query("INSERT INTO statistik(ip, tanggal, hits, online)
VALUES('$ip','$tanggal','1','$waktu)");
}
else{
    mysql_query("UPDATE statistik SET hits=hits+1, online='$waktu' WHERE ip='$ip' AND
tanggal='$tanggal'");
}

$pengunjung = mysql_num_rows(mysql_query("SELECT * FROM statistik WHERE
tanggal='$tanggal' GROUP BY ip"));
$totalpengunjung = mysql_result(mysql_query("SELECT COUNT(hits) FROM statistik"),
0);
$hits = mysql_fetch_assoc(mysql_query("SELECT SUM(hits) as hitstoday FROM
statistik WHERE tanggal='$tanggal' GROUP BY tanggal"));
$totalhits = mysql_result(mysql_query("SELECT SUM(hits) FROM statistik"), 0);
$tothitsgbr = mysql_result(mysql_query("SELECT SUM(hits) FROM statistik"), 0);
$bataswaktu = time() - 300;
$pengunjungonline = mysql_num_rows(mysql_query("SELECT * FROM statistik WHERE
online > '$bataswaktu'"));

$path = "counter/";
$ext = ".png";
```

```
$tothitsgbr = sprintf("%06d", $tothitsgbr);
for ( $i = 0; $i <= 9; $i++ ){
    $tothitsgbr = str_replace($i, "<img src='$path$i$ext' alt='$i'", $tothitsgbr);
}
```

```
echo "
<li><class='user'>Pengunjung Online: <span class
style=\"color:#EA1C1C;\">$pengunjungonline</span> Orang |
<class='hits'>Statistik Kunjungan: <span class
style=\"color:#EA1C1C;\">$hits[hitstoday]</span> / $totalhits </li>";
?>
<!----- AKHIR COPYRIGHT ----->
```

```
<!----- AKHIR BAGIAN BAWAH ----->
```

```
</div>
</div>
</div>
</body>
</html>
```

```
<?php
if ($teraskreasi==2){
?>
```

```
<script>
flowplayer("player", "<?php echo '$f[folder]/flash/flowplayer-3.2.5.swf' ?>", {
clip: {
autoPlay: false,
autoBuffering: true,},
```

```
onLoad: function() { // called when player has finished loading
this.setVolume(35); // set volume property
}
});
</script>
```

```
<?php
}
elseif ($teraskreasi==1){
?>
```

```
<script>
function showRelatedList(gdata, container) {
var relatedVideos = gdata.relatedVideos;
var content = '<em>Related Videos:</em>';
content += '<a class="go up"></a><div class="playlist"><div class="clips low">';
```

```
jQuery.each( relatedVideos, function(index, item){
content += '<a href="'+ item.url +' "' + (index==0 ? 'class="first"' : "") + '>';
```

```
content += item.title + "<br/>";
content += "<em>" + Math.round(item.duration / 60) + " min</em></a>";});
```

```
content += '</div></div><a class="go down"></a>';
$(container).html(content);
$("div.playlist").scrollable({
items:'div.clips',
vertical:true,
next:'a.down',
prev:'a.up'
});}
```

```
$f("youtube", "<?php echo '$f[folder]/flash/flowplayer-3.2.5.swf' ?>", {
plugins: {
youtube: {
url:'flowplayer.youtube-3.2.1.swf',
enableGdata: true,
```

```
onApiData: function(gdata) {
console.log(gdata);
```

```
showRelatedList(gdata, "#playlistContainer");
}}},
```

```
onLoad: function() {
this.setVolume(35); },
```

```
clip: {
autoPlay: false,
autoBuffering: true,
provider: 'youtube',
urlResolvers: 'youtube'}
```

```
}).playlist("div.clips");
</script>
```

```
<?php
}
?>
```