

ADMIN

1. Anggota

```

<?php
session_start();
$sesi_username
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']=='1' )
//SourceCode by AndezNET.com
{
?>

<div class="span8">
  <div class="table-responsive">
<p><h1>DATA ANGGOTA
RONDA</h1></p>
<table class="table table-striped"
cellspacing="0" width="100%">
<thead>
  <tr>
    <th class="site-footer">ID</th>
    <th class="site-footer">ID User</th>
    <th class="site-footer">Nama
Anggota</th>
    <th class="site-footer">No KTP</th>
    <th class="site-footer">No
Telepon</th>
    <th class="site-footer">Dusun</th>
    <th class="site-footer">Action</th>
  </tr>
</thead>

<?php
include "konek.php";

```

```

$sql =
mysql_query("select * from user") or
die(mysql_error());
while ($data =
mysql_fetch_array($sql)) {

  ?>
<tbody>
<tr>
  <td><?php echo $data['id']; ?></td>
  <td><?php echo $data['iduser'];
?></td>
  <td><?php echo $data['nama'];
?></td>
  <td><?php echo $data['ktp']; ?></td>
  <td><?php echo $data['telpn'];
?></td>
  <td><?php echo $data['dusun'];
?></td>
  <td></td>

  </tr>

</tbody>
<?php
}
?>
</table>
<a href="?id=tbanggota"><button
type="button" class="btn btn-default"
data-dismiss="modal">Tambah
Anggota</button></a>

</div>
</div>
<?php
}else{
  session_destroy();

header('Location:../index.php?status=Silah
kan Login');

```

```
//SourceCode by AndezNET.com
}
?>
```

2. Auto Schedule

```
<?php
error_reporting(0);
$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;

if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']==1||$_SESSIO
N['leveluser']==2' )

{

?>
<h3><i class="fa fa-angle-
right"></i><?php echo $judul ?></h3>
<div class="row mt">
<div class="col-lg-12">
<div class="content-panel">
<section id="unseen">

<!-- textbox untuk pencarian -
->
<div class="weather-2">
<span class="add-on"><i
class="icon-search"></i></span>

<thead>
<div class="col-sm-2">
<input class="form-
control round-form" type="text"
name="pencarian"
placeholder="Pencarian..">
</div>
```

```
<a data-target="#dialog-
auto" id="0" class="tambah btn btn-info"
data-toggle="modal" >
<i class="fa fa-pencil-
square-o"></i>
Tambah
<span class="badge
badge-warning badge-right"></span>
</a>

<a href="?id=schedule"
class="btn btn-success" >
<i class="fa fa-refresh
bigger-160"></i>
Refresh
</a>

</div>
</thead>
<div id="data-
schedule"></div>
</section>

</div><!-- /content-panel -->
</div><!-- /col-lg-4 -->
</div><!-- /row -->

<!-- awal untuk modal dialog -->
<div id="dialog-auto" class="modal
fade" tabindex="-1" role="dialog" aria-
hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<button type="button"
class="close" data-dismiss="modal" aria-
hidden="true">&times;</button>
<h4 class="modal-title"><i
id="myModalLabel">Auto
Schedule</i></h4>
</div>

<div class="modal-body">
```

```

        <div class="auto"></div>
    </div>

    <div class="modal-footer">
        <button class="btn btn-
danger" data-dismiss="modal" aria-
hidden="true">Batal</button>
        <button id="simpan-auto"
class="btn btn-success" data-
dismiss="collapse" aria-hidden="true"
>Simpan</button>
    </div>
</div>
</div>
</div>
</div>
<?php
}else{
    echo "<script>alert('Mohon
Maaf anda tidak bisa akses halaman ini');
window.location =
'../index.php'</script>";
}
?>

```

3. Autoreply

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <meta name="description"
content="">
    <title>Auto Reply RONDA
REMINDER</title>

```

```

<!-- Bootstrap core CSS -->
<link
href="assets/css/bootstrap.css"
rel="stylesheet">
<!--external css-->
<link href="assets/font-
awesome/css/font-awesome.css"
rel="stylesheet" />
<link rel="shortcut icon" href="">
<script
src="assets/js/jquery.2.1.1.min.js"></s
cript>
<script>
$(document).ready(function() {
$("#responsecontainer").load("process
.php");
var refreshId = setInterval(function()
{
$("#responsecontainer").load('process.
php');
}, 1000);
});
</script>

<!-- Custom styles for this template
-->
<link href="assets/css/style.css"
rel="stylesheet">
<link href="assets/css/style-
responsive.css" rel="stylesheet">
<style>
.loader {
margin: 60px auto;
font-size: 10px;
position: relative;
text-indent: -9999em;
border-top: 1.1em solid rgba(255,
255, 255, 0.2);
border-right: 1.1em solid rgba(255,
255, 255, 0.2);
border-bottom: 1.1em solid
rgba(255, 255, 255, 0.2);
border-left: 1.1em solid #ff865c;

```

```

-webkit-transform: translateZ(0);
-ms-transform: translateZ(0);
transform: translateZ(0);
-webkit-animation: load8 1.1s
infinite linear;
animation: load8 1.1s infinite linear;
}
.loader,
.loader:after {
border-radius: 50%;
width: 10em;
height: 10em;
}
@-webkit-keyframes load8 {
0% {
-webkit-transform: rotate(0deg);
transform: rotate(0deg);
}
100% {
-webkit-transform: rotate(360deg);
transform: rotate(360deg);
}
}
@keyframes load8 {
0% {
-webkit-transform: rotate(0deg);
transform: rotate(0deg);
}
100% {
-webkit-transform: rotate(360deg);
transform: rotate(360deg);
}
}
</style>

<!-- HTML5 shim and Respond.js
IE8 support of HTML5 elements and
media queries -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/libs/html
5shiv/3.7.0/html5shiv.js"></script>

```

```

<script
src="https://oss.maxcdn.com/libs/resp
ond.js/1.4.2/respond.min.js"></script>
<![endif]-->
</head>

<body>
<div class="container">

<div
class="loader"></div>
<div
id="responsecontainer"></div>
<center><div class="label
label-danger">Auto Reply Sedang
Berjalan, Mohon Untuk Tidak
Menutup Tabs Browser Anda...
</div></center>
</div><!-- /container -->

<!-- js placed at the end of the
document so the pages load faster -->
<script
src="assets/js/jquery.js"></script>
<script
src="assets/js/bootstrap.min.js"></scri
pt>

<!--BACKSTRETCH-->
<!-- You can use an image of
whatever size. This script will stretch
to fit in any screen size.-->
<script type="text/javascript"
src="assets/js/jquery.backstretch.min.j
s"></script>
<script>
$.backstretch("assets/img/logo-
bg.jpg", {speed: 1000});
</script>

</body>
</html>

```

4. Inbox

```

<?php
error_reporting(0);
$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
//SourceCode by AndezNET.com
if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']=='1'||$_SES
SION['leveluser']=='2' )
{

    $id_inbox =
isset($_GET['idinbox']) ?
$_GET['idinbox'] : NULL;
    $mod =
isset($_GET['mod']) ? $_GET['mod'] :
NULL;

    if ($mod == "del") {
        $q_delete_inbox =
mysqli_query($mysqli,"DELETE
FROM inbox WHERE ID =
'$id_inbox'");
        if ($q_delete_inbox >0) {
            echo "<div class='alert alert-
block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Berhasil di
Hapus<br/></div>";
        } else {
            echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i
class='fa fa-
times'></i></button><strong><i
class='fa fa-times'></i> MAAF!
</strong>"
            .mysql_error()."<br/></div>";
        }
    }

    if ($mod == "cek") {
        $q_cek_inbox =
mysqli_query($mysqli,"update inbox
set Processed='true' where
ID='$id_inbox'");
    }
    ?>

    <h3><i class="fa fa-angle-
right"></i><?php echo $judul
?></h3>

```

```

<div class="row mt">
  <div class="col-lg-12">
    <div class="content-panel">
      <section id="unseen">

        <!-- textbox untuk
pencarian -->
        <div class="weather-2">
          <span class="add-
on"><i class="icon-
search"></i></span>

          <thead>
            <div class="col-sm-
2">
              <input class="form-
control round-form" type="text"
name="pencarian"
placeholder="Pencarian..">
            </div>

            <a data-
toggle="modal" class="btn btn-info"
data-target="#myModal" href="" >
              <i class="fa fa-
pencil-square-o"></i>
                Pesan Baru
              <span class="badge
badge-warning badge-right"></span>
            </a>

            <a class="btn btn-
danger"
href="?id=inbox&mod=delall"
onclick="return confirm ('Menghapus
semua pesan?')">Hapus all</a>

            <a href="?id=inbox"
class="btn btn-success ">
              <i class="fa fa-
refresh bigger-160"></i>
                Refresh
            </a>

          <p> &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; </p>
        </div>
      </thead>
      <div id="data-
inbox"></div>
        <a
href="cetak/cetakinbox.php"
class="btn btn-danger ">
          Print To PDF
        </a>

        <a href="cetak/exporinbox.php"
class="btn btn-success ">
          Export xls
        </a>

      </section>

    </div><!-- /content-panel -->
  </div><!-- /col-lg-4 -->
</div><!-- /row -->

<!-- awal untuk modal dialog -->
<div id="dialog-inbox"
class="modal fade" tabindex="-1"
role="dialog" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button"
class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
        <h4 class="modal-
title"><i id="myModalLabel">Balas
Pesan</i></h4>
      </div>

      <div class="modal-body">
        <div
class="datainbox"></div>

```

```

        </div>

        <div class="modal-footer">
        </div>
    </div>
</div>
</div>

<?php
}else{
    echo "<script>alert('Mohon
Maaf anda tidak bisa akses halaman
ini'); window.location =
'../index.php'</script>";
}
?>

```

5. Outbox

```

<?php
session_start();
$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']==='1' )
//SourceCode by AndezNET.com
{
    $id_outbox =
isset($_GET['idoutbox']) ?
$_GET['idoutbox'] : NULL;
    $mod =
isset($_GET['mod']) ? $_GET['mod'] :
NULL;

    if ($mod == "del") {

```

```

        $q_delete_outbox =
mysql_query($mysqli,"DELETE
FROM outbox WHERE ID =
'$id_outbox'");
        if ($q_delete_outbox) {
            echo "<div class='alert alert-
block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Berhasil di
Hapus<br/></div>";
        } else {
            echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i
class='fa fa-
times'></i></button><strong><i
class='fa fa-times'></i> MAAF!
</strong>"
.mysql_error()."<br/></div>";
        }
    }

    if ($mod == "delall") {
        $q_deleteall_outbox =
mysql_query($mysqli,"DELETE
FROM outbox");
        if ($q_deleteall_outbox >0) {
            echo "<div class='alert alert-
block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Terkirim Berhasil di
Hapus<br/></div>";
        } else {
            echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i

```

```

class='fa fa-
times'></i></button><strong><i
class='fa fa-times'></i> MAAF!
</strong>"
.mysql_error($mysqli,$q_deleteall_se
nt)."<br/></div>";
    }
}
?>

<h3><i class="fa fa-angle-
right"></i><?php echo $judul
?></h3>
<div class="row mt">
<div class="col-lg-12">
<div class="content-panel">
<section id="unseen">

<!-- textbox untuk
pencarian -->
<div class="weather-2">
<span class="add-
on"><i class="icon-
search"></i></span>

<thead>
<div class="col-sm-
2">
<input class="form-
control round-form" type="text"
name="pencarian"
placeholder="Pencarian..">
</div>

<a class="btn btn-
danger"
href="?id=outbox&mod=delall"
onclick="return confirm ('Menghapus
semua pesan?')">Hapus all</a>

<a href="?id=outbox"
class="btn btn-success ">

```

```

<i class="fa fa-
refresh bigger-160"></i>
Refresh
</a>

<p> &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; </p>
</div>
</thead>
<div id="data-
outbox"></div>
</section>

</div><!-- /content-panel -->
</div><!-- /col-lg-4 -->
</div><!-- /row -->

<!-- awal untuk modal dialog -->

<?php
} else {
    echo "<script>alert('Mohon
Maaf anda tidak bisa akses halaman
ini'); window.location =
'../index.php'</script>";
}
?>

```

6. Phonebook

```

<?php
session_start();
$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']=='1' )
//SourceCode by AndezNET.com
{

```



```

?>
<h3><i class="fa fa-angle-
right"></i><?php echo $judul
?></h3>
<?php
$maxsize = 2097152;
$idpbk =
isset($_POST['idpbk']) ?
$_POST['idpbk'] : NULL;
$name =
isset($_POST['name']) ?
$_POST['name'] : NULL;
$datanohp =
isset($_POST['datanohp']) ?
$_POST['datanohp'] : NULL;
$gp =
isset($_POST['gp']) ? $_POST['gp'] :
NULL;
$tb_act =
isset($_POST['tb_act']) ?
$_POST['tb_act'] : NULL;
$foto = "";
$mod =
isset($_GET['mod']) ? $_GET['mod'] :
NULL;
$id_pbk =
isset($_GET['idpbk']) ?
$_GET['idpbk'] : NULL;
$nama_file =
$_FILES['file']['name'];
$size_file =
$_FILES['file']['size'];
$type_file =
$_FILES['file']['type'];

//=====
==

if ($tb_act == "Tambah") {
        if ($name != "" && $datanohp !=
        "") {
                if(($_FILES['file']['size'] >=
                $maxsize))
                {
                        echo "<div class='alert alert-
                        danger'><button type='button'
                        class='close' data-dismiss='alert'><i
                        class='icon-
                        remove'></i></button><strong><i
                        class='ace-icon fa fa-times'></i>
                        MAAF! </strong> upload
                        errors<br/></div>";
                } else {
                        $uploaddir = 'assets/img/';
                        $alamatfile = $uploaddir .
                        $nama_file;

                        move_uploaded_file($_FILES['file']['t
                        mp_name'], $alamatfile);

                        $q_tambah =
                        mysqli_query($mysqli, "INSERT
                        INTO pbk VALUES
                        ('$gp','$name','$datanohp','$alamatfile
                        ')");
                        if ($q_tambah > 0) {
                                echo "<div class='alert
                                alert-block alert-success'><button
                                type='button' class='close' data-
                                dismiss='alert'><i
                                class='></i></button><strong><i
                                class='ace-icon fa fa-check'></i>
                                BERHASIL</strong> Phonebook
                                Berhasil disimpan<br/></div>";
                        } else {
                                echo "<div class='alert
                                alert-danger'><button type='button'
                                class='close' data-dismiss='alert'><i
                                class='icon-
                                remove'></i></button><strong><i

```

```

class='ace-icon fa fa-times'></i>
MAAF! </strong>" .
mysqli_error($mysqli) .
"<br/></div>";
    }
    }
    } else {
        echo "<h4
class='alert_error'>Lengkapi
Isian<span id='close'><a
href='#>X</a></span></h4>";
    }
}

if ($tb_act == "Edit") {
    if ($name != "" && $datano hp !=
    "") {

        if(($_FILES['file']['size'] >=
        $maxsize))
        {
            echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i
class='icon-
remove'></i></button><strong><i
class='ace-icon fa fa-times'></i>
MAAF! </strong> upload
eroors<br/></div>";
        } else {
            if (($_FILES['file']['size'] ==
0) ){

                $q_edit1 =
mysqli_query($mysqli, "UPDATE
pbk SET GroupID='$gp',
Name='$name', Number='$datano hp'
where ID='$idpbk'");
                if ($q_edit1 > 0) {
                    echo "<div class='alert
alert-block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i
class='></i></button><strong><i
class='ace-icon fa fa-check'></i>
BERHASIL</strong> Phonebook
Berhasil disimpan<br/></div>";
                } else {
                    echo "<div class='alert
alert-danger'><button type='button'
type='button' class='close' data-
dismiss='alert'><i
class='></i></button><strong><i
class='ace-icon fa fa-check'></i>
BERHASIL</strong> Phonebook
Berhasil disimpan<br/></div>";
                } else {
                    echo "<div class='alert
alert-danger'><button type='button'
class='close' data-dismiss='alert'><i
class='icon-
remove'></i></button><strong><i
class='ace-icon fa fa-times'></i>
MAAF! </strong>" .
mysqli_error($mysqli) .
"<br/></div>";
                }
            } else {
                $uploaddir = 'assets/img/';
                $alamatfile = $uploaddir .
                $nama_file;

                move_uploaded_file($_FILES['file']['t
mp_name'], $alamatfile);

                $q_edit2 =
mysqli_query($mysqli, "UPDATE
pbk SET
GroupID='$gp',Name='$name',Numbe
r='$datano hp',Foto='$alamatfile'
where ID='$idpbk'");
                if ($q_edit2 > 0) {
                    echo "<div class='alert
alert-block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i
class='></i></button><strong><i
class='ace-icon fa fa-check'></i>
BERHASIL</strong> Phonebook
Berhasil disimpan<br/></div>";
                } else {
                    echo "<div class='alert
alert-danger'><button type='button'

```

```

class='close' data-dismiss='alert'><i
class='icon-
remove'></i></button><strong><i
class='ace-icon fa fa-times'></i>
MAAF! </strong>" .
mysqli_error($mysqli) .
"<br/></div>";
    }
}
} else {
    echo "<h4 class='alert
alert_danger'>Lengkapi Isian<span
id='close'>[<a
href='#>X</a>]</span></h4>";
}

}

//SourceCode by AndezNET.com
else if ($mod == "del") {
    $q_delete_pb =
mysqli_query($mysqli,"DELETE
FROM pbk WHERE ID = '$id_pbk'");
    if ($q_delete_pb > 0) {
        echo "<div class='alert alert-
block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i
class='></i></button><strong><i
class='ace-icon fa fa-check'></i>
BERHASIL</strong> Menghapus
Phonebook<br/></div>";
    } else {
        echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i
class='icon-
remove'></i></button><strong><i
class='ace-icon fa fa-times'></i>
MAAF! </strong>"

mysqli_error($mysqli)."<br/></div>"
;
    }
}
?>
<div>
    <div class="col-sm-2">
        <input class="form-control
round-form" type="text"
name="pencarian"
placeholder="Pencarian..">
    </div>

    <thead>
        <a data-target="#dialog-pb"
id="0" class="tambah btn btn-info"
data-toggle="modal" >
            <i class="fa fa-pencil-square-
o"></i>
                Tambah
            <span class="badge badge-
warning badge-right"></span>
            </a>

            <a
href="phonebook/exportpb.php"
class="btn btn-success">
                <i class="fa fa-file-excel-
o"></i>
                Export XLS
            </a>

            <a href="?id=pb" class="btn btn-
info">
                <i class="fa fa-refresh"></i>
                Refresh
            </a>

    </div>

<div id="data-pb"></div>
</thead>

```

```

<div id="dialog-pb" class="modal
fade" tabindex="-1" role="dialog"
aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button"
class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
        <h4 class="modal-
title"><i
id="myModalLabel">Phonebook</i>
</h4>
      </div>
      <div class="modal-body">
        <div class="pb"></div>
      </div>
      <div class="modal-footer">
        </div>
      </div>
    </div>
  </div>
  <div class="modal-body">
    <div class="pb"></div>
  </div>
  <div class="modal-footer">
    </div>
  </div>
</div>
</div>
</div>
</div>
<?php
}else{
  session_destroy();

  header('Location:../index.php?status=
Silahkan Login');
  //SourceCode by AndezNET.com
}
?>

```

7. Sent

```

<?php
session_start();

```

```

$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']==='1' )
//SourceCode by AndezNET.com
{
  $id_sent = isset($_GET['idsent']) ?
$_GET['idsent'] : NULL;
  $mod =
isset($_GET['mod']) ? $_GET['mod'] :
NULL;

  if ($mod == "del") {
    $q_delete_sent =
mysqli_query($mysqli,"DELETE
FROM sentitems WHERE ID =
'$id_sent'");
    if ($q_delete_sent) {
      echo "<div class='alert alert-
block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Berhasil di
Hapus<br/></div>";
    } else {
      echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i
class='fa fa-
times'></i></button><strong><i
class='fa fa-times'></i> MAAF!
</strong>"
      .mysql_error()."<br/></div>";
    }
  }

  if ($mod == "delall") {

```

```

        $q_deleteall_sent =
mysql_query($mysqli,"DELETE
FROM sentitems");
        if ($q_deleteall_sent >0) {
            echo "<div class='alert alert-
block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Terkirim Berhasil di
Hapus<br/></div>";

        } else {
            echo "<div class='alert alert-
danger'><button type='button'
class='close' data-dismiss='alert'><i
class='fa fa-
times'></i></button><strong><i
class='fa fa-times'></i> MAAF!
</strong>"
.mysql_error($mysqli,$q_deleteall_se
nt)."<br/></div>";
        }
        ?>

<h3><i class="fa fa-angle-
right"></i><?php echo $judul
?></h3>
<div class="row mt">
<div class="col-lg-12">
<div class="content-panel">
<section id="unseen">

<!-- textbox untuk
pencarian -->
<div class="weather-2">
<span class="add-
on"><i class="icon-
search"></i></span>

<thead>
<div class="col-sm-
2">
<input class="form-
control round-form" type="text"
name="pencarian"
placeholder="Pencarian..">
</div>

<a class="btn btn-
danger" href="?id=sent&mod=delall"
onclick="return confirm ('Menghapus
semua pesan?')">Hapus all</a>

<a href="?id=sent"
class="btn btn-success ">
<i class="fa fa-
refresh bigger-160"></i>
Refresh
</a>

<p> &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; </p>
</div>
</thead>
<div id="data-
sent"></div>
</section>

</div><!-- /content-panel -->
</div><!-- /col-lg-4 -->
</div><!-- /row -->

<!-- awal untuk modal dialog -->
<div id="sent" class="modal fade"
tabindex="-1" role="dialog" aria-
hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<button type="button"
class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>

```

```

        <h4 class="modal-
title"><i id="myModalLabel">Balas
Pesan</i></h4>
    </div>

    <div class="modal-body">
        <div
class="datasent"></div>
    </div>

    <div class="modal-footer">
    </div>
</div>
</div>
</div>
</div>

<?php
}else{
    echo "<script>alert('Mohon
Maaf anda tidak bisa akses halaman
ini'); window.location =
'../index.php'</script>";
}
?>

```

8. Logout

```

<?php session_start();
//SourceCode by AndezNET.com
if(isset($_SESSION['username']))
{
    session_destroy();
    header('Location:index.php?status
=Anda sudah Keluar');
}else{
    session_destroy();
    header('Location:index.php?status
=Silahkan Login!');
}
?>

```

9. Media

```

<?php
session_start();
error_reporting(0);
include "config/koneksi.php";
//SourceCode by AndezNET.com
include "config/page.php";

$id_user=$_SESSION['kode'];
$nm_user=$_SESSION['namauser'];
$photo=$_SESSION['photo'];
$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']==1' )

{

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <meta name="description"
content="">
    <meta name="author"
content="Dashboard">
    <meta name="keyword"
content="SAGA - Sms Andeznet
Gateway">

    <title>RONDA REMINRER DESA
BUMI RAYA</title>

```

```

<!-- Bootstrap core CSS -->
<link
href="assets/css/bootstrap.css"
rel="stylesheet">
<!--external css-->
<link href="assets/font-
awesome/css/font-awesome.css"
rel="stylesheet" />
<link rel="stylesheet"
type="text/css"
href="assets/css/zabuto_calendar.css"
>
<link rel="stylesheet"
type="text/css"
href="assets/lineicons/style.css">
<link rel="stylesheet"
type="text/css" href="<?php echo
$ambilcss1; ?>">
<link rel="stylesheet"
type="text/css" href="<?php echo
$ambilcss2; ?>">
<link rel="shortcut icon"
href="logosaga.png">

<!-- Custom styles for this template
-->
<link href="assets/css/style.css"
rel="stylesheet">
<link href="assets/css/style-
responsive.css" rel="stylesheet">

<script src="assets/js/chart-
master/Chart.js"></script>
<script src="assets/js/time.js"
type="text/javascript"></script>
<style type="text/css">
    .web{
        font-family:tahoma;
        top:10%;
        border:1px solid #CDCDCD;
        border-radius:10px;
        padding:10px;
        width:38%;
        margin:auto;
    }
    #search_keyword_id
    {
        width:300px;
        border:solid 1px #CDCDCD;
        padding:10px;
        font-size:14px;
    }
    #result
    {
        position:absolute;
        width:320px;
        display:none;
        margin-top:-1px;
        border-top:0px;
        overflow:hidden;
        border:1px #CDCDCD solid;
        background-color: white;
    }
    .show
    {
        font-family:tahoma;
        padding:10px;
        border-bottom:1px
#CDCDCD dashed;
        font-size:15px;
    }
    .show:hover
    {
        background:#364956;
        color:#FFF;
        cursor:pointer;
    }
</style>

</head>
<body>
<section id="container" >

```

```

<!--
*****
*****
*****
*****
*****
TOP BAR CONTENT &
NOTIFICATIONS
*****
*****
*****
*****
*****
-->
<!--header start-->
<header class="header black-bg">
  <div class="sidebar-toggle-
box">
    <div class="fa fa-bars
tooltips" data-placement="right" data-
original-title="Toggle
Navigation"></div>
  </div>
  <!--logo start-->
  <a href="index.html"
class="logo"><b>RONDA
REMINDER DESA BUMI
RAYA</b></a>
  <!--logo end-->
  <div class="nav notify-row"
id="top_menu">
    <!-- notification start -->
    <ul class="nav top-menu">
      <!-- settings start -->

      <!-- settings end -->
      <!-- inbox dropdown
start-->
      <li
id="header_inbox_bar"
class="dropdown">

```

```

</li>
  <span id="dates"><span
id="the-day">Hari, 00 Bulan
0000</span> <span id="the-
time">00:00:00</span> </span>
  </ul>
  <!-- notification end -->

</div>
<div class="top-menu">
  <ul class="nav pull-right
top-menu">
    <li><a class="logout"
href="logout.php" onclick="return
confirm('Apakah anda yakin ?');"><i
class="glyphicon glyphicon-
off"></i><span>
Logout</span></a></li>
  </ul>
</div>
</header>
<!--header end-->

<!--
*****
*****
*****
*****
*****
MAIN SIDEBAR MENU
*****
*****
*****
*****
*****
-->
<!--sidebar start-->
<aside>
  <div id="sidebar" class="nav-
collapse ">
    <!-- sidebar menu start-->

```



```

        <ul class="sidebar-menu"
id="nav-accordion">
        <?php

$user=mysqli_query($mysqli,"select *
from tbl_user where
id_user='$id_user'");

while($rowuser=mysqli_fetch_array($
user,MYSQL_ASSOC)) {
        echo "<p
class='centered'><a
href='?id=profile'><img src="" .
$rowuser['photo'] . "" class='img-
circle' width='60'></a></p>";
        echo "<h5
class='centered'>" .
$rowuser['username'] . "</h5>";
        }
        ?>

        <li class="mt">
        <a class="<?php echo
$classmenu1 ?>" href="?id=home">
        <i class="fa fa-
dashboard"></i>

<span>Dashboard</span>
        </a>
        </li>

        <li
class="mt">
        <a data-toggle="modal"
data-target="#myModal" href="" >
        <i class="fa
fa-pencil-square-o"></i>
        <span>Tulis
Pesanan</span>
        </a>
        </li>

        <li class="sub-menu">
        <a href="javascript:;" >
        <i class="fa fa-fold-
er-o"></i>
        <span>Pesanan</span>
        </a>
        <ul class="sub active">
        <li><a class="<?php
echo $classmenu2 ?>"
href="?id=inbox">Kotak
Masuk</a></li>
        <li><a class="<?php
echo $classmenu3 ?>"
href="?id=outbox">Kotak
Keluar</a></li>
        <li><a class="<?php
echo $classmenu4 ?>"
href="?id=sent">Pesanan
Terkirim</a></li>
        <li><a data-
toggle="modal" data-
target="#modalsiaran" href="">
        <span>Pesanan
Siaran</span>
        </a></li>

        <li><a class="<?php
echo $classmenu5 ?>"
href="?id=schedule">Pesanan
Terjadwal</a></li>
        </ul>
        </li>

        <li class="sub-menu">
        <a href="javascript:;" >
        <i class="fa fa-
cogs"></i>

```

```

<span>Settings</span>
  </a>
  <ul class="sub">
    <li><a class="<?php
echo $classmenu6 ?>"
href="?id=profile">Profile</a></li>
    <li><a class="<?php
echo $classmenu7 ?>"
href="?id=auto">AutoReplay</a></li>
  >
    </ul>
  </li>
  <li class="active sub-
menu">
    <a href="javascript:;" >
      <i class="fa fa-
book"></i>

<span>Kontak</span>
  </a>
  <ul class="sub">
    <li><a class="<?php
echo $classmenu8 ?>"
href="?id=pb">Semua</a></li>
    <li><a class="<?php
echo $classmenu9 ?>"
href="?id=grp">Group</a></li>
  </ul>
</li>

  <li class="active sub-
menu">
    <a href="?id=anggota"
><i class="fa fa-book"></i>Anggota
Ronda</a></li>

    <li class="active sub-
menu">
    <a href="?id=jadwal"
><i class="fa fa-book"></i>Jadwal
Ronda</a>

```

```

</li>
  <li class="active sub-
menu">
    <a href="?id=berita" ><i
class="fa fa-book"></i>Buat
Berita</a>
    </li>

  </ul>
  <!-- sidebar menu end-->
</div>
</aside>
<!--sidebar end-->

<!--
*****
*****
*****
*****
*****
*****
MAIN CONTENT
*****
*****
*****
*****
*****
-->
<!--main content start-->
<section id="main-content">

  <div class="modal fade"
id="myModal" tabindex="-1"
role="dialog" aria-
labelledby="myModalLabel" aria-
hidden="true">

  <div class="modal-dialog">

  <div class="modal-content">

```

```

        <div class="modal-header">
            <button type="button"
            class="close" data-dismiss="modal"
            aria-hidden="true">&times;</button>

            <h4 class="modal-title"
            id="myModalLabel">Tulis
            Pesan</h4>
        </div>

        <div class="modal-body">

            <form class="form-
            horizontal style-form" action=""
            method="post">

                <div
                class="form-group">

                    <label
                    class="col-sm-2 col-sm-2 control-
                    label">Pesan</label>

                    <div
                    class="col-sm-10">
                        <textarea
                        type="text" class="form-control"
                        name="pesan" placeholder="Isikan
                        Pesan" required></textarea>
                    </div>
                </div>

                <div
                class="form-group">
                    <label
                    class="col-sm-2 col-sm-2 control-
                    label">To</label>
                </div>
            </form>

            <div class="modal-footer">

                <button type="button"
                class="btn btn-default" data-
                dismiss="modal">Close</button>

                <input type="submit"
                class="btn btn-primary" name="input"
                value="KIRIM">

            </div>
        </div>

        <div class="modal fade" id="test"
        tabindex="-1" role="dialog" aria-
        labelledby="myModalLabel" aria-
        hidden="true">

            <div class="modal-dialog">

```

```

<div class="modal-content">
  <div class="modal-header">
    <button type="button"
class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>

    <h4 class="modal-title"
id="myModalLabel">Tulis
Pesan</h4>
  </div>
  <div class="modal-body">
    <h3>Test</h3>
  </div>
</div>

<div class="modal fade"
id="modalsiaran" tabindex="-1"
role="dialog" aria-
labelledby="myModallLabel" aria-
hidden="true">
  <div class="modal-
dialog">
    <div class="modal-
content">
      <div class="modal-
header">
        <button
type="button" class="close" data-
dismiss="modal" aria-
hidden="true">&times;</button>
        <h4
class="modal-title"
id="myModalLabel">Pesan
Siaran</h4>
      </div>
      <div class="modal-
body">
        <form
class="form-horizontal style-form"
action="" method="post">
          <div
class="form-group">
            <label
class="col-sm-2 col-sm-2 control-
label">Group</label>
            <div
class="col-sm-10">
              <select
name="group"><option value=0
selected>- Pilih Grups -</option>
              <?php
                $q =
mysql_query($mysql,"select * from
pbk_groups");
              while
($a = mysql_fetch_array($q)){
                echo "<option
value=$a[1]>$a[0]</option>";
              }
            <?>
          </select>
        </div>
      </div>
    </div>
  </div>
  <div class="form-group">

```

```

                                <label
class="col-sm-2 col-sm-2 control-
label">Pesan</label>
                                <div
class="col-sm-10">
                                <textarea
type="text" class="form-control"
name="pesan" placeholder="Isikan
Pesan" required></textarea>
                                </div>
                                </div>
                                </div>
                                <div class="modal-
footer">
                                <button
type="button" class="btn btn-default"
data-
dismiss="modal">Close</button>
                                <input
type="submit" class="btn btn-
primary" name="inputgroup"
value="KIRIM">
                                </div>
                                </form>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="wrapper">
                                <?php
                                include "config/koneksi.php";
                                if (isset($_POST['input'])) {
                                    $nohp=$_POST['nohp'];
                                    $pesan=$_POST['pesan'];

                                $jmlSMS=ceil(strlen($pesan)/153);

                                $specah=str_split($pesan, 153);

                                $hasil=mysqli_query($mysqli,"SHO
W TABLE STATUS LIKE 'outbox'");

                                $data=mysqli_fetch_array($hasil);

                                $newID=$data['Auto_increment'];
                                for
                                ($i=1; $i<=$jmlSMS; $i++)
                                {
                                    $udh="050003A7".sprintf("%02s",$j
mlSMS).sprintf("%02s",$i);

                                    $msg=$specah[$i-1];

                                    if($i == 1){

                                        $sql =
                                        mysqli_query($mysqli,"INSERT
                                        INTO
                                        outbox(DestinationNumber,UDH,Text
                                        Decoded,ID,Multipart,CreatorID)
                                        VALUES

                                        ('$nohp','$udh','$msg','$newID','true','
                                        Gammu'");

                                        if ($sql > 0) {

                                            echo "<div class='alert
                                            alert-block alert-success'><button
                                            type='button' class='close' data-
                                            dismiss='alert'><i class='fa fa-
                                            times'></i></button><strong><i
                                            class='fa fa-check'></i> BERHASIL
                                            </strong>Pesan Berhasil di
                                            Kirim<br/></div>";

                                            } else {

                                                echo "<div
                                                class='alert alert-danger'><button
                                                type='button' class='close' data-
                                                dismiss='alert'><i class='fa fa-
                                                times'></i></button><strong><i

```

```

class='fa fa-times'></i> MAAF!                                     }
</strong>"
.mysql_error($mysqli)."<br/></div>"
;

}

}

} else {
    $sql =
mysql_query($mysqli,"INSERT
INTO
outbox_multipart(UDH,TextDecoded,
ID,SequencePosition) VALUES
('$udh','$msg','$newID','$i)");

    if ($sql > 0) {
        echo "<div class='alert
alert-block alert-success'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Berhasil di
Kirim<br/></div>";
    } else {
        echo "<div
class='alert alert-danger'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i
class='fa fa-times'></i> MAAF!
</strong>"
.mysql_error($mysqli)."<br/></div>"
;
    }
}

}

}
if
(isset($_POST['inputgroup'])) {
    $group = $_POST['group'];
    $message =
    $_POST['pesan'];
    $query =
mysql_query($mysqli, "SELECT *
FROM pbk WHERE
GroupID='".$_group."'");
    while ($row =
mysql_fetch_array($query,
MYSQL_ASSOC)) {
        $query2 = "INSERT
INTO outbox (DestinationNumber,
TextDecoded, CreatorID) VALUES
('" . $row['Number'] . "', '$message',
'Gammu')";
        $hasil =
mysql_query($mysqli,$query2);

        if ($hasil > 0) {
            echo "<div
class='alert alert-block alert-
success'><button type='button'
class='close' data-dismiss='alert'><i
class='fa fa-
times'></i></button><strong><i
class='fa fa-check'></i> BERHASIL
</strong>Pesan Berhasil di Kirim ke
no " . $row['Number'] .
"<br/></div>";
        } else {
            echo "<div
class='alert alert-danger'><button
type='button' class='close' data-
dismiss='alert'><i class='fa fa-
times'></i></button><strong><i

```

```

class='fa fa-times'></i> MAAF!
</strong>"
.mysql_error()."<br/></div>";
    }
    }
    }
?>
<?php include $ambil; ?>

```

```

</section>
</section>

```

```

<!--main content end-->
<!--footer start-->
<div>
<footer class="site-footer">
    <div class="text-center">
        2018 &copy; ArianRinaldi
        <a href="#" class="go-top">
            <i class="fa fa-angle-
up"></i>
            </a>
        </div>
    </footer>
</div>
<!--footer end-->

```

```

<!-- js placed at the end of the
document so the pages load faster -->

```

```

<script src="assets/js/jquery-
1.8.3.min.js"></script>
<script
src="assets/js/bootstrap.min.js"></scri
pt>
<script class="include"
type="text/javascript"
src="assets/js/jquery.dcjqaccordion.2.
7.js"></script>

```

```

<script
src="assets/js/jquery.scrollTo.min.js"
></script>
<script
src="assets/js/jquery.nicescroll.js"
type="text/javascript"></script>
<script
src="assets/js/jquery.sparkline.js"></s
cript>

```

```

<!--common script for all pages-->
<script src="assets/js/common-
scripts.js"></script>

```

```

<!--script for this page-->

```

```

<script src="<?php echo
$ambiljs1; ?>"></script>
<script src="<?php echo
$ambiljs2; ?>"></script>
<script src="<?php echo
$ambiljs3; ?>"></script>
<script src="<?php echo
$ambiljs4; ?>"></script>
<?php include $ambilfungsi; ?>

```

```

<script type="text/javascript">

function Ajax()
{
    var
        $http,
        $self = arguments.callee;

    if
(window.XMLHttpRequest) {
        $http = new
XMLHttpRequest();
    } else if
(window.ActiveXObject) {
        try {

```

```

        $http = new
ActiveXObject('Msxml2.XMLHTTP')
;
        } catch(e) {
        $http = new
ActiveXObject('Microsoft.XMLHTTP
');
        }
        }

        if ($http) {
        $http.onreadystatechange =
function()
        {
            if
(/4|^complete$/.test($http.readyState))
            {

document.getElementById('header_in
box_bar').innerHTML =
$http.responseText;

setTimeout(function(){ $self(); },
10000);
            }
        };
        $http.open('GET',
'cek_inbox.php' + '?' + new
Date().getTime(), true);
        $http.send(null);
        }
        else {

document.getElementById('header_in
box_bar').innerHTML =
$http.responseText;
        }
        }

}

</script>

```

```

<script type="text/javascript">
    setTimeout(function()
{ Ajax(); }, 10000);
</script>

<script type="text/javascript">
    $(function(){

$("#search_keyword").keyup(function(
)
    {
        var search_keyword_value
= $(this).val();
        var dataString =
'search_keyword='+
search_keyword_value;

if(search_keyword_value!="")
        {
            $.ajax({
                type: "POST",
                url: "search.php",
                data: dataString,
                cache: false,
                success:
function(html)
                {
                    $("#result").html(html).show();
                }
            });
        }
        return false;
    });

$("#result").live("click",function(e){
    var $clicked = $(e.target);
    var $phonebook =
$clicked.find('.phonebook').html();

```



```

        var decoded =
$(("<span/>").html($phonebook).text()
;

$('#search_keyword_id').val(decoded)
;
    });

$(document).live("click",
function(e) {
    var $clicked = $(e.target);
    if (!
$clicked.hasClass("search_keyword"))
{
        $("#result").fadeOut();
    }
    });

$('#search_keyword_id').click(function()
{
    $("#result").fadeIn();
    });
});
</script>

</body>
</html>
<?php
}else{
    session_destroy();

header('Location:index.php?status=Sil
ahkan Login');
}
?>

```

10. Group

```

<?php
error_reporting(0);

```

```

$sesi_username =
isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;

if ($sesi_username != NULL ||
!empty($sesi_username)
||$_SESSION['leveluser']=='1'||$_SES
SION['leveluser']=='2' )
//SourceCode by AndezNET.com
{

?>
    <h3><i class="fa fa-angle-
right"></i><?php echo $judul
?></h3>
    <div class="row mt">
        <div class="col-lg-12">
            <div class="content-panel">
                <section id="unseen">
                    <!-- textbox untuk
pencarian -->
                    <div class="weather-2">
                        <span class="add-
on"><i class="icon-
search"></i></span>
                    <thead>
                        <div class="col-sm-
2">
                            <input class="form-
control round-form" type="text"
name="pencarian"
placeholder="Pencarian..">
                        </div>
                        <a data-
target="#dialog-group" id="0"
class="tambah btn btn-info" data-
toggle="modal" >
                            <i class="fa fa-
pencil-square-o"></i>
                            Tambah

```

```

                <span class="badge
badge-warning badge-right"></span>
                </a>

                <a href="?id=grp"
class="btn btn-success ">
                <i class="fa fa-
refresh "></i>
                Refresh
                </a>
                <p> &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; </p>
                </div>
                </thead>
                <div id="data-
group"></div>
            </section>

            </div><!-- /content-panel -->
        </div><!-- /col-lg-4 -->
    </div><!-- /row -->

<!-- awal untuk modal dialog -->
    <div id="dialog-group"
class="modal fade" tabindex="-1"
role="dialog" aria-hidden="true">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button"
class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
                    <h4 class="modal-
title"><i
id="myModalLabel">Group</i></h4
                >
                    </div>

                    <div class="modal-body">
                        <div
class="group"></div>
                    </div>

```

```

                <div class="modal-footer">
                    <button class="btn btn-
danger" data-dismiss="modal" aria-
hidden="true">Batal</button>
                    <button id="simpan-
group" class="btn btn-success" data-
dismiss="collapse" aria-hidden="true"
>Simpan</button>
                </div>
            </div>
        </div>
    </div>
</div>

<?php
}else{
    echo "<script>alert('Mohon
Maaf anda tidak bisa akses halaman
ini'); window.location =
'../index.php'</script>";
}
?>

```

11. Search

```

<?php
//SourceCode by AndezNET.com
include('config/koneksi.php');
if(isset($_POST['search_keyword']))
{
    $search_keyword = $mysqli-
>real_escape_string($_POST['search_
keyword']);
    $sqlphonebook="SELECT
ID,Name,Number FROM pbk
WHERE Name LIKE
'%$search_keyword%' or Number
LIKE '%$search_keyword%' ";
    $resphonebook=$mysqli-
>query($sqlphonebook);

```

```

if($resphonebook === false) {
    trigger_error('Error: '. $mysqli-
>error, E_USER_ERROR);
} else {
    $rows_returned =
$resphonebook->num_rows;
}

$bold_search_keyword =
'<strong>'.$search_keyword.'</strong
>';
if($rows_returned > 0){
    while($rowphonebook =
$resphonebook->fetch_assoc())
    {
        echo '<div class="show"
align="left"><span
class="name">'.str_ireplace($search_
keyword,$bold_search_keyword,$row
phonebook['Name']).'</span>&nbsp;
<span
class="phonebook">'.str_ireplace($se
arch_keyword,$bold_search_keyword
,$rowphonebook['Number']).'</span>
</div>';
    }
} else {
    echo '<div class="show"
align="left">No matching
records.</div>';
}
?>

```

USER

1. Anggota

```

<?php
@session_start();
include "../koneksi.php";

if( @$_SESSION['iduser'] ){
    $sql = mysql_query("select * from
user where iduser =
'$_SESSION[iduser]'") or
die(mysql_error());
    $sid = mysql_fetch_array($sql);
?>

<div class="x_content">
    <div class="col-md-3 col-
sm-3 col-xs-12 profile_left">
        <div
class="profile_img">
            <div id="crop-avatar">
                <!-- Current avatar --
            >
                
            </div>
        </div>
        <h3><?php echo
$sid[nama]; ?></h3>

        <ul class="list-unstyled
user_data">
            <li>Nomor KTP :
<?php echo $sid[ktp]; ?></li>

            <li>

```

```

                Dusun : <?php echo
$id['dusun']; ?>

                <li class="m-top-xs">
                No Telpon : <?php
echo $id['telpn']; ?>
                </li>
            </ul>

            <a
href="?page=welcome"><button
type="button" class="btn btn-info btn-
xs">Kembali</button></a>

            <a
href="?page=jadwal&id=<?php echo
$id['id'] ?>"><button type="button"
class="btn btn-info btn-xs">Lihat
Jadwal</button></a>

        </div>
        <div class="col-md-9 col-
sm-9 col-xs-12">

            <div
class="profile_title">

                <?php
                $berita =
mysql_query("select * from berita
where id") or die(mysql_error());
                while ($isi =
mysql_fetch_array($berita)) {

                    ?>
                    <div class=""
role="tabpanel" data-example-
id="toggleable-tabs">
                        <ul id="myTab"
class="nav nav-tabs bar_tabs"
role="tablist">

```

```

                <li
role="presentation" class="active"><a
href="#tab_content1" id="home-tab"
role="tab" data-toggle="tab" aria-
expanded="true">Berita</a>
                </li>
                <li
role="presentation" class=""><a
href="#tab_content2" role="tab"
id="profile-tab" data-toggle="tab"
aria-expanded="false">Ronda Dusun
V</a>
                </li>
                <li
role="presentation" class=""><a
href="#tab_content3" role="tab"
id="profile-tab2" data-toggle="tab"
aria-expanded="false">Misi</a>
                </li>
            </ul>
            <div
id="myTabContent" class="tab-
content">

                <div role="tabpanel"
class="tab-pane fade active in"
id="tab_content1" aria-
labelledby="home-tab">

                    <!-- start recent
activity -->

                    <div
class="message_wrapper">
                        <h4
class="heading"></h4>
                        <blockquote
class="message"><?php echo
$isi['isi']; ?></blockquote>
                        <br />
                    </div>

```

```

        <!-- end recent
activity -->
    </div>
    <div role="tabpanel"
class="tab-pane fade"
id="tab_content2" aria-
labelledby="profile-tab">
        <!-- start user
projects -->
        <div
class="message_wrapper">
            <h4
class="heading"></h4>
            <blockquote
class="message"></blockquote>
            <br />
        </div>
        <!-- end user
projects -->
    </div>
    <div role="tabpanel"
class="tab-pane fade"
id="tab_content3" aria-
labelledby="profile-tab">
        <div
class="message_wrapper">
            <h4
class="heading"></h4>
            <blockquote
class="message"></blockquote>
            <br />
        </div>
    </div>
</div> <?php } ?>
</div>
</div>
</div>
</div>
</div>

```

```

    </div>
</div>
</div>
<!-- /page content -->
<?php
}
?>

```

2. Index User

```

<?php ob_start(); ?>
<?php
    @session_start();
    include"../koneksi.php";

    if(@$_SESSION['iduser'] ){

    ?>

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
        <!-- Meta, title, CSS, favicons, etc.
-->
        <meta charset="utf-8">
        <meta http-equiv="X-UA-
Compatible" content="IE=edge">
        <meta name="viewport"
content="width=device-width, initial-
scale=1">

        <title></title>

        <!-- Bootstrap -->
        <link
href="vendors/bootstrap/dist/css/boots
trap.min.css" rel="stylesheet">
        <!-- Font Awesome -->

```

```

    <link href="vendors/font-
awesome/css/font-awesome.min.css"
rel="stylesheet">

    <!-- Custom Theme Style -->
    <link
href="build/css/custom.min.css"
rel="stylesheet">
</head>

<body class="nav-md">
    <div class="container body">
        <div class="main_container">
            <div class="col-md-3 left_col">
                <div class="left_col scroll-
view">
                    <div class="navbar nav_title"
style="border: 0;">
                        <a href="/ronda/user"
class="site_title"><i class="fa fa-
paw"></i> <span>Halaman
User</span></a>
                    </div>

                    <div class="clearfix"></div>
                    <!-- menu profile quick info --
>
                    <div class="profile">
                        <div class="profile_pic">
                            
                        </div>
                        <div class="profile_info">
                            <?php

                                $data =
mysql_query("select * from user
where iduser = '$_SESSION[iduser]'"
or die (mysql_error()));
                                $user =
mysql_fetch_array($data);
                                ?>
                                <span>Welcome,</span>
                                <h2><?php echo
$user['nama']; ?></h2>
                                </div>
                            </div>
                            <!-- /menu profile quick info --
>
                                <br />

                                <!-- /menu footer buttons -->
                                <div class="sidebar-footer
hidden-small">
                                    <a data-toggle="tooltip" data-
placement="top" title="Settings">
                                        <span class="glyphicon
glyphicon-cog" aria-
hidden="true"></span>
                                    </a>
                                    <a data-toggle="tooltip" data-
placement="top" title="FullScreen">
                                        <span class="glyphicon
glyphicon-fullscreen" aria-
hidden="true"></span>
                                    </a>
                                    <a data-toggle="tooltip" data-
placement="top" title="Lock">
                                        <span class="glyphicon
glyphicon-eye-close" aria-
hidden="true"></span>
                                    </a>
                                    <a data-toggle="tooltip" data-
placement="top" title="Logout">
                                        <span class="glyphicon
glyphicon-off" aria-
hidden="true"></span>
                                    </a>
                                </div>
                                <!-- /menu footer buttons -->
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </body>

```

```

<!-- top navigation -->
<div class="top_nav">
  <div class="nav_menu">
    <nav>
      <div class="nav_toggle">
        <a id="menu_toggle"><i
class="fa fa-bars"></i></a>
      </div>

      <ul class="nav navbar-nav
navbar-right">
        <li class="">
          <a href="javascript:;"
class="user-profile dropdown-toggle"
data-toggle="dropdown" aria-
expanded="false">
            <span class="glyphicon
glyphicon-user" aria-
hidden="true"></span> <?php echo
$user['nama'] ;?>
            <span class=" fa fa-angle-
down"></span>
          </a>
          <ul class="dropdown-
menu dropdown-usermenu pull-
right">
            <li><a
href="javascript:;"> Profile</a></li>
            <li><a
href="..keluar.php"><i class="fa fa-
sign-out pull-right"></i> Log
Out</a></li>
          </ul>
        </li>

        </ul>
      </li>

    </ul>
  </div>
</div>
<!-- /top navigation -->

    <div class="right_col"
role="main">
    <div class="">
      <div class="row top_tiles">

        <?php
        $page = @$_GET['page'];
        if($page == ""){
          include"anggota.php";
        } elseif ($page == "jadwal")
        {
          include "jadwal.php";
        }
        ?>

      </div>
    </div>
  </div>

  <!-- footer content -->
  <footer>
    <div class="pull-right">
      Gentelella - Bootstrap Admin
      Template by <a
href="https://colorlib.com">Colorlib<
/a>
    </div>
    <div class="clearfix"></div>
  </footer>
  <!-- /footer content -->
</div>

  <!-- jQuery -->
  <script
src="vendors/jquery/dist/jquery.min.js
"></script>

  <!-- Custom Theme Scripts -->
  <script
src="build/js/custom.min.js"></script
>

```

```

    <!-- Bootstrap -->
    <script
src="vendors/bootstrap/dist/js/bootstra
p.min.js"></script>

    </body>
</html>
<?php
    } else {
        header("location: ../index.php");
    }
?>

```

3. Jadwal

```

<!-- page content -->
<?php
    $id = @$_GET['id'];
    $sql = mysql_query("select * from
jadwal where id = '$id'") or
die(mysql_error());
    $tmpl = mysql_fetch_array($sql);

?>
<div class="col-md-12 col-sm-12 col-
xs-12">
    <div class="x_panel">
        <div class="x_title">
            <?php

                include

                "../koneksi.php";

                $id = @$_GET['id'];
                $sql =

                mysql_query("select * from jadwal
                where id = '$id'") or
                die(mysql_error());
                while ( $data =

                mysql_fetch_array($sql) ) {

                    ?>

```

```

        <h2>Jadwal Ronda Untuk
        Bapak <code><?php echo
        $user['nama']; ?></code></h2>

```

```

        <div
class="clearfix"></div>
        </div>

```

```

        <div class="x_content">

```

```

        <p>Jadwal ini hanya
        sementara dan dapat berubah</p>

```

```

        <div class="table-
        responsive">

```

```

        <table class="table
        table-striped jambo_table
        bulk_action">
            <thead>
                <tr class="headings">
                    <th class="column-
                    title">ID </th>
                    <th class="column-
                    title">Nama</th>
                    <th class="column-
                    title">Tanggal</th>
                    <th class="column-
                    title">Jam Ronda</th>
                    <th class="column-
                    title">POS Ronda</th>
                    <th class="column-
                    title">Dusun</th>

```

```

                </th>

```

```

                <th class="bulk-
                actions" colspan="7">

```

```

                    <a class="antoo"
                    style="color:#fff; font-
                    weight:500;">Bulk Actions ( <span
                    class="action-cnt"> </span> ) <i
                    class="fa fa-chevron-down"></i></a>

```

```

                </th>

```

```

            </tr>

```



```

    </thead>

    <tbody>
      <tr class="even
pointer">
        <td class=" "><?php
echo $data['id']; ?></td>
        <td class=" "><?php
echo $data['nama']; ?> </td>
        <td class=" "><?php
echo $data['tgl']; ?></td>
        <td class=" "><?php
echo $data['jam']; ?></td>
        <td class=" "><?php
echo $data['POS']; ?></td>
        <td class=" "><?php
echo $data['dusun']; ?></td>

      </td>
    </tr>
  </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php
}
?>

```

4. Logout

```

<?php
@session_start();

```

```

session_destroy();
header("location: index.php");
?>

```

Halaman Utama

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1">
    <meta http-equiv="x-ua-
compatible" content="ie=edge">
    <title>Sistem Ronda</title>

    <meta name="theme-color"
content="#663fb5">
    <link rel="stylesheet"
href="css/landio.css">
  </head>

  <body>

    <!-- Navigation

=====
===== -->

    <nav class="navbar navbar-dark
bg-inverse bg-inverse-custom navbar-
fixed-top">
      <div class="container">
        <a class="navbar-brand"
href="#">

```

```

    <span class="icon-
logo"></span>
    <span class="sr-only">Sistem
Ronda</span>
    </a>
    <a class="navbar-toggler hidden-
md-up pull-xs-right" data-
toggle="collapse"
href="#collapsingNavbar" aria-
expanded="false" aria-
controls="collapsingNavbar">
    &#9776;
    </a>

```

```

    <div id="collapsingNavbar"
class="collapse navbar-toggleable-
custom" role="tabpanel" aria-
labelledby="collapsingNavbar">
    <ul class="nav navbar-nav pull-
xs-right">
    <li class="nav-item nav-item-
toggable">
    <a class="nav-link"
href="login.php">Masuk</a>
    </li>
    </ul>
    </div>

```

```

    </div>
    </nav>

```

```

<!-- Hero Section

```

```

=====
===== -->

```

```

    <header class="jumbotron bg-
inverse text-xs-center center-
vertically" role="banner">
    <div class="container">

```

```

    <h1 class="display-3">Selamat
Datang di Sistem Ronda</h1>
    <h2 class="m-b-3"></h2>
    <a class="btn btn-secondary-
outline m-b-1" href="#"
role="button"><span class="icon-
sketch"></span>Ayo Ronda, Daftar
Disini ..</a>

```

```

    </div>
    </header>

```

```

<!-- Footer

```

```

=====
===== -->

```

```

<!--
    <footer class="section-footer bg-
inverse" role="contentinfo">
    <div class="container">
    <div class="row">
    <div class="col-md-6 col-lg-
5">

```

```

    <div class="media">
    <div class="media-left">
    <span class="media-object
icon-logo display-1"></span>
    </div>
    <small class="media-body
media-bottom">

```

```

    &copy; Land.io 2015. <br>
    Designed by Peter Finlan,
developed by Taty Grassini,
exclusively for Codrops.

```

```

    </small>

```

```

    </div>

```

```

    </div>

```

```

    <div class="col-md-6 col-lg-
7">

```

```

    <ul class="nav nav-inline">
    <li class="nav-item">

```

```

        <a class="nav-link"
href="/index-
carousel.html"><small>NEW</small
> Slides<span class="sr-
only">(current)</span></a>
    </li>
    <li class="nav-item"><a
class="nav-link" href="ui-
elements.html">UI Kit</a></li>
    <li class="nav-item"><a
class="nav-link"
href="https://github.com/tatygrassini/l
andio-html"
target=" blank">GitHub</a></li>
    <li class="nav-item"><a
class="nav-link scroll-top"
href="#totop">Back to top <span
class="icon-caret-
up"></span></a></li>
</ul>
</div>
</div>
</div>
</footer> -->

<script
src="https://ajax.googleapis.com/ajax/
libs/jquery/2.1.4/jquery.min.js"></scri
pt>
<script
src="js/landio.min.js"></script>
</body>
</html>

```

```

// definisikan koneksi ke database
$server = "localhost";
$username = "root";
$password = "";
$dbname = "db_ronda";

// Koneksi dan memilih database di
server
$mysqli= new mysqli
($server,$username,$password,$data
base);
if ($mysqli->connect_error){
    echo "Gagal terkoneksi ke
database : (".$mysqli-
>connect_eror.")";
}

?>

```

Koneksi

```

<?php
// panggil fungsi validasi xss dan
injection

```