

DLC

```
-- phpMyAdmin SQL Dump
-- version 4.5.1
-- http://www.phpmyadmin.net
--
-- Host: 127.0.0.1
-- Generation Time: 06 Sep 2017 pada
04.21
-- Versi Server: 10.1.13-MariaDB
-- PHP Version: 5.5.34
```

```
SET SQL_MODE =
"NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
```

```
/*!40101 SET
@OLD_CHARACTER_SET_CLIENT=@@CH
ARACTER_SET_CLIENT */;
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@C
HARACTER_SET_RESULTS */;
/*!40101 SET
@OLD_COLLATION_CONNECTION=@@C
OLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
```

```
--
-- Database: `dlc`
--
```

```
-----
---
```

```
-- Struktur dari tabel `tbadm
```

```
--
```

```
CREATE TABLE `tbadm` (
  `idadmin` varchar(25) NOT NULL,
  `namaadmin` varchar(25) NOT NULL,
  `passadmin` varchar(50) NOT NULL,
  `leveladmin` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;
```

```
--
-- Dumping data untuk tabel `tbadm`
```

```
INSERT INTO `tbadm` (`idadmin`,
`namaadmin`, `passadmin`, `leveladmin`)
VALUES
('asd', 'admin',
'7815696ecbf1c96e6894b779456d330e',
'superadmin');
```

```
-----
---
```

```
-- Struktur dari tabel `tbdo
```

```
CREATE TABLE `tbdo
```

```
--
-- Dumping data untuk tabel `tbdo
```

```
INSERT INTO `tbdo
```

```

('DOS01', 'Budi Pratama', 'way halim',
'085788453542'),
('DOS02', 'KETUT', 'NATAR',
'085756456431');

-----
--
--
-- Struktur dari tabel `tbjurusan`
--
CREATE TABLE `tbjurusan` (
  `idjrs` varchar(10) NOT NULL,
  `namajrs` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--
-- Dumping data untuk tabel `tbjurusan`
--

INSERT INTO `tbjurusan` (`idjrs`,
`namajrs`) VALUES
('AK', 'Akuntansi'),
('MA', 'manajemen'),
('MI', 'Manajemen Informasi'),
('SI', 'Sistem Informasi'),
('SK', 'Sistem Komputer'),
('TI', 'Teknik Informatika'),
('TK', 'Teknik Komputer');

-----
--
--
-- Struktur dari tabel `tbkelas`
--
CREATE TABLE `tbkelas` (
  `idkelas` varchar(5) NOT NULL,
  `namakelas` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--
-- Dumping data untuk tabel `tbkelas`
--

INSERT INTO `tbkelas` (`idkelas`,
`namakelas`) VALUES
('K01', 'Reguler'),
('K02', 'Ekstensi'),
('K03', 'BETA STRONG'),
('k04', 'alpa ');

-----
--
--
-- Struktur dari tabel `tbkelompok`
--
CREATE TABLE `tbkelompok` (
  `idkelompok` varchar(10) NOT NULL,
  `namakelompok` varchar(50) NOT NULL,
  `hari` varchar(25) NOT NULL,
  `jam` varchar(25) NOT NULL,
  `idlevel` varchar(25) NOT NULL,
  `idruang` varchar(25) DEFAULT NULL,
  `iddosen` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--
-- Dumping data untuk tabel `tbkelompok`
--

INSERT INTO `tbkelompok` (`idkelompok`,
`namakelompok`, `hari`, `jam`, `idlevel`,
`idruang`, `iddosen`) VALUES

```

```
('KEL03', 'BETA', 'Selasa', '03:22', 'lv01',
'rg03', 'DOS01'),
('KELP02', '14.ALPA.32', 'Rabu', '08:32',
'lv01', 'rg01', 'DOS01'),
('KELP03', '13.BETA.12', 'Jumat', '10:34',
'lv01', 'rg02', 'DOS02');

-----
---
--
-- Struktur dari tabel `tblevel`
--

CREATE TABLE `tblevel` (
  `idlevel` varchar(25) NOT NULL,
  `namalevel` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--
-- Dumping data untuk tabel
-- `tbmahasiswa`
--

INSERT INTO `tblevel` (`idlevel`,
`namalevel`) VALUES
('lv01', 'level (Satau)'),
('lv02', 'level (Dua)');

-----
---
--
-- Struktur dari tabel `tbmahasiswa`
--

CREATE TABLE `tbmahasiswa` (
  `npm` bigint(20) NOT NULL,
  `namamhs` varchar(70) NOT NULL,
  `jskmhs` varchar(25) NOT NULL,
  `alamatmhs` text,
  `tgl` date DEFAULT NULL,
  `idjrs` varchar(25) NOT NULL,
  `idkelompok` varchar(10) DEFAULT
NULL,
  `idlevel` varchar(25) NOT NULL,
  `idkelas` varchar(5) NOT NULL,
  `hpmhs` varchar(12) DEFAULT NULL,
  `gambar` text,
  `passmhs` varchar(100) NOT NULL,
  `status` varchar(25) NOT NULL,
  `tgldaftar` date NOT NULL
) ENGINE=InnoDB DEFAULT
CHARSET=latin1;

--
-- Dumping data untuk tabel
-- `tbmahasiswa`
--

INSERT INTO `tbmahasiswa` (`npm`,
`namamhs`, `jskmhs`, `alamatmhs`, `tgl`,
`idjrs`, `idkelompok`, `idlevel`, `idkelas`,
`hpmhs`, `gambar`, `passmhs`, `status`,
`tgldaftar`) VALUES
(1311010012, 'aldy firmansyah', 'Laki-
Laki', 'jln.jambu no 04', '1995-07-07', 'TI',
'KELP02', 'lv01', 'K01', '085788873164', '',
'qwer', 'Y', '2017-02-07'),
(1311010016, 'ani munaroh', 'Prempuan',
'jalan sriwijaya', '2010-01-04', 'SI',
'KELP03', 'lv01', 'K01', '057616161131', '',
'qwer', 'Y', '0000-00-00'),
(1311010035, 'Ani sapitri', 'Prempuan',
'jalan sriwijaya', '1993-02-07', 'SI',
'KELP02', 'lv01', 'K01', '085712345134',
'sempelfik.png', 'qwer', 'Y', '2017-02-07'),
(1311010039, 'yudha iswanto', 'Laki-Laki',
'jln.merdeka no 4', '1995-10-25', 'TI',
'KELP02', 'lv01', 'K01', '085669709865', '',
'qwer', 'Y', '2017-02-08');
```

```
(1311010047, 'aldo fansyah', 'Laki-Laki',  
'dadad', '2017-01-04', 'SK', 'KELP02',  
'lv01', 'K01', '324354234', '', 'qwer', 'Y',  
'2017-01-29');
```

```
-----  
---
```

```
--  
-- Struktur dari tabel `tbnilai`  
--
```

```
CREATE TABLE `tbnilai` (  
  `npm` bigint(20) NOT NULL,  
  `attendance` int(10) NOT NULL,  
  `written` int(10) NOT NULL,  
  `spoken` int(10) NOT NULL  
) ENGINE=InnoDB DEFAULT  
CHARSET=latin1;
```

```
--  
-- Dumping data untuk tabel `tbnilai`  
--
```

```
INSERT INTO `tbnilai` (`npm`,  
  `attendance`, `written`, `spoken`) VALUES  
(1311010012, 12, 70, 60),  
(1311010035, 70, 35, 50),  
(1311010039, 15, 75, 54);
```

```
-----  
---
```

```
--  
-- Struktur dari tabel `tbruang`  
--
```

```
CREATE TABLE `tbruang` (  
  `idruang` varchar(25) NOT NULL,  
  `namaruang` varchar(25) NOT NULL
```

```
) ENGINE=InnoDB DEFAULT  
CHARSET=latin1;
```

```
--  
-- Dumping data untuk tabel `tbruang`  
--
```

```
INSERT INTO `tbruang` (`idruang`,  
  `namaruang`) VALUES  
(`rg01`, 'D.01.01'),  
(`rg02`, 'D.01.02'),  
(`rg03`, '15.alpa.05');
```

```
--  
-- Indexes for dumped tables
```

```
--
```

```
--  
-- Indexes for table `tbadmin`  
--
```

```
ALTER TABLE `tbadmin`  
  ADD PRIMARY KEY (`idadmin`);
```

```
--  
-- Indexes for table `tbdosen`  
--
```

```
ALTER TABLE `tbdosen`  
  ADD PRIMARY KEY (`iddosen`);
```

```
--  
-- Indexes for table `tbjurusan`  
--
```

```
ALTER TABLE `tbjurusan`  
  ADD PRIMARY KEY (`idjrs`);
```

```
--  
-- Indexes for table `tbkelas`  
--
```

```
ALTER TABLE `tbkelas`  
  ADD PRIMARY KEY (`idkelas`);
```

```

--
-- Indexes for table `tbkelompok`
--
ALTER TABLE `tbkelompok`
  ADD PRIMARY KEY (`idkelompok`),
  ADD KEY `idlevel` (`idlevel`),
  ADD KEY `idruang` (`idruang`),
  ADD KEY `iddosen` (`iddosen`);

--
-- Indexes for table `tblevel`
--
ALTER TABLE `tblevel`
  ADD PRIMARY KEY (`idlevel`);

--
-- Indexes for table `tbmahasiswa`
--
ALTER TABLE `tbmahasiswa`
  ADD PRIMARY KEY (`npm`),
  ADD KEY `idkelompok` (`idkelompok`),
  ADD KEY `idkelas` (`idkelas`),
  ADD KEY `idjrs` (`idjrs`),
  ADD KEY `idlevel` (`idlevel`);

--
-- Indexes for table `tbnilai`
--
ALTER TABLE `tbnilai`
  ADD PRIMARY KEY (`npm`);

--
-- Indexes for table `tb ruang`
--
ALTER TABLE `tb ruang`
  ADD PRIMARY KEY (`idruang`);

--
-- Ketidakleluasaan untuk tabel
pelimpahan (Dumped Tables)
--
--
-- Ketidakleluasaan untuk tabel
`tbkelompok`
--
ALTER TABLE `tbkelompok`
  ADD CONSTRAINT `tbkelompok_ibfk_2`
  FOREIGN KEY (`idlevel`) REFERENCES
  `tblevel` (`idlevel`) ON DELETE CASCADE
  ON UPDATE CASCADE,
  ADD CONSTRAINT `tbkelompok_ibfk_3`
  FOREIGN KEY (`idruang`) REFERENCES
  `tb ruang` (`idruang`) ON DELETE CASCADE
  ON UPDATE CASCADE,
  ADD CONSTRAINT `tbkelompok_ibfk_4`
  FOREIGN KEY (`iddosen`) REFERENCES
  `tb dosen` (`iddosen`) ON DELETE
  CASCADE ON UPDATE CASCADE;

--
-- Ketidakleluasaan untuk tabel
`tb mahasiswa`
--
ALTER TABLE `tb mahasiswa`
  ADD CONSTRAINT `tb mahasiswa_ibfk_1`
  FOREIGN KEY (`idjrs`) REFERENCES
  `tb jurusan` (`idjrs`) ON DELETE CASCADE
  ON UPDATE CASCADE,
  ADD CONSTRAINT `tb mahasiswa_ibfk_2`
  FOREIGN KEY (`idkelas`) REFERENCES
  `tb kelas` (`idkelas`) ON DELETE CASCADE
  ON UPDATE CASCADE,
  ADD CONSTRAINT `tb mahasiswa_ibfk_3`
  FOREIGN KEY (`idlevel`) REFERENCES
  `tb level` (`idlevel`) ON DELETE CASCADE
  ON UPDATE CASCADE,
  ADD CONSTRAINT `tb mahasiswa_ibfk_4`
  FOREIGN KEY (`idkelompok`) REFERENCES
  `tb kelompok` (`idkelompok`) ON DELETE
  CASCADE ON UPDATE CASCADE;

```

```
--  
-- Ketidakleluasaan untuk tabel `tbnilai`  
--  
ALTER TABLE `tbnilai`  
  ADD CONSTRAINT `tbnilai_ibfk_1`  
  FOREIGN KEY (`NPM`) REFERENCES  
  `tbmahasiswa` (`npm`),  
  ADD CONSTRAINT `tbnilai_ibfk_2`  
  FOREIGN KEY (`npm`) REFERENCES  
  `tbmahasiswa` (`npm`) ON DELETE  
  CASCADE ON UPDATE CASCADE;  
  
/*!40101 SET  
CHARACTER_SET_CLIENT=@OLD_CHARAC  
TER_SET_CLIENT */;  
/*!40101 SET  
CHARACTER_SET_RESULTS=@OLD_CHAR  
ACTER_SET_RESULTS */;  
/*!40101 SET  
COLLATION_CONNECTION=@OLD_COLL  
ATION_CONNECTION */;
```

INDEX

```
<?php include "koneksi/cek.php";
?>

<!DOCTYPE html>
<!--[if IE 8]> <html lang="en" class="ie8">
<![endif]-->
<!--[if IE 9]> <html lang="en" class="ie9">
<![endif]-->
<!--[if !IE]><!--> <html lang="en"> <!--
<![endif]-->
<!-- BEGIN HEAD -->
<head>
    <meta charset="utf-8" />
    <title>Login Form</title>
    <meta content="width=device-
width, initial-scale=1.0" name="viewport"
/>
    <meta content=""
name="description" />
    <meta content="" name="author"
/>
    <!-- BEGIN GLOBAL MANDATORY
STYLES -->
    <link
href="assets/plugins/bootstrap/css/boots
trap.css" rel="stylesheet"
type="text/css"/>

    <link href="assets/plugins/font-
awesome/css/font-awesome.min.css"
rel="stylesheet" type="text/css"/>
    <link href="assets/css/style-
metro.css" rel="stylesheet"
type="text/css"/>
```

```
<!-- BEGIN PAGE STYLES -->
<link href="assets/css/style.css"
rel="stylesheet" type="text/css"/>
<link
href="assets/css/pages/login-soft.css"
rel="stylesheet" type="text/css"/>
<!-- END PAGE LEVEL STYLES -->
<link rel="shortcut icon"
href="favicon.ico" />

</head>
<!-- BEGIN BODY -->
<body class="login">
    <!--Logo -->
    <div class="logo">
        
    </div>
    <!--Content -->
    <div class="content">

        <?php
        //<!--Untuk Form Login-->
        include
        "login/login.php";

        //<!--Untuk Form Lupa
        Password-->
        include
        "login/lupa_pass.php";

        //<!--Untuk Form
        Pendaftaran -->
        include
        "login/daftar.php";
        ?>
    </div>
    <!-- //Content-->
    <!--Footer-->
    <div class="copyright">
```

```
                2016 &copy; <a
href="">DLC Darmajaya</a> Login Form
            </div>
```

```
        <!-- BEGIN JAVASCRIPTS(Load
javascripsts at bottom, this will reduce
page load time) -->
```

```
        <!-- BEGIN CORE PLUGINS -->
        <script
src="assets/plugins/jquery.js"
type="text/javascript"></script>
```

```
        <?php include
"koneksi/jspost.php"; ?>
```

```
        <!-- IMPORTANT! Load jquery-ui-
1.10.1.custom.min.js before
bootstrap.min.js to fix bootstrap tooltip
conflict with jquery ui tooltip -->
```

```
        <script
src="assets/plugins/jquery-ui/jquery-ui-
1.10.1.custom.min.js"
type="text/javascript"></script>
```

```
        <script
src="assets/plugins/bootstrap/js/bootstra
p.min.js" type="text/javascript"></script>
```

```
        <!-- BEGIN PAGE LEVEL SCRIPTS --
>
```

```
        <script src="assets/scripts/login-
soft.js" type="text/javascript"></script>
```

```
        <!-- END PAGE LEVEL SCRIPTS -->
```

```
        <!-- END JAVASCRIPTS -->
```

```
</body>
```

```
<!-- END BODY -->
```

```
</html>
```


Login

```
<?php
$host="localhost";
$user="root";
$pass="";
$nmdb="dlc";

// Melakukan Koneksi Ke Database

$con= new
mysqli($host,$user,$pass,$nmdb);
//$con itu menampung koneksi

//connect_error itu merupakan perintah
php untuk menampilkan error yang
terjadi
//melakukan kondisi jika error
if($con->connect_error){
    die('Mohon Maaf Koneksi Gagal' .$con-
>connect_error);
}

?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-
Compatible" content="IE=edge">
    <title></title>
    <link rel="stylesheet" href="">
</head>
<body>
    <input type="text" name="id">
    <input type="text"
name="nama">
```

```
        <input type="submit" name="as"
value="login">
<?php
$sql="SELECT
tbmahasiswa.npm,tbmahasiswa.namamh
s,tbmahasiswa.jskmhs,tbmahasiswa.alam
atmhs,tbmahasiswa.tgl,tbjurusan.namajrs
,tbkelas.namakelas,tbmahasiswa.idkelom
pok,tbmahasiswa.hpmhs,tbmahasiswa.pa
ssmhs,tbmahasiswa.status FROM
tbmahasiswa LEFT JOIN tbkelas ON
tbmahasiswa.idkelas = tbkelas.idkelas
LEFT JOIN tbjurusan ON
tbmahasiswa.idjrs = tbjurusan.idjrs where
npm='22' ";

$log=$con->query($sql);
$data=mysqli_fetch_assoc($log);
echo $data['npm'];

?>
</body>
</html>
```

AdmDLC

```
<?php include "koneksi/cekadm.php";
?>

<!DOCTYPE html>
<!--[if IE 8]> <html lang="en" class="ie8">
<![endif]-->
<!--[if IE 9]> <html lang="en" class="ie9">
<![endif]-->
<!--[if !IE]><!--> <html lang="en"> <!--
<![endif]-->
<!-- BEGIN HEAD -->
<head>
    <meta charset="utf-8" />
    <title>Login Form</title>
    <meta content="width=device-
width, initial-scale=1.0" name="viewport"
/>
    <meta content=""
name="description" />
    <meta content="" name="author"
/>
    <!-- BEGIN GLOBAL MANDATORY
STYLES -->
    <link
href=" ../assets/plugins/bootstrap/css/bo
otstrap.css" rel="stylesheet"
type="text/css"/>

    <link href=" ../assets/plugins/font-
awesome/css/font-awesome.min.css"
rel="stylesheet" type="text/css"/>
    <link href=" ../assets/css/style-
metro.css" rel="stylesheet"
type="text/css"/>

    <!-- BEGIN PAGE STYLES -->
```

```
    <link href=" ../assets/css/style.css"
rel="stylesheet" type="text/css"/>
    <link
href=" ../assets/css/pages/login-soft.css"
rel="stylesheet" type="text/css"/>
    <!-- END PAGE LEVEL STYLES -->
    <link rel="shortcut icon"
href=" ../favicon.ico" />
</head>
<!-- BEGIN BODY -->
<body class="login">
    <!-- Logo -->
    <div class="logo">
        
    </div>
    <!-- Content -->
    <div class="content">
        <div class="form-vertical
login-form" >
            <h3 class="form-
title">Silahkan Login</h3>
            <div id="pesan"
class="alert alert-error hide">
                <!--
                <button class="close" data-
dismiss="alert"></button> -->
                <span
id="psn"></span>
            </div>
            <div
class="control-group">
                <!--ie8,
ie9 does not support html5 placeholder,
so we just show field title for that-->
                <label
class="control-label visible-ie8 visible-
ie9">NPM</label>
            <div
class="controls">
```

```

<div class="input-icon left">
    <i class="icon-user"></i>
    <input id="_npm" class="m-wrap
placeholder-no-fix" type="text"
placeholder="user" />
</div>
</div>
</div>
<div
class="control-group">
    <label
class="control-label visible-ie8 visible-
ie9">Password</label>
    <div
class="controls">
        <div class="input-icon left">
            <i class="icon-lock"></i>
            <input id="_password" class="m-
wrap placeholder-no-fix"
type="password"
placeholder="Password" />
        </div>
    </div>
</div>
<div class="form-
actions">
        <button
class="btn blue pull-right btnlogin">
            Login <i
class="m-icon-swapright m-icon-
white"></i>

```

```

</button>
    </div>
</div>
class="create-account">
    <p>
        Jika Lupa Password Klik ?
    </p>
</div>
</div>
</div>
<!-- //Content-->
<!--Footer-->
<div class="copyright">
    2014 &copy; <a
href="">DLC Darmajaya</a> Login Form
</div>
<!-- BEGIN JAVASCRIPTS(Load
javascripts at bottom, this will reduce
page load time) -->
<!-- BEGIN CORE PLUGINS -->
<script
src="../assets/plugins/jquery.js"
type="text/javascript"></script>
<?php include
"koneksi/jspostadm.php"; ?>
<!-- IMPORTANT! Load jquery-ui-
1.10.1.custom.min.js before
bootstrap.min.js to fix bootstrap tooltip
conflict with jquery ui tooltip -->
<script
src="../assets/plugins/jquery-ui/jquery-ui-
1.10.1.custom.min.js"
type="text/javascript"></script>
<script
src="../assets/plugins/bootstrap/js/bootst
rap.min.js"
type="text/javascript"></script>

```

```
<!-- BEGIN PAGE LEVEL SCRIPTS -->
<script
src="../assets/scripts/login-soft.js"
type="text/javascript"></script>
<!-- END PAGE LEVEL SCRIPTS -->

<!-- END JAVASCRIPTS -->

</body>
<!-- END BODY -->
</html>
```