

Listing Coding

Index.php

```
<table width="950" border="0" align="center" cellpadding="0" cellspacing="0">
  <tr>
    <td colspan="2"><?php include"atas.php"; ?></td>
  </tr>
  <tr>
    <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
    <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
      <tr>
        <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="93%"><span class="style1">HOME</span></td>
            <td width="4%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
          </tr>
        </table></td>
      </tr>
      <tr>
        <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="94%">&nbsp;</td>
            <td width="3%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td><form id="form1" name="form1" method="post" action="login-
admin.php">
              <table width="400" border="0" align="center">
                <tr>
                  <td>&nbsp;</td>
                  <td>&nbsp;</td>
                  <td>&nbsp;</td>
                </tr>
                <tr>
```

```

        <td>Username</td>
        <td:</td>
        <td><input name="username" type="text" id="username" /></td>
    </tr>
    <tr>
        <td>Password</td>
        <td:</td>
        <td><input name="password" type="password" id="password" /></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="3"><div align="center">
            <input type="submit" name="Submit" value="Login" />
            <input type="reset" name="Submit2" value="Batal" />
        </div></td>
    </tr>
</table>
</form></td>
<td>&nbsp;</td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include "bawah.php"; ?></td>
</tr>
</table>

```

Kiri.php

```
<script language="JavaScript">
<!--
function mmLoadMenus() {
    if (window.mm_menu_0131215753_0) return;
    window.mm_menu_0131215753_0 = new
Menu("root",200,28,"",12,"#000000", "#FFFFFF", "#A9CEE2", "#000084", "left", "mid
dle",3,0,1000,-5,7,true,false,true,0,true,true);
    mm_menu_0131215753_0.addItem("<strong>Laporan
Nasabah</strong>", "location='lapnasabah.php'");
    mm_menu_0131215753_0.addItem("<strong>Laporan
Simpanan</strong>", "location='lapsimpanan.php'");
    mm_menu_0131215753_0.addItem("<strong>Laporan Simpanan
Nasabah</strong>", "location='lapsimpanannasabah.php'");
    mm_menu_0131215753_0.addItem("<strong>Laporan Penarikan
Simpanan</strong>", "location='lappenarikannasabah.php'");
    mm_menu_0131215753_0.addItem("<strong>Laporan Pinjaman
Nasabah</strong>", "location='lappinjaman.php'");
    mm_menu_0131215753_0.addItem("<strong>Laporan
Akad</strong>", "location='lapakad.php'");
    mm_menu_0131215753_0.addItem("<strong>Laporan Pembayaran
Pinjaman</strong>", "location='lapbayar.php'");

    mm_menu_0131215753_0.hideOnMouseOut=true;
    mm_menu_0131215753_0.bgColor='#555555';
    mm_menu_0131215753_0.menuBorder=1;
    mm_menu_0131215753_0.menuLiteBgColor='#FFFFFF';
    mm_menu_0131215753_0.menuBorderBgColor='#777777';

mm_menu_0131215753_0.writeMenus();
} // mmLoadMenus()
//-->
</script>
<script language="JavaScript" src="mm_menu.js"></script>
<script language="JavaScript1.2">mmLoadMenus();</script>
<?php
include"koneksi.php";
include"title.php";
$agent = $_SERVER['HTTP_USER_AGENT'];
$uri = $_SERVER['REQUEST_URI'];
$user = $_SERVER['PHP_AUTH_USER'];
$ip = $_SERVER['REMOTE_ADDR'];
$ref = $_SERVER['HTTP_REFERER'];
$proxy = $_SERVER['HTTP_X_FORWARDED_FOR'];
$via = $_SERVER['HTTP_VIA'];
```

```

?><meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title></title>
<link href="default.css" rel="stylesheet" type="text/css" />

<table width="228" border="0" cellspacing="0" cellpadding="0">
  <tr>
    <td background="images/andre_02.jpg"><div align="center"><span
class="style1">Menu</span></div></td>
  </tr>
  <tr>
    <td background="images/andre_02.jpg">&nbsp;</td>
  </tr>
  <tr>
    <td background="images/andre_02.jpg"><?php
if(empty($_SESSION[admin]))
{
$zswe=mysql_fetch_array(mysql_query("select * from admin where
idadmin=$_SESSION[admin]"));
?>
  <table width="200" border="0" align="center" cellpadding="0" cellspacing="0">
    <tr>
      <td><div id="menu">
        <ul>
          <li class="active"></li>
          <li><a href="index.php" title="">Login</a></li>
          <li></li>
        </ul>
      </div></td>
    </tr>
  </table>
  <?php } else { ?>
  <table width="200" border="0" align="center" cellpadding="0" cellspacing="0">
    <tr>
      <td><div id="menu">
        <ul>
          <li class="active"></li>
          <li><a href="admin.php" title="">HOME </a></li>
          <li><a href="ganti.php">Ganti Password</a></li>
          <li><a href="kriteria.php">Kriteria</a></li>
          <li><a href="ket.php">Keterangan </a></li>
          <li><a href="nasabah.php">Data Nasabah</a></li>
          <li><a href="calon.php">Data Calon Nasabah</a></li>
          <li><a href="logout.php">Keluar / Log Out</a></li>
        </ul>
      </div></td>
    </tr>
  </table>

```

```

        </tr>
    </table>
    <?php } ?></td>
</tr>
<tr>
    <td background="images/andre_02.jpg">&nbsp;</td>
</tr>
<tr>
    <td background="images/andre_02.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
    <tr>
        <td width="16">&nbsp;</td>
        <td width="200"><div align="center">
            <script language="javascript" type="text/javascript">
document.write("<table><tr valign=top align=left><td><b>Browser :</b></td>
</tr><tr><td>"+navigator.appName+"</td></tr><tr></tr><tr><tr
valign=top><td><b>Resolusi :</b> </td></tr><tr><td>"+screen.width + "x" +
screen.height+" / "+screen.colorDepth + " bit color</td></tr></table>");</script>
            <span><b>IP:</b><br />
            <span style="padding-left:5px;"><?php echo $ip; ?></span><br />
            <span><b>Proxy:</b></span><br />
            <span style="padding-left:5px;"><?php echo $proxy; ?></span>
<span><b>Koneksi:</b></span> <span style="padding-left:5px;"><?php echo $via;
?></span>
            </p>
            </p>
        </div></td>
        <td width="12">&nbsp;</td>
    </tr>
    </table>
    <p>&nbsp;</p></td>
</tr>
</table>

```

Admin.php

```

<?php include "sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include "atas.php"; ?></td>
    </tr>
    <tr>
        <td width="228" valign="top" background="images/andre_02.jpg"><?php
include "kiri.php"; ?></td>
        <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">

```

```

<tr>
  <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
  <tr>
    <td width="3%">&nbsp;</td>
    <td width="93%"><span class="style1">HOME
ADMINISTRATOR</span></td>
    <td width="4%">&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
</table></td>
</tr>
<tr>
  <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
  <tr>
    <td width="3%">&nbsp;</td>
    <td width="94%">&nbsp;</td>
    <td width="3%">&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td align="center"><form id="form1" name="form1" method="post"
action="login-admin.php">
      <strong>SISTEM PREDIKSI ANGSURAN NASABAH KOPERASI
ARTAJAYA<br />
      </strong>
    </form></td>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
</table></td>
</tr>
<tr>
  <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>

```

```

</tr>
<tr>
  <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Ganti.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
  <tr>
    <td colspan="2"><?php include"atas.php"; ?></td>
  </tr>
  <tr>
    <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
    <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
      <tr>
        <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="93%"><span class="style1">GANTI LOGIN
ADMINISTRATOR</span></td>
            <td width="4%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
          </tr>
        </table></td>
      </tr>
      <tr>
        <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="94%">&nbsp;</td>
            <td width="3%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td align="center"><form id="form1" name="form1" method="post"
action="ganti1.php">

```

```

        <table width="90%" border="0" align="center" cellpadding="0"
cellspacing="0">
        <tr>
        <?
                $a=mysql_fetch_array(mysql_query("select * from admin"));
                ?>
                <td width="15%">Username</td>
                <td width="5%">:</td>
                <td width="80%"><input name="username" type="text" id="username"
value="<?=$a[username]?>" size="40"/></td>
        </tr>
        <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
        </tr>
        <tr>
                <td>Password</td>
                <td>:</td>
                <td><input name="ok" type="checkbox" id="ok" value="ok" />
                <input name="password" type="password" id="password"
size="40"/></td>
        </tr>
        <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
        </tr>
        <tr>
                <td colspan="3"><div align="center">
                <input type="submit" name="Submit" value="Ganti" />
                <input type="reset" name="Submit2" value="Batal" />
                </div></td>
        </tr>
        </table>
</form></td>
        <td>&nbsp;</td>
</tr>
        <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
        </tr>
</table></td>
</tr>

```



```

        <tr>
            <td height="66" background="images/andre_05.jpg">&nbsp;</td>
        </tr>
    </table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Kriteria.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include"atas.php"; ?></td>
    </tr>
    <tr>
        <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
        <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
            <tr>
                <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
                    <tr>
                        <td width="3%">&nbsp;</td>
                        <td width="93%"><span class="style1">KRITERIA </span></td>
                        <td width="4%">&nbsp;</td>
                    </tr>
                    <tr>
                        <td>&nbsp;</td>
                        <td>&nbsp;</td>
                        <td>&nbsp;</td>
                    </tr>
                </table></td>
            </tr>
            <tr>
                <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
                    <tr>
                        <td width="3%">&nbsp;</td>
                        <td width="94%">&nbsp;</td>
                        <td width="3%">&nbsp;</td>
                    </tr>
                </table>
            </tr>
        </td>
    </tr>

```

```

        <td>&nbsp;</td>
        <td align="center"><form id="form1" name="form1" method="post"
action="inputkriteria1.php">
        <table width="400" border="0" align="center" cellpadding="0"
cellspacing="0">
        <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        </tr>
        <tr>
        <td>Kriteria</td>
        <td>:</td>
        <td><input name="a" type="text" id="a" size="30" /></td>
        </tr>
        <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        </tr>
        <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        </tr>
        <tr>
        <td colspan="3"><div align="center">
        <input type="submit" name="Submit" value="Simpan" />
        <input type="reset" name="Submit2" value="Hapus" />
        <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()"/>
        </div></td>
        </tr>
        <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        </tr>
        <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        </tr>
        </table>
</form>

```

```

        <br />
        <table bordercolor="#807D79" width="100%" border="1" cellpadding="5"
cellspacing="0">
        <tr>
            <td width="8%"><strong>No.</strong></td>
            <td width="48%"><strong>Kriteria</strong></td>
            <td width="44%"><strong>Aksi</strong></td>
        </tr>
        <?php
$q = mysql_query("select * from kriteria ");
$n = 1;
while($r = mysql_fetch_array($q))
{
?>
            <tr>
                <td><?=$n?></td>
                <td><?=$r[1]?></td>
                <td><a href="subkriteria.php?id=<?=$r[0]?>">Subkriteria</a> ||
                <a href="editkriteria.php?id=<?=$r[0]?>">Edit</a> ||
                <a onclick="return confirm ('Anda yakin akan menghapus Data Ini ?)'"
href="hapuskriteria.php?id=<?=$r[0]?>">Hapus</a></td>
            </tr>
            <?
            $n++;
        }
?>
        </table></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Subkriteria.php

```
<?php include "sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
  <tr>
    <td colspan="2"><?php include "atas.php"; ?></td>
  </tr>
  <tr>
    <td width="228" valign="top" background="images/andre_02.jpg"><?php
include "kiri.php"; ?></td>
    <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
      <tr>
        <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="93%"><span class="style1">SUBKRITERIA </span></td>
            <td width="4%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
          </tr>
        </table></td>
      </tr>
      <tr>
        <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="94%">&nbsp;</td>
            <td width="3%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td align="center"><form id="form1" name="form1" method="post"
action="inputsubkriteria.php?id=<?=$_GET[id]?>">
              <table width="400" border="0" align="center" cellpadding="0"
cellspacing="0">
                <?
                $oke=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria=$_GET[id]"));
                ?>
              </table>
            </td>
          </tr>
        </table>
      </tr>
    </td>
  </tr>
</table>
```

```

        <td width="58">&nbsp;</td>
        <td width="26">&nbsp;</td>
        <td width="316">&nbsp;</td>
    </tr>
    <tr>
        <td><strong>Kriteria</strong></td>
        <td><strong>:</strong></td>
        <td><strong>
            <?=$oke[1]?>
        </strong></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>Subkriteria</td>
        <td>:</td>
        <td><textarea name="a" cols="30" rows="3" id="a"></textarea></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="3"><div align="center">
            <input type="submit" name="Submit" value="Simpan" />
            <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()"/>
        </div></td>
    </tr>
</table>
<p>&nbsp;</p>
</form>
<br />
<table width="90%" border="1" align="center" cellpadding="5"
cellspacing="0" bordercolor="#807D79">
    <tr>
        <td width="9%"><strong>No.</strong></td>
        <td width="49%"><strong>Subkriteria</strong></td>
        <td width="42%"><strong>Aksi</strong></td>
    </tr>
</table>
</?php

```

```

$q = mysql_query("select * from subkriteria where idkriteria='$_GET[id]' order by
idsubkriteria asc");
$n = 1;
while($r = mysql_fetch_array($q))
{
?>
    <tr>
        <td><?=$n?></td>
        <td><?=$r[2]?></td>
        <td><a
href="editsub.php?id1=<?=$r[0]?>&id=<?=$_GET[id]?>">Edit</a> ||
        <a onclick="return confirm ('Anda yakin akan menghapus Data Ini ?)'"
href="hapussub.php?id1=<?=$r[0]?>&id=<?=$_GET[id]?>">Hapus</a></td>
    </tr>
    <?
    $n++;
}
?>
    </table>
    <p><a href="kriteria.php">Kembali</a></p></td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Editkriteria.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include"atas.php"; ?></td>
    </tr>

```

```

</tr>
  <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
  <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
  <tr>
    <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
  <tr>
    <td width="3%">&nbsp;</td>
    <td width="93%"><span class="style1">KRITERIA </span></td>
    <td width="4%">&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
</table></td>
  </tr>
  <tr>
    <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
  <tr>
    <td width="3%">&nbsp;</td>
    <td width="94%">&nbsp;</td>
    <td width="3%">&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td align="center"><form id="form1" name="form1" method="post"
action="editkriteria1.php?id=<?=$_GET[id]?>">
      <table width="400" border="0" align="center" cellpadding="0"
cellspacing="0">
        <?
          $a=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria='$_GET[id]'"));
        ?>
        <tr>
          <td>&nbsp;</td>
          <td>&nbsp;</td>
          <td>&nbsp;</td>
        </tr>
        <tr>
          <td>Kriteria</td>

```

```

        <td>:</td>
        <td><input name="a" type="text" id="a" size="30"
value="<?=$a[1]?>" /></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="3"><div align="center">
            <input type="submit" name="Submit" value=" Edit " />
            <input type="reset" name="Submit2" value="Hapus" />
            <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()" />
        </div></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table>
</form>
<br />
<table bordercolor="#807D79" width="100%" border="1" cellpadding="5"
cellspacing="0">
    <tr>
        <td width="8%"><strong>No.</strong></td>
        <td width="48%"><strong>Kriteria</strong></td>
        <td width="44%"><strong>Aksi</strong></td>
    </tr>
    <?php
$q = mysql_query("select * from kriteria ");
$n = 1;

```



```

while($r = mysql_fetch_array($q))
{
?>
    <tr>
        <td><?=$n?></td>
        <td><?=$r[1]?></td>
        <td><a href="subkriteria.php?id=<?=$r[0]?>">Subkriteria</a> || <a
href="editkriteria.php?id=<?=$r[0]?>">Edit</a> || <a onclick="return confirm
('Anda yakin akan menghapus Data Ini ?)'"
href="hapuskriteria.php?id=<?=$r[0]?>">Hapus</a></td>
    </tr>
    <?
    $n++;
}
?>
    </table></td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Editsubkriteria.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include"atas.php"; ?></td>
    </tr>
    <tr>
        <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>

```

```

<td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
  <tr>
    <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
      <tr>
        <td width="3%">&nbsp;</td>
        <td width="93%"><span class="style1">SUBKRITERIA </span></td>
        <td width="4%">&nbsp;</td>
      </tr>
      <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
      </tr>
    </table></td>
  </tr>
  <tr>
    <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
      <tr>
        <td width="3%">&nbsp;</td>
        <td width="94%">&nbsp;</td>
        <td width="3%">&nbsp;</td>
      </tr>
      <tr>
        <td>&nbsp;</td>
        <td align="center"><form id="form1" name="form1" method="post"
action="editsubkriteria.php?id=<?=$_GET[id]?>&id1=<?=$_GET[id1]?>">
          <table width="400" border="0" align="center" cellpadding="0"
cellspacing="0">
            <?
              $oke=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria=$_GET[id]"));
              $oke1=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria=$_GET[id1]"));
            ?>
            <tr>
              <td width="58">&nbsp;</td>
              <td width="26">&nbsp;</td>
              <td width="316">&nbsp;</td>
            </tr>
            <tr>
              <td><strong>Kriteria</strong></td>
              <td><strong>:</strong></td>

```

```

        <td><strong>
            <?=$oke[1]?>
        </strong></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>Subkriteria</td>
        <td>:</td>
        <td><textarea name="a" cols="30" rows="3"
id="a"><?=$oke[2]?</textarea></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="3"><div align="center">
            <input type="submit" name="Submit" value="Simpan" />
            <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()"/>
        </div></td>
    </tr>
</table>
<p>&nbsp;</p>
</form>
<br />
<table width="90%" border="1" align="center" cellpadding="5"
cellspacing="0" bordercolor="#807D79">
    <tr>
        <td width="9%"><strong>No.</strong></td>
        <td width="49%"><strong>Subkriteria</strong></td>
        <td width="42%"><strong>Aksi</strong></td>
    </tr>
    <?php
    $q = mysql_query("select * from subkriteria where idkriteria='$_GET[id]' order by
idsubkriteria asc");
    $n = 1;
    while($r = mysql_fetch_array($q))
    {
    ?>

```

```

        <tr>
            <td><?=$n?></td>
            <td><?=$r[2]?></td>
            <td><a
href="editsub.php?id1=<?=$r[0]?>&id=<?=$_GET[id]?>">Edit</a> ||
        <a onclick="return confirm ('Anda yakin akan menghapus Data Ini ?)'"
href="hapussub.php?id1=<?=$r[0]?>&id=<?=$_GET[id]?>">Hapus</a></td>
        </tr>
        <?
        $n++;
    }
?>
        </table></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Nasabah.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include"atas.php"; ?></td>
    </tr>
    <tr>
        <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
        <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
            <tr>

```

```

        <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
    <tr>
        <td width="3%">&nbsp;</td>
        <td width="93%"><span class="style1">DATA NASABAH</span></td>
        <td width="4%">&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
    <tr>
        <td width="3%">&nbsp;</td>
        <td width="94%">&nbsp;</td>
        <td width="3%">&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td align="center"><form id="form1" name="form1" method="post"
action="inputnasabah.php">
            <table width="600" border="0" align="center" cellpadding="0"
cellspacing="0">
                <tr>
                    <td width="107">&nbsp;</td>
                    <td width="25">&nbsp;</td>
                    <td width="468">&nbsp;</td>
                </tr>
                <tr>
                    <td>Nama</td>
                    <td>:</td>
                    <td><input name="a" type="text" id="a" size="30" /></td>
                </tr>
                <tr>
                    <td>&nbsp;</td>
                    <td>&nbsp;</td>
                    <td>&nbsp;</td>
                </tr>
                <tr>
                    <td>Alamat</td>

```

```

        <td>:</td>
        <td><textarea name="b" cols="30" rows="3" id="a3"></textarea></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="3"><table bordercolor="#807D79" width="100%"
border="1" cellpadding="5" cellspacing="0">
            <tr>
                <td width="8%"><strong>No.</strong></td>
                <td width="57%"><strong>Kriteria</strong></td>
                <td width="35%"><strong>Penilaian</strong></td>
            </tr>
            <?php
$q = mysql_query("select * from kriteria order by idkriteria asc");
$n = 1;
while($r = mysql_fetch_array($q))
{
?>
                <tr>
                    <td><?=$n?></td>
                    <td><?=$r[1]?></td>
                    <td><input name="idkriteria[]" type="hidden" id="idkriteria[]"
value="<?=$r[0]?>" />
                    <select name="idsub[]" id="idsub[]">
                        <option>Pilih</option>
                        <?
                            $t=mysql_query("select * from subkriteria where
idkriteria='$r[0]' order by idsubkriteria asc");
                            while($y=mysql_fetch_array($t))
                            {
                                ?>
                                <option value="<?=$y[0]?>">
                                    <?=$y[2]?>
                                </option>
                                <?
                                    }
                                ?>
                            </select></td>
                    </tr>
                    <?
                $n++;

```

```

}
?>
        </table></td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td>Keterangan </td>
    <td>:</td>
    <td><select name="c" id="c">
        <?php
$q = mysql_query("select * from ket order by idket asc");
while($r = mysql_fetch_array($q))
{
?>
            <option value="<?=$r[0]?>">
                <?=$r[1]?>
            </option>
            <? } ?>
        </select></td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td colspan="3"><div align="center">
        <input type="submit" name="Submit" value="Simpan" />
        <input type="reset" name="Submit2" value="Hapus" />
        <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()"/>
    </div></td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>

```

```

        <td>&nbsp;</td>
    </tr>
</table>
<table bordercolor="#807D79" width="100%" border="1" cellpadding="5"
cellspacing="0">
    <tr>
        <td width="5%" align="center"><strong>No.</strong></td>
        <td align="center"><strong>Nama</strong></td>
        <td width="35%" align="center"><strong>Alamat</strong></td>
        <td width="35%" align="center"><strong>Keterangan </strong></td>
        <td width="15%"><strong>Aksi</strong></td>
    </tr>
    <?php
    $q = mysql_query("select * from nasabah order by idnasabah asc ");
    $n = 1;
    while($r = mysql_fetch_array($q))
    {
        $qq=mysql_fetch_array(mysql_query("select * from ket where
idket='$r[idket]'"));
        ?>
        <tr>
            <td><?=$n?></td>
            <td><?=$r[1]?></td>
            <td><?=$r[2]?></td>
            <td><?=$qq[1]?></td>
            <td><a href="editnasabah.php?id=<?=$r[0]?>">Edit</a> || <a
onclick="return confirm ('Anda yakin akan menghapus Data Ini ?)'"
href="hapusnasabah.php?id=<?=$r[0]?>">Hapus</a></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td colspan="3"><table width="100%" border="0">
                <tr>
                    <td width="127"><strong>Kriteria</strong></td>
                    <td width="391" height="30">&nbsp;</td>
                </tr>
            </table>
            <?php
                $a=mysql_query("select * from relasi
where idnasabah='$r[0]' order by idrelasi asc");
                $no=1;
                while($b=mysql_fetch_array($a))
                {
                    $c=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria='$b[2]'"));

```



```

$d=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$b[3]'"));
                                ?>
        <tr>
            <td><?php echo"$c[1]"; ?></td>
            <td><?php echo"$d[2]"; ?></td>
        </tr>
        <?php
                                $no++;
                                }
                                ?>
        </table></td>
        <td>&nbsp;</td>
    </tr>
    <?
    $n++;
}
?>
        </table>
        </form></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    </table></td>
    </tr>
    <tr>
        <td height="66" background="images/andre_05.jpg">&nbsp;</td>
    </tr>
    </table></td>
    </tr>
    <tr>
        <td colspan="2"><?php include"bawah.php"; ?></td>
    </tr>
</table>

```

Editnasabah.php

```
<?php include "sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
  <tr>
    <td colspan="2"><?php include "atas.php"; ?></td>
  </tr>
  <tr>
    <td width="228" valign="top" background="images/andre_02.jpg"><?php
include "kiri.php"; ?></td>
    <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
      <tr>
        <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="93%"><span class="style1">DATA NASABAH</span></td>
            <td width="4%">&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
          </tr>
        </table></td>
      </tr>
      <tr>
        <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
          <tr>
            <td width="3%">&nbsp;</td>
            <td width="94%">&nbsp;</td>
            <td width="3%">&nbsp;</td>
          </tr>
          <?
              $z=mysql_fetch_array(mysql_query("select * from
nasabah where idnasabah=$_GET[id]"));
              ?>
          <tr>
            <td>&nbsp;</td>
            <td align="center"><form id="form1" name="form1" method="post"
action="editnasabah1.php?id=<?=$_GET[id]?>">
              <table width="600" border="0" align="center" cellpadding="0"
cellspacing="0">
                <tr>
```

```

        <td width="107">&nbsp;</td>
        <td width="25">&nbsp;</td>
        <td width="468">&nbsp;</td>
    </tr>
    <tr>
        <td>Nama</td>
        <td>:</td>
        <td><input name="a" type="text" id="a" size="30" value="<?=$z[1]?>"
/></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>Alamat</td>
        <td>:</td>
        <td><textarea name="b" cols="30" rows="3"
id="a3"><?=$z[2]?></textarea></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="3"><table bordercolor="#807D79" width="100%"
border="1" cellpadding="5" cellspacing="0">
            <tr>
                <td width="8%"><strong>No.</strong></td>
                <td width="57%"><strong>Kriteria</strong></td>
                <td width="35%"><strong>Penilaian</strong></td>
            </tr>
            <?php
$q = mysql_query("select * from kriteria order by idkriteria asc");
$n = 1;
while($r = mysql_fetch_array($q))
{
    $s=mysql_fetch_array(mysql_query("select * from relasi where
idnasabah='$_GET[id]' and idkriteria='$r[0]'"));
    $t=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$s[idsubkriteria]'"));
    ?>
            <tr>

```

```

        <td><?=$n?></td>
        <td><?=$r[1]?></td>
        <td><input name="idkriteria[]" type="hidden" id="idkriteria[]"
value="<?=$r[0]?>" />
        <select name="idsub[]" id="idsub[]">
        <option value="<?=$t[0]?>"><?=$t[2]?></option>
        <?
            $t=mysql_query("select * from subkriteria where
idkriteria='$r[0]' order by idsubkriteria asc");
            while($y=mysql_fetch_array($t))
            {
                ?>
                <option value="<?=$y[0]?>">
                <?=$y[2]?>
                </option>
                <?
                    }
                ?>
            </select></td>
        </tr>
        <?
        $n++;
    }
    ?>
    </table></td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td>Keterangan </td>
    <td>:</td>
    <td><select name="c" id="c">
    <?
        $qq=mysql_fetch_array(mysql_query("select * from ket where
idket='$z[idket]'")); ?>
        <option value="<?=$qq[0]?>">
        <?=$qq[1]?>
        <?php
    $q = mysql_query("select * from ket order by idket asc");
    while($r = mysql_fetch_array($q))
    {
        ?>

```

```

        <option value="<?=$r[0]?>">
            <?=$r[1]?>
        </option>
    <? } ?>
</select></td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td colspan="3"><div align="center">
        <input type="submit" name="Submit" value="Simpan" />
        <input type="reset" name="Submit2" value="Hapus" />
        <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()"/>
    </div></td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
</table>
<table bordercolor="#807D79" width="100%" border="1" cellpadding="5"
cellspacing="0">
    <tr>
        <td width="5%" align="center"><strong>No.</strong></td>
        <td align="center"><strong>Nama</strong></td>
        <td width="35%" align="center"><strong>Alamat</strong></td>
        <td width="35%" align="center"><strong>Keterangan </strong></td>
        <td width="15%"><strong>Aksi</strong></td>
    </tr>
    <?php
$q = mysql_query("select * from nasabah order by idnasabah asc ");
$n = 1;
while($r = mysql_fetch_array($q))
{

```

```

        $qq=mysql_fetch_array(mysql_query("select * from ket where
idket='$r[idket]'"));
?>
        <tr>
        <td><?=$n?></td>
        <td><?=$r[1]?></td>
        <td><?=$r[2]?></td>
        <td><?=$qq[1]?></td>
        <td><a href="editnasabah.php?id=<?=$r[0]?>">Edit</a> || <a
onclick="return confirm ('Anda yakin akan menghapus Data Ini ?)'"
href="hapusnasabah.php?id=<?=$r[0]?>">Hapus</a></td>
        </tr>
        <tr>
        <td>&nbsp;</td>
        <td colspan="3"><table width="100%" border="0">
        <tr>
        <td width="127"><strong>Kriteria</strong></td>
        <td width="391" height="30">&nbsp;</td>
        </tr>
        <?php
                                $a=mysql_query("select * from relasi
where idnasabah='$r[0]' order by idrelasi asc");
                                $no=1;
                                while($b=mysql_fetch_array($a))
                                {

                                $c=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria='$b[2]'"));

                                $d=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$b[3]'"));

                                ?>
                                <tr>
                                <td><?php echo "$c[1]"; ?></td>
                                <td><?php echo "$d[2]"; ?></td>
                                </tr>
                                <?php
                                        $no++;
                                }
                                ?>
                                </table></td>
                                <td>&nbsp;</td>
                                </tr>
                                <?
                                $n++;

```

```

}
?>
        </table>
        </form></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Calon.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include"atas.php"; ?></td>
    </tr>
    <tr>
        <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
        <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
            <tr>
                <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
                    <tr>
                        <td width="3%">&nbsp;</td>
                        <td width="93%"><span class="style1">PREDIKSI CALON
NASABAH</span></td>
                        <td width="4%">&nbsp;</td>
                    </tr>
                </tr>
            </tr>
        </table>

```

```

        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
    <tr>
        <td width="3%">&nbsp;</td>
        <td width="94%">&nbsp;</td>
        <td width="3%">&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td align="center"><form id="form1" name="form1" method="post"
action="inputcalon.php">
            <table width="600" border="0" align="center" cellpadding="0"
cellspacing="0">
                <tr>
                    <td width="107">&nbsp;</td>
                    <td width="25">&nbsp;</td>
                    <td width="468">&nbsp;</td>
                </tr>
                <tr>
                    <td>Nama</td>
                    <td>:</td>
                    <td><input name="a" type="text" id="a" size="30" /></td>
                </tr>
                <tr>
                    <td>Alamat</td>
                    <td>:</td>
                    <td><textarea name="b" cols="30" rows="3" id="a3"></textarea></td>
                </tr>
                <tr>
                    <td>Telepon</td>
                    <td>:</td>
                    <td><input name="c" type="text" id="c" size="30" /></td>
                </tr>
                <tr>
                    <td>&nbsp;</td>
                    <td>&nbsp;</td>
                    <td>&nbsp;</td>
                </tr>
            </table>
        </td>
    </tr>

```



```

<tr>
  <td colspan="3"><table bordercolor="#807D79" width="100%"
border="1" cellpadding="5" cellspacing="0">
  <tr>
    <td width="8%"><strong>No.</strong></td>
    <td width="57%"><strong>Kriteria</strong></td>
    <td width="35%"><strong>Penilaian</strong></td>
  </tr>
  <?php
$q = mysql_query("select * from kriteria order by idkriteria asc");
$n = 1;
while($r = mysql_fetch_array($q))
{
?>
  <tr>
    <td><?=$n?></td>
    <td><?=$r[1]?></td>
    <td><input name="idkriteria[]" type="hidden" id="idkriteria[]"
value="<?=$r[0]?>" />
      <select name="idsub[]" id="idsub[]">
        <option>Pilih</option>
        <?
          $t=mysql_query("select * from subkriteria where
idkriteria='<?=$r[0]?>' order by idsubkriteria asc");
          while($y=mysql_fetch_array($t))
          {
            ?>
            <option value="<?=$y[0]?>">
              <?=$y[2]?>
            </option>
          <?
          }
          ?>
        </select></td>
      </tr>
    <?
    $n++;
  }
?>
  </table></td>
</tr>
<tr>
  <td>&nbsp;</td>
  <td>&nbsp;</td>
  <td>&nbsp;</td>

```

```

        </tr>
        <tr>
            <td colspan="3"><div align="center">
                <input type="submit" name="Submit" value="Simpan" />
                <input type="reset" name="Submit2" value="Hapus" />
                <input type="button" name="Submit22" value="Kembali"
onclick="self.history.back()"/>
            </div></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
    </table>
    <table bordercolor="#807D79" width="100%" border="1" cellpadding="5"
cellspacing="0">
        <tr>
            <td width="5%" align="center"><strong>No.</strong></td>
            <td align="center"><strong>Nama</strong></td>
            <td width="35%" align="center"><strong>Alamat</strong></td>
            <td width="35%" align="center"><strong>Telepon</strong></td>
            <td width="35%" align="center"><strong>Keterangan </strong></td>
            <td width="15%"><strong>Aksi</strong></td>
        </tr>
        <?php
        $q = mysql_query("select * from calon order by idcalon asc ");
        $n = 1;
        while($r = mysql_fetch_array($q))
        {
        $dq=mysql_fetch_array(mysql_query("select * from hasil where idcalon='$r[0]' order
by prob desc"));
        $dq1=mysql_fetch_array(mysql_query("select * from nasabah where
idnasabah='$dq[idnasabah]'"));
        $qq=mysql_fetch_array(mysql_query("select * from ket where idket='$dq1[idket]'"));
        ?>
            <tr>
                <td><?=$n?></td>
                <td><?=$r[1]?></td>
                <td><?=$r[2]?></td>

```

```

        <td><?=$r[2]?></td>
        <td><?=$qq[1]?></td>
        <td align="center"><a
href="hitung.php?id=<?=$r[0]?>">Perhitungan</a><br />
        <a href="editcalon.php?id=<?=$r[0]?>">Edit</a><br />
        <a onclick="return confirm ('Anda yakin akan menghapus Data Ini ?')"
href="hapuscalon.php?id=<?=$r[0]?>">Hapus</a></td>
    </tr>
</tr>
<td>&nbsp;</td>
<td colspan="4"><table width="100%" border="0">
    <tr>
        <td width="127"><strong>Kriteria</strong></td>
        <td width="391" height="30">&nbsp;</td>
    </tr>
</tr>
<?php
                                $a=mysql_query("select * from relasi1
where idcalon='$r[0]' order by idrelasi1 asc");
                                $no=1;
                                while($b=mysql_fetch_array($a))
                                {

                                $c=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria='$b[2]'"));

                                $d=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$b[3]'"));

                                ?>
                                <tr>
                                    <td><?php echo"$c[1]"; ?></td>
                                    <td><?php echo"$d[2]"; ?></td>
                                </tr>
                                <?php
                                    $no++;
                                }
                                ?>

                                </table></td>
                                <td>&nbsp;</td>
                            </tr>
                        <?
                    $n++;
                }
            ?>

            </table>
        </form></td>

```

```

        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>

```

Hitung.php

```

<?php include"sesadmin.php"; ?><table width="950" border="0" align="center"
cellpadding="0" cellspacing="0">
    <tr>
        <td colspan="2"><?php include"atas.php"; ?></td>
    </tr>
    <tr>
        <td width="228" valign="top" background="images/andre_02.jpg"><?php
include"kiri.php"; ?></td>
        <td width="722" valign="top" background="images/andre_04.jpg"><table
width="722" border="0" cellpadding="0" cellspacing="0">
            <tr>
                <td height="84" background="images/andre_03.jpg"><table width="100%"
border="0">
                    <tr>
                        <td width="3%">&nbsp;</td>
                        <td width="93%"><span class="style1">PREDIKSI CALON
NASABAH</span></td>
                        <td width="4%">&nbsp;</td>
                    </tr>
                    <tr>
                        <td>&nbsp;</td>
                        <td>&nbsp;</td>
                        <td>&nbsp;</td>
                    </tr>
                </table>
            </tr>
        </table>
    </td>
    <td colspan="2">&nbsp;</td>
    <td colspan="2">&nbsp;</td>
    <td colspan="2">&nbsp;</td>
</tr>

```

```

        </table></td>
    </tr>
<tr>
    <td background="images/andre_04.jpg"><table width="100%" border="0"
align="center" cellpadding="0" cellspacing="0">
        <tr>
            <td width="3%">&nbsp;</td>
            <td width="94%">&nbsp;</td>
            <td width="3%">&nbsp;</td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td align="center"><form id="form1" name="form1" method="post"
action="inputcalon.php">
                <table width="400" border="0" align="center" cellpadding="0"
cellspacing="0">
                    <tr>
                        <td width="83">&nbsp;</td>
                        <td width="14">&nbsp;</td>
                        <td width="303">&nbsp;</td>
                    </tr>
                    <?
                                <?=>mysql_fetch_array(mysql_query("select * from
calon where idcalon='$_GET[id]"));
                                ?>
                    <tr>
                        <td>Nama</td>
                        <td>:</td>
                        <td><?=$z[1]?></td>
                    </tr>
                    <tr>
                        <td>Alamat</td>
                        <td>:</td>
                        <td><?=$z[2]?></td>
                    </tr>
                    <tr>
                        <td>Telepon</td>
                        <td>:</td>
                        <td><?=$z[3]?></td>
                    </tr>
                    <tr>
                        <td>&nbsp;</td>
                        <td>&nbsp;</td>
                        <td>&nbsp;</td>
                    </tr>

```

```

<tr>
  <td colspan="3"><table width="100%" border="1">
    <tr>
      <td height="30" colspan="2"
align="center"><strong>Kriteria</strong></td>
    </tr>
    <?php
                                $a=mysql_query("select * from relasi1
where idcalon='$_GET[id]' order by idrelasi1 asc");
                                $no=1;
                                while($b=mysql_fetch_array($a))
                                {

$c=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria='$b[2]'"));

$d=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$b[3]'"));

                                ?>
      <tr>
        <td width="127"><?php echo"$c[1]"; ?></td>
        <td width="391"><?php echo"$d[2]"; ?></td>
      </tr>
      <?php
                                $no++;
                                }
                                ?>
    </table></td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
</table>
<table width="545" border="0" align="center">
  <tr>
    <td colspan="3" align="center"><hr /></td>
  </tr>
  <tr>
    <td colspan="3" align="center"><strong>Perhitungan Metode Naive
Bayes Klasifikasi</strong></td>
  </tr>
  <tr>
    <td colspan="3"><hr /></td>

```

```

</tr>
<tr>
  <td colspan="3">&nbsp;</td>
</tr>
<tr>
  <td colspan="3" align="left"><strong>Menentukan Jumlah
Kelas</strong></td>
</tr>
<tr>
  <td colspan="3"><table width="100%" border="0" align="center">
  <tr>
    <td width="351" height="30"><table width="100%" border="0"
cellspacing="0" cellpadding="0">
      <?php
$jml=mysql_num_rows(mysql_query("select * from nasabah"));
$a=mysql_query("select * from ket order by ket asc");
while($b=mysql_fetch_array($a))
{
  $jml1=mysql_num_rows(mysql_query("select * from nasabah where
idket='$b[0]'"));
  $z=$jml1/$jml;
  ?>
  <tr>
    <td>P(<?=$b[1]?>) = <?=$jml1?>/<?=$jml?> = <?=$z?></td>
  </tr>
  <?php
}
  ?>
  </table></td>
</tr>
<tr>
  <td height="30"><hr /></td>
</tr>
<tr>
  <td height="30" align="left"><strong>Menghitung Jumlah Kasus
Yang Sama Dengan Kelas Yang Sama</strong></td>
</tr>
<tr>
  <td height="30"><hr /></td>
</tr>
<tr>
  <td height="30"><table width="100%" border="0" cellspacing="0"
cellpadding="0">
  <?php

```

```

$a=mysql_query("select * from relasi1 where idcalon='$_GET[id]' order by idrelasi1
asc");
while($b=mysql_fetch_array($a)
{
$c=mysql_fetch_array(mysql_query("select * from kriteria where
idkriteria='$b[idkriteria]'"));
$d=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$b[idsubkriteria]'"));
?>
<tr>
<td colspan="3"><table width="100%" border="0" align="center"
cellpadding="0" cellspacing="0">
<?
$e=mysql_query("select * from
ket order by ket asc");
while($f=mysql_fetch_array($e)
{
$g=mysql_num_rows(mysql_query("select * from relasi where
idsubkriteria='$b[idsubkriteria]' and idket='$f[0]'"));
$h=mysql_num_rows(mysql_query("select * from nasabah where idket='$f[0]'"));
$i=$g/$h;
$e=round($i,4);

$j=mysql_num_rows(mysql_query("select * from bayes where idcalon='$_GET[id]'
and idkriteria='$b[idkriteria]' and idket='$f[0]'"));
if($j==0) { mysql_query("insert into bayes values
('$_GET[id]','$b[idkriteria]','$f[0]','$i)"); }
else { mysql_query("update bayes set probab='$i' where idcalon='$_GET[id]' and
idkriteria='$b[idkriteria]' and idket='$f[0]'"); }

?>
<tr>
<td colspan="3">P(<?=$c[1]?>=<?=$d[2]?>|<?=$f[1]?>) =
<?=$g?>/<?=$h?> = <?=$i?></td>
</tr>
<? } ?>
<tr>
<td colspan="3">&nbsp;</td>
</tr>
<tr>
<td width="14%">&nbsp;</td>
<td width="19%">&nbsp;</td>

```



```

        <td width="67%">&nbsp;</td>
    </tr>
</table></td>
</tr>
<?php
}
                                ?>
    </table></td>
</tr>
<tr>
    <td height="30"><hr /></td>
</tr>
<tr>
    <td height="30" align="left"><strong>Kalikan Semua Hasil
Variabel</strong></td>
</tr>
<tr>
    <td height="30"><hr /></td>
</tr>
<tr>
    <td height="30"><table width="100%" border="0" cellspacing="0"
cellpadding="0">
        <tr>
            <td>
<?php
$a=mysql_query("select * from ket order by ket asc");
while($b=mysql_fetch_array($a))
{
    ?>
        <table width="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
            <tr>
                <td colspan="3"> <?
                $e1=mysql_num_rows(mysql_query("select * from kriteria "));
                $c=mysql_query("select * from relasi1 where idcalon='$_GET[id]' order by
idrelasi1 asc");
                $no=1;
                while($d=mysql_fetch_array($c))
                {
                    $e=mysql_fetch_array(mysql_query("select * from subkriteria where
idsubkriteria='$d[idsubkriteria]'"));
                    if($no==$e1) { echo"P($e[2]|$b[1]) "; }
                    else { echo"P($e[2]|$b[1]) x "; }
                    $no++;
                }
            }
        }
    }
}

```

```

?></td>
</tr>
<tr>
<td colspan="3">&nbsp;</td>
</tr>
<tr>
<td colspan="3"><?
$C=mysql_query("select * from relasi1 where idcalon='$_GET[id]' order by
idrelasi1 asc");
$no=1;
while($d=mysql_fetch_array($C))
{
    $e=mysql_fetch_array(mysql_query("select * from bayes where
idcalon='$_GET[id]' and idkriteria='$d[idkriteria]' and idket='$b[0]'"));
    $p=mysql_fetch_array(mysql_query("select EXP(SUM(LOG(COALESCE(prob))))
AS nilai from bayes where
idcalon='$_GET[id]' and idket='$b[0]'"));
    $q=round($p[nilai],7);

$j1=mysql_num_rows(mysql_query("select * from hasil where idcalon='$_GET[id]'
and idket='$b[0]'"));
if($j1==0) { mysql_query("insert into hasil values ('$_GET[id]','$b[0]','$q'); }
else { mysql_query("update hasil set prob='$q' where idcalon='$_GET[id]' and
idket='$b[0]'"); }

    if($no==$e1) { echo"$e[prob] = $q"; }
    else { echo"$e[prob] x "; }
    $no++;
}
?></td>
</tr>
<tr>
<td colspan="3"><hr /></td>
</tr>
</table>
<? } ?></td>
</tr>

</table></td>
</tr>
<tr>
<td height="30"><hr /></td>
</tr>
<tr>

```

```

        <td height="30"><strong>Bandingkan Hasil
Perhitungan</strong></td>
    </tr>
    <tr>
        <td height="30"><hr /></td>
    </tr>
    <tr>
        <td height="30"><strong>Berdasarkan perhitungan diatas
        <?
            $z=mysql_fetch_array(mysql_query("select * from
calon where idcalon='$_GET[id]'"));
            echo"$z[1] "
        ?>
:
<?php
$z=mysql_fetch_array(mysql_query("select * from hasil where idcalon='$_GET[id]'
order by prob desc"));
$z1=mysql_fetch_array(mysql_query("select * from ket where idket='$z[idket]'"));
echo"$z1[1]"; ?>
        </strong></td>
    </tr>
</table></td>
</tr>
<tr>
    <td colspan="3">&nbsp;</td>
</tr>
<tr>
    <td colspan="3">&nbsp;</td>
</tr>
<tr>
    <td colspan="3">&nbsp;</td>
</tr>
<tr>
    <td colspan="3">&nbsp;</td>
</tr>
<tr>
    <td colspan="3"><div align="center"><a href="cetak.php?id=<?php
echo"$_GET[id]"; ?>" target="_blank" >Cetak</a> || <a href="calon.php"
>Kembali</a></div></td>
</tr>
<tr>
    <td width="121">&nbsp;</td>
    <td width="30">&nbsp;</td>
    <td width="380">&nbsp;</td>
</tr>
</table>
</form></td>
<td>&nbsp;</td>

```

```
</tr>
<tr>
  <td>&nbsp;</td>
  <td>&nbsp;</td>
  <td>&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
  <td height="66" background="images/andre_05.jpg">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
  <td colspan="2"><?php include"bawah.php"; ?></td>
</tr>
</table>
```