

# LAMPIRAN

## Listing Coding

### Index.php

```
<!DOCTYPE html PUBLIC "-//
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtm
l">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>

<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
  <tr>
    <td colspan="2"><?php
include"atas.php"; ?></td>
  </tr>
  <tr>
    <td valign="top"
background="images/toni_05.jpg"><?
php include "kiri.php"; ?></td>
    <td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
      <tr>
        <td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">

        <tr>
          <td width="72">&nbsp;</td>
          <td width="590"><span
class="style1">HOME</span></td>
          <td width="21">&nbsp;</td>
        </tr>
```

```
</table></td>
</tr>
<tr>
  <td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td width="17">&nbsp;</td>
    <td
width="645"><p>&nbsp;</p>
    <p align="center"><span
class="style1">Selamat Datang di
Sistem Pendiagnosa Penyakit
Osteoporosis</span></p>
    <p>&nbsp;</p>
  </td>
  <td width="21">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
  <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
  <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
  <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
</tr>
<tr>
  <td colspan="2"><?php
include"bawah.php"; ?></td>
```

```
</tr>
</table>
</body>
</html>
```

### Reg.php

```
<!DOCTYPE html PUBLIC "-//
W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml
1">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>

<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
<tr>
<td colspan="2"><?php
include"atas.php"; ?></td>
</tr>
<tr>
<td valign="top"
background="images/toni_05.jpg"><?
php include "kiri.php"; ?></td>
<td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
```

```
<tr>
```

```
<td width="72">&nbsp;</td>
<td width="590"><span
class="style1">Registrasi
Pasien</span></td>
<td width="21">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
<td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td width="17">&nbsp;</td>
<td
width="645"><p>&nbsp;</p>
<form action="prsreg.php"
method="post"
enctype="multipart/form-data"
name="form1" id="form1">
<table width="545"
border="0" align="center">
<tr>
<td
colspan="3">&nbsp;</td>
</tr>
<tr>
<td><strong>ID
Pasien</strong></td>

<td><strong>:</strong></td>
<td><?
$st=mysql_fetch_array(mysql_query("s
elect * from pasien order by idpasien
desc"));

$y=$t[0]+1;
```

```

        echo"<strong>$y</strong>";
?></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td
width="121"><strong>Nama</strong>
</td>
            <td
width="30"><strong>:</strong></td>
            <td width="380"><input
name="nama" type="text" id="nama"
size="30" /></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td><strong>Alamat</strong></td>
            <td><strong>:</strong></td>
            <td><textarea
name="alamat" rows="3"
id="alamat"></textarea></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td><strong>Telepon</strong></td>
            <td><strong>:</strong></td>
            <td><input name="tlp"
type="text" id="tlp" size="30" /></td>

```

```

        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td colspan="3"><div
align="center">
                <input type="submit"
name="Submit3" value="Diagnosa" />
                <input type="reset"
name="Submit222" value="Ulangi" />
                <input type="button"
name="Submit32" value="Kembali"
onclick="self.history.back()"/>
            </div></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
    </table>
</form>
<p
align="center">&nbsp;</p>
<p>&nbsp;</p>
</td>
<td width="21">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
    <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>

```

```

        <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
    </tr>
    <tr>
        <td colspan="2"><?php
include"bawah.php"; ?></td>
    </tr>
</table>
</body>
</html>

```

### Reg1.php

```

<?php include"sespasien.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtm
l">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>

<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
    <tr>
        <td colspan="2"><?php
include"atas.php"; ?></td>
    </tr>
    <tr>
        <td valign="top"
background="images/toni_05.jpg"><?
php include "kiri1.php"; ?></td>
        <td valign="top"
background="images/toni_13.jpg"><ta

```

```

ble width="683" border="0"
cellpadding="0" cellspacing="0">
    <tr>
        <td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
    <tr>
        <td width="72">&nbsp;</td>
        <td width="590"><span
class="style1"> Diagnosa
Pasien</span></td>
        <td width="21">&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td width="17">&nbsp;</td>
        <td width="645"><form
action="diagnosafoward.php?id=<?ph
p echo"$_GET[id]"; ?>"
method="post"
enctype="multipart/form-data"
name="form1" id="form1">
        <table width="545"
border="0" align="center">
            <tr>
                <td
colspan="3">&nbsp;</td>
            </tr>
            <?php
$a=mysql_fetch_array(mysql_query("s

```

```

elect * from pasien where
idpasien='$_SESSION[pasien]");
                                ?>
                                <tr>
                                <td><strong>ID
Pasien</strong></td>

<td><strong>:</strong></td>
                                <td><?
$t=mysql_fetch_array(mysql_query("s
elect * from konsultasi order by
idkonsultasi desc"));

                                echo"<strong>$t[0]</strong>";
?></td>
                                </tr>
                                <tr>
                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                </tr>
                                <tr>
                                <td
width="121"><strong>Nama</strong>
</td>
                                <td
width="30"><strong>:</strong></td>
                                <td width="380"><?php
echo"$a[1]"; ?></td>
                                </tr>
                                <tr>
                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                </tr>
                                <tr>
                                <td><strong>Alamat</strong></td>

                                <td><strong>:</strong></td>
                                <td><?php echo"$a[2]";
?></td>
                                </tr>
                                <tr>
                                <td>&nbsp;</td>

```

```

                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                </tr>
                                <tr>
                                <td><strong>Telepon</strong></td>

                                <td><strong>:</strong></td>
                                <td><?php echo"$a[4]";
?></td>
                                </tr>
                                <tr>
                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                <td>&nbsp;</td>
                                </tr>
                                <tr>
                                <td colspan="3"
align="center"><p><strong>Ceklis
Gejala Yang Anda
Alami</strong></p>
                                <table width="392"
border="1" align="center">
                                <tr>
                                <td width="25"
height="30"><div
align="center"><strong>ID.</strong>
</div></td>
                                <td width="351"><div
align="left"><strong> Gejala
</strong></div></td>
                                </tr>
                                <?php

                                $a=mysql_query("select *
from gejala order by idgejala asc");

                                $no=1;

                                while($b=mysql_fetch_array($a))
                                {
                                ?>
                                <tr>

```

```

                <td height="30"><?php
echo"$no"; ?>.</td>
                <td><div align="left">
                    <input
name="idgejala[]" type="checkbox"
id="idgejala[]" value="<?php
echo"$b[0]"; ?>" />
                    <?php echo"$b[1]"; ?>
                    <input name="id[]"
type="hidden" id="id[]" value="<?php
echo"$ _SESSION[pasien]"; ?>"
size="10" />
                </div></td>
            </tr>
            <?php
$no++;
}
$no=$no;
?>
        </table>
        <p>
            <input type="submit"
name="Submit2" value="Diagnosa" />
            <input type="reset"
name="Submit2" value=" Ulangi " />
            <input type="button"
name="Submit22" value="Kembali"
onclick="self.history.back()"/>
        </p></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table>
</form>
<p
align="center">&nbsp;</p>
<p>&nbsp;</p>
</td>

```

```

                <td width="21">&nbsp;</td>
            </tr>
        </table></td>
    </tr>
    <tr>
        <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
    <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
</tr>
<tr>
    <td colspan="2"><?php
include"bawah.php"; ?></td>
</tr>
</table>
</body>
</html>

```

### Hasil.php

```

<?php include"sespasien.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtm
l">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
<style type="text/css">

```

```

<!--
.style2 {      font-size: 14px;
              font-weight: bold;
              font-family: "Times New
Roman", Times, serif;
}
-->
</style>
</head>

<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
  <tr>
    <td colspan="2"><?php
include"atas.php"; ?></td>
  </tr>
  <tr>
    <td valign="top"
background="images/toni_05.jpg"><?
php include "kiri1.php"; ?></td>
    <td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
      <tr>
        <td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">

          <tr>
            <td width="72">&nbsp;</td>
            <td width="590"><span
class="style1"> Hasil Diagnosa
Pasien</span></td>
            <td width="21">&nbsp;</td>
          </tr>
        </table></td>
      </tr>
    </table></td>
  </tr>
  <tr>
    <td
background="images/made_06.jpg"><

```

```

table width="683" border="0"
cellpadding="0" cellspacing="0">
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td width="17">&nbsp;</td>
    <td width="645"><form
action="diagnosaforward.php?id=<?ph
p echo"$_GET[id]"; ?>"
method="post"
enctype="multipart/form-data"
name="form1" id="form1">
      <table width="545"
border="0" align="center">
        <tr>
          <td
colspan="3">&nbsp;</td>
        </tr>
        <?php

$a=mysql_fetch_array(mysql_query("s
elect * from pasien where
idpasien='$_SESSION[pasien]"));
?>

        <tr>
          <td><strong>ID
Pasien</strong></td>

        <td><strong>:</strong></td>
        <td><?

        $t=mysql_fetch_array(mysql_query("s
elect * from konsultasi order by
idkonsultasi desc"));

        echo"<strong>$t[0]</strong>";
?></td>
      </tr>
    </tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>

```

```

        <tr>
            <td
width="121"><strong>Nama</strong>
</td>
            <td
width="30"><strong>:</strong></td>
            <td width="380"><?php
echo"$a[1]"; ?></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td><strong>Alamat</strong></td>
            <td><strong>:</strong></td>
            <td><?php echo"$a[2]";
?></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td><strong>Telepon</strong></td>
            <td><strong>:</strong></td>
            <td><?php echo"$a[4]";
?></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td colspan="3"
align="center"><table width="370"
border="1" align="center">
            <tr>

```

```

        <td width="32"><div
align="center"><strong>No.
</strong></div></td>
        <td width="322"><div
align="center"><strong> Gejala Yang
Dialami</strong></div></td>
    </tr>
    <?php

$a=mysql_query("select * from
gejalapasien where
idpasien='$_SESSION[pasien]'");
        $no=1;

while($ba=mysql_fetch_array($a))
    {

        $b=mysql_fetch_array(mysql_query("s
elect * from gejala where
idgejala='$ba[idgejala]'"));
        ?>
        <tr>
            <td><?=$no?>
            .</td>
            <td><?=$b[1]?></td>
        </tr>
        <?php
            $no++;
        }

////////////////////////////////////
////
$a=mysql_query("select * from
penyakit order by idpenyakit asc ");
while($ba=mysql_fetch_array($aa))
{
    $d=mysql_query("select * from relasi
where idpenyakit='$ba[idpenyakit]'");
    $i=0;
    while($e=mysql_fetch_array($d))
    {

        $f=mysql_num_rows(mysql_query("se
lect * from gejalapasien where
idpasien='$_SESSION[pasien]' and
idgejala='$e[idgejala]'"));

```

```

    if($f==0) { } else { $i=$i+1; }
}

$g=mysql_num_rows(mysql_query("s
elect * from hasil where
idkonsultasi='$_SESSION[pasien]' and
idpenyakit='$ba[idpenyakit]"));
if($g==0) { mysql_query("insert into
hasil values
('$_SESSION[pasien]','$ba[idpenyakit]
','$i)"); } else { }

}
////////////////////////////////////
////

?>
</table>          </td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td
colspan="3">&nbsp;</td>
</tr>
<tr>
<td colspan="3"><table
width="525" border="0"
align="center">
<?php
//
$aq=mysql_fetch_array(mysql_query(
"select * from penyakit where
idpenyakit='$_GET[idpenyakit]' "));

$c=mysql_fetch_array(mysql_
query("select * from konsultasi where
idkonsultasi='$_SESSION[pasien]"));

?>
<tr>

```

```

<td
width="511"><table width="100%"
border="0">
<tr>
<td><div
align="center">
<?php
$a=mysql_query("select * from hasil
where
idkonsultasi='$_SESSION[pasien]");
Sari=0;

while($b=mysql_fetch_array($a)
{

$jml=mysql_num_rows(mysql_query(
"select * from relasi where
idpenyakit='$b[idpenyakit]"));

if($b[jml]!=$jml)
{
}
else
{

Sari=$Sari+1;

}
}
//echo"$Sari";
if($Sari==0)
{

echo"<strong><font
color=red>PENYAKIT ANDA
TIDAK DAPAT DI DIAGNOSA <br>

SILAHKAN COBA UNTUK
MENDIAGNOSA
ULANG</font></strong>";

}
else
{

```

```

?>
</div>
<div
align="center"><span
class="style2">Berdasarkan
<strong>Gejala Yang
Dialami</strong> Hasil Diagnosa
Adalah :</span></div></td>
</tr>
<tr>
<td><table
width="100%" border="1"
align="center">
<tr>
<td
width="27"><div
align="center"><strong>No.</strong>
</div></td>
<td
width="128"><div
align="center"><strong> Penyakit
TBC </strong></div></td>
<td
width="324"><div
align="center"><strong>Solusi</strong>
</div></td>
</tr>
<tr>
<td colspan="3">
$no=1;
while($b=mysql_fetch_array($a))
{
$jml=mysql_num_rows(mysql_query(
"select * from relasi where
idpenyakit='$b[idpenyakit]"));
if($b[jml]!=$jml)
{
else
{
$penyakit=mysql_fetch_array(mysql_
query("select * from penyakit where
idpenyakit='$b[idpenyakit]"));
?>
<tr>
<td><?=$no?></td>
<td><?=$penyakit[1]?></td>
<td><?=$penyakit[2]?></td>
</tr>
<tr>
<td colspan="3">
<?php
$no++;
}
?>
</table>
<tr>
<td colspan="3">
<?php } ?>
</tr>
</table></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td colspan="3"><div
align="center"><a
href="ulang.php?id=<?=$c[idpasien]?
">Diagnosa Ulang</a> || <a
href="cetak.php?id=<?=$_SESSION[p
asien]?>" target="_blank">Cetak</a>
|| <a
href="logout.php">Home</a></div></td>
</tr>
</tr>

```

```

                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
        </table>
    </form>
    <p
align="center">&nbsp;</p>
    <p>&nbsp;</p>
    </td>
    <td width="21">&nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
    <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
    </tr>
<tr>
    <td colspan="2"><?php
include"bawah.php"; ?></td>
    </tr>
</table>
</body>
</html>

```

### Login.php

```

<!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">

```

```

<html
xmlns="http://www.w3.org/1999/xhtml
ml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>
<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
    <tr>
        <td colspan="2"><?php
include"atas.php"; ?></td>
    </tr>
    <tr>
        <td valign="top"
background="images/toni_05.jpg"><?
php include "kiri.php"; ?></td>
        <td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
            <tr>
                <td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
                    <tr>
                        <td width="72">&nbsp;</td>
                        <td width="590"><span
class="style1">Login</span></td>
                        <td width="21">&nbsp;</td>
                    </tr>
                </table></td>
            </tr>
            <tr>
                <td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">

```

```

        <tr>
          <td>&nbsp;</td>
          <td>&nbsp;</td>
          <td>&nbsp;</td>
        </tr>
      <tr>
        <td width="17">&nbsp;</td>
        <td
width="645"><p>&nbsp;</p>
          <form id="form2"
name="form1" method="post"
action="logproc.php">
            <p
align="center">Username<br />
              <input name="username"
type="text" id="username" />
              <br />
              Password<br />
              <input name="password"
type="password" id="password" />
              <br />
              <input type="submit"
name="Submit2" value="Login" />
            </p>
          </form>
          <p
align="center">&nbsp;</p>
          <p>&nbsp;</p>
        </td>
        <td width="21">&nbsp;</td>
      </tr>
    </table></td>
  </tr>
  <tr>
    <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
  </tr>
</table></td>
</tr>
<tr>
  <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>

```

```

        <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
      </tr>
    <tr>
      <td colspan="2"><?php
include"bawah.php"; ?></td>
    </tr>
  </table>
</body>
</html>

```

### Admin.php

```

<?php include"sesadmin.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtm
l">
  <head>
    <meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
    <title></title>
  </head>
  <body>
    <table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
      <tr>
        <td colspan="2"><?php
include"atas.php"; ?></td>
      </tr>
      <tr>
        <td valign="top"
background="images/toni_05.jpg"><?
php include "kiriadmin.php"; ?></td>
        <td valign="top"
background="images/toni_13.jpg"><ta

```

```

ble width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td width="72">&nbsp;</td>
<td width="590"><span
class="style1">HOME</span></td>
<td width="21">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
<td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td width="17">&nbsp;</td>
<td
width="645"><p>&nbsp;</p>
<p align="center"><span
class="style1">Selamat Datang di
Sistem Pendiagnosa Penyakit
Osteoporosis</span></p>
<p>&nbsp;</p>
</td>
<td width="21">&nbsp;</td>
</tr>
</table></td>
</tr>
<tr>
<td height="28"
background="images/made_13.jpg">&
nbsp;</td>
</tr>

```

```

</table></td>
</tr>
<tr>
<td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
<td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
</tr>
<tr>
<td colspan="2"><?php
include"bawah.php"; ?></td>
</tr>
</table>
</body>
</html>

```

### Gejala.php

```

<?php include"sesadmin.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml
1">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
<style type="text/css">
#xdfgxdf {
text-align: center;
}
</style>
</head>
<body>

```

```

<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
  <tr>
    <td colspan="2"><?php
include"atas.php"; ?></td>
  </tr>
  <tr>
    <td valign="top"
background="images/toni_05.jpg"><?
php include "kiriadmin.php"; ?></td>
    <td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
      <tr>
        <td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
          <tr>
            <td width="72">&nbsp;</td>
            <td width="590"><span
class="style1">Gejala</span></td>
            <td width="21">&nbsp;</td>
          </tr>
        </table></td>
      </tr>
      <tr>
        <td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
          <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
            <td>&nbsp;</td>
          </tr>
        </table></td>
      </tr>
    </table>

```

```

<td>&nbsp;</td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
  <td width="17">&nbsp;</td>
  <td width="645"> <p
align="center"><a
href="inputgejala.php">Input Gejala
</a></p>
    <table width="508"
border="1" align="center">
      <tr>
        <td width="25"
height="30"><div
align="center"><strong>ID.</strong>
</div></td>
        <td width="351"><div
align="left"><strong> Gejala
</strong></div></td>
      <tr>
        <td
width="110">&nbsp;</td>
      </tr>
    </table>
    <?php
    $a=mysql_query("select *
from gejala order by idgejala asc");

    $no=1;

    while($b=mysql_fetch_array($a))
    {
    ?>
      <tr>
        <td height="30"><?php
echo"$no"; ?>.</td>
        <td><div
align="left"><?php echo"$b[1]";
?></div></td>

```

```

                <td><a
href="editgejala.php?id=<?php
echo"$b[0]"; ?>" >Edit</a> ||
                <a onclick="return
confirm ('Anda yakin akan menghapus
Data Ini ?)'"
href="hapusgejala.php?id=<?php
echo"$b[0]"; ?>" >Hapus</a></td>
                </tr>
                <?php

$no++;

}

?>

                </table>
                <p>&nbsp;</p>
                </td>
                <td width="21">&nbsp;</td>
                </tr>
                </table></td>
                </tr>
                <tr>
                <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
                </tr>
                </table></td>
                </tr>
                <tr>
                <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
                <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
                </tr>
                <tr>
                <td colspan="2"><?php
include"bawah.php"; ?></td>
                </tr>
                </table>
</body>

```

```
</html>
```

### Penyakit.php

```

<?php include"sesadmin.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtm
l">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>

<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
<tr>
<td colspan="2"><?php
include"atas.php"; ?></td>
</tr>
<tr>
<td valign="top"
background="images/toni_05.jpg"><?
php include "kiriadmin.php"; ?></td>
<td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
<tr>
<td width="72">&nbsp;</td>

```



```

        <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
    <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
</tr>
<tr>
    <td colspan="2"><?php
include"bawah.php"; ?></td>
</tr>
</table>
</body>
</html>

```

### Inputpenyakit.php

```

<?php include"sesadmin.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml
ml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>
<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">

```

```

<tr>
    <td colspan="2"><?php
include"atas.php"; ?></td>
</tr>
<tr>
    <td valign="top"
background="images/toni_05.jpg"><?
php include "kiriadmin.php"; ?></td>
    <td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
    <tr>
        <td height="59"
background="images/made_04.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
        <tr>
            <td width="72">&nbsp;</td>
            <td width="590"><span
class="style1">Input Penyakit
Osteoporosis</span></td>
            <td width="21">&nbsp;</td>
        </tr>
    </table></td>
</tr>
<tr>
    <td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td width="17">&nbsp;</td>
        <td width="645"><form
action="prsininputpenyakit.php"
method="post"
enctype="multipart/form-data"
name="form1" id="form1">

```

```

        <table width="516"
border="0" align="center"
cellpadding="0" cellspacing="0">
        <?php
                $b=mysql_num_rows(mysql_q
uery("select * from penyakit"));
                $t=$b+1;
                ?>
        <tr>
                <td><div
align="left">ID Penyakit </div></td>
                <td>:</td>
                <td><?=$t?></td>
        </tr>
        <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
        </tr>
        <tr>
                <td width="82"><div
align="left">Penyakit </div></td>
                <td
width="16">:</td>
                <td width="418"><div
align="left">
                        <input name="a"
type="text" id="a" size="50" />
                </div></td>
        </tr>
        <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
        </tr>
        <tr>
                <td><div
align="left">Solusi </div></td>
                <td>:</td>
                <td><div
align="left">
                        <textarea name="b"
cols="50" rows="5"
id="b"></textarea>

```

```

        </div></td>
        </tr>
        <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
        </tr>
        <tr>
                <td colspan="3"><div
align="center">
                        <input
type="submit" name="Submit"
value="Simpan" />
                        <input type="reset"
name="Submit2" value="Batal" />
                        <input
type="button" name="Submit22"
value="Kembali"
onclick="self.history.back()" />
                </div></td>
        </tr>
        </table>
        </form>
        <p>&nbsp;</p>
        </td>
        <td width="21">&nbsp;</td>
        </tr>
        </table></td>
        </tr>
        <tr>
                <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
        </tr>
        </table></td>
        </tr>
        <tr>
                <td width="167" height="42"
align="top"
background="images/toni_17.jpg">&n
bsp;</td>
                <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
        </tr>

```

```

<tr>
  <td colspan="2"><?php
include"bawah.php"; ?></td>
</tr>
</table>
</body>
</html>

```

### Inputgejala.php

```

<?php include"sesadmin.php";
?><!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml
ml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-
1" />
<title></title>
</head>

<body>
<table width="850" border="0"
align="center" cellpadding="0"
cellspacing="0" bgcolor="#FFFFFF">
  <tr>
    <td colspan="2"><?php
include"atas.php"; ?></td>
  </tr>
  <tr>
    <td valign="top"
background="images/toni_05.jpg"><?
php include "kiriadmin.php"; ?></td>
    <td valign="top"
background="images/toni_13.jpg"><ta
ble width="683" border="0"
cellpadding="0" cellspacing="0">
      <tr>
        <td height="59"
background="images/made_04.jpg"><

```

```

table width="683" border="0"
cellpadding="0" cellspacing="0">

```

```

  <tr>
    <td width="72">&nbsp;</td>
    <td width="590"><span
class="style1">Input
Gejala</span></td>
  </tr>
</table></td>
</tr>
<tr>
  <td
background="images/made_06.jpg"><
table width="683" border="0"
cellpadding="0" cellspacing="0">
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td width="17">&nbsp;</td>
    <td width="645"><form
action="prsinputgejala.php"
method="post"
enctype="multipart/form-data"
name="form1" id="form1">
      <table width="516"
border="0" align="center"
cellpadding="0" cellspacing="0">
        <?php
          $b=mysql_num_rows(mysql_q
uery("select * from gejala"));
          $t=$b+1;
          ?>
      </table>
      <td><div
align="left">ID Gejala </div></td>
      <td></td>
      <td><?=$t?></td>
    </tr>
  </table>

```

```

                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td width="82"><div
align="left">Gejala </div></td>
                <td
width="16"></td>
                <td width="418"><div
align="left">
                    <input name="a"
type="text" id="a" size="50" />
                    </div></td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td colspan="3"><div
align="center">
                    <input
type="submit" name="Submit"
value="Simpan" />
                    <input type="reset"
name="Submit2" value="Batal" />
                    <input
type="button" name="Submit22"
value="Kembali"
onclick="self.history.back()"/>
                    </div></td>
            </tr>
        </table>
    </form>
    <p>&nbsp;</p>
</td>
<td width="21">&nbsp;</td>
</tr>
            </table></td>
        </tr>
    </table>
</tr>
    <tr>
        <td height="28"
background="images/made_13.jpg">&
nbsp;</td>
    </tr>
</table></td>
</tr>
<tr>
    <td width="167" height="42"
valign="top"
background="images/toni_17.jpg">&n
bsp;</td>
    <td width="683" valign="top"
background="images/toni_18.jpg">&n
bsp;</td>
    </tr>
    <tr>
        <td colspan="2"><?php
include"bawah.php"; ?></td>
    </tr>
</table>
</body>
</html>

```