

```
<?php
    session_start();

    mysql_connect("localhost", "root", "");
    mysql_select_db("donut");

    // settings

    $url = "http://localhost/donut/";
    $title = "Aplikasi Pemesanan Donut";
    $no = 1;

    function alert($command){
        echo "<script>alert('".$command."');</script>";
    }

    function redir($command){
        echo "<script>document.location='".$command."';</script>";
    }

    function validate_admin_not_login($command){
        if(empty($_SESSION['iam_admin'])){
            redir($command);
        }
    }
?>
```

```
<?php
    session_start();

    mysql_connect("localhost", "root", "");
    mysql_select_db("donut");

    // settings

    $url = "http://localhost/donut/";
    $title = "Aplikasi Pemesanan Donut";
    $no = 1;

    function alert($command){
        echo "<script>alert('".$command."');</script>";
    }

    function redir($command){
        echo "<script>document.location='".$command."';</script>";
    }

    function validate_admin_not_login($command){
        if(empty($_SESSION['iam_admin'])){
            redir($command);
        }
    }
?>
```

```
</div> <!-- /container -->

</div> <!-- /container -->

<hr>

<div class="container footer" style="margin-top:20px;">

  <br/>

  <footer class="text-center">

    <div class="col-md-12">Widhi Christiano 1211010035

©2017

    <br>

    <br>

  </div>

</footer>

</div>

<!-- Bootstrap core JavaScript

===== -->

<!-- Placed at the end of the document so the pages load faster -->

<script src="<?php echo $url ?>assets/js/jquery.js"></script>

<!--<script>window.jQuery || document.write('<script
src=" ../assets/js/vendor/jquery.min.js"></script>')</script>-->

<script src="<?php echo $url ?>assets/bootstrap/js/bootstrap.min.js"></script>

<!-- IE10 viewport hack for Surface/desktop Windows 8 bug

<script src=" ../assets/js/ie10-viewport-bug-workaround.js"></script>-->

<script>
```

```
$('.carousel').carousel({
  interval: 5000 //changes the speed
})
</script>

<script src="<?php echo $url ?>assets/bootstrap/js/moment.js"></script>

<script src="<?php echo $url ?>assets/bootstrap/js/bootstrap-
datetimepicker.min.js"></script>

<script type="text/javascript">
  $(function () {
    $('#datetimepicker').datetimepicker({
      format: 'YYYY-MM-DD HH:mm',
    });

    // $('#datepicker').datetimepicker({
    //   // format: 'DD MMMM YYYY',
    // });

    // $('#timepicker').datetimepicker({
    //   // format: 'HH:mm'
    // });
  });
</script>

</body>
</html>
```



```
                <a href="<?php echo $url;
?>menu.php?id=<?php echo $data['id'] ?>" class="btn btn-success btn-sm"
href="#" role="button">Lihat Detail</a>
```

```
                <a href="<?php echo $url;
?>keranjang.php?act=beli&&produk_id=<?php echo $data['id'] ?>" class="btn
btn-info btn-sm" href="#" role="button">Pesan</a>
```

```
            </p>
```

```
        </div>
```

```
    <?php } ?>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<hr>
```

```
<h3>Menu Terbaru</h3>
```

```
<?php
```

```
                $k = mysql_query("SELECT * FROM
produk ORDER BY id DESC limit 3");
```

```
                while($data = mysql_fetch_array($k)){
```

```
                ?>
```

```
                <div class="col-md-4 content-menu">
```

```
                        <a href="<?php echo $url;
?>menu.php?id=<?php echo $data['id'] ?>">
```

```
                                
```

```
?></h4>
                                <h4><?php echo $data['nama']
?></h4>
                                </a>
                                <p style="font-size:18px">Harga :<?php
echo number_format($data['harga'], 2, ',', '.') ?></p>
                                <p>
                                <a href="<?php echo $url;
?>menu.php?id=<?php echo $data['id'] ?>" class="btn btn-success btn-sm"
href="#" role="button">Lihat Detail</a>
                                <a href="<?php echo $url;
?>keranjang.php?act=beli&&produk_id=<?php echo $data['id'] ?>" class="btn
btn-info btn-sm" href="#" role="button">Pesan</a>
                                </p>
                                </div>
                                <?php } ?>
                                </div>
                                </div>
                                </div>
                                <?php include"layout/footer.php"; ?>
```

```
<?php
    session_start();

    mysql_connect("localhost", "root", "");
    mysql_select_db("donut");

    // settings

    $url = "http://localhost/donut/";
    $title = "Aplikasi Pemesanan Donut";
    $no = 1;

    function alert($command){
        echo "<script>alert('".$command."');</script>";
    }

    function redir($command){
        echo "<script>document.location='".$command."';</script>";
    }

    function validate_admin_not_login($command){
        if(empty($_SESSION['iam_admin'])){
            redir($command);
        }
    }
?>
```



```
<?php
    session_start();

    mysql_connect("localhost", "root", "");
    mysql_select_db("donut");

    // settings

    $url = "http://localhost/donut/";
    $title = "Aplikasi Pemesanan Donut";
    $no = 1;

    function alert($command){
        echo "<script>alert('".$command."');</script>";
    }

    function redir($command){
        echo "<script>document.location='".$command."';</script>";
    }

    function validate_admin_not_login($command){
        if(empty($_SESSION['iam_admin'])){
            redir($command);
        }
    }
?>
```

```

<!-- Bootstrap core JavaScript
===== -->

<!-- Placed at the end of the document so the pages load faster -->

<script src="<?php echo $url ?>assets/js/jquery.js"></script>

<!--<script>window.jQuery || document.write('<script
src=" ../assets/js/vendor/jquery.min.js"></script>')</script>-->

<script src="<?php echo $url ?>assets/bootstrap/js/bootstrap.min.js"></script>

<!-- IE10 viewport hack for Surface/desktop Windows 8 bug
<script src=" ../assets/js/ie10-viewport-bug-workaround.js"></script>-->

<script>

$('.carousel').carousel({
  interval: 5000 //changes the speed
})
</script>

<script src="<?php echo $url ?>assets/bootstrap/js/moment.js"></script>

<script src="<?php echo $url ?>assets/bootstrap/js/bootstrap-
datetimepicker.min.js"></script>

<script type="text/javascript">

  $(function () {
    $('#datetimepicker').datetimepicker({
      format: 'YYYY-MM-DD HH:mm',
    });

    // $('#datepicker').datetimepicker({
      // format: 'DD MMMM YYYY',

```

```
// });
```

```
// $('#timepicker').datetimepicker({
```

```
    // format: 'HH:mm'
```

```
// });
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```