

LAMPIRAN CODING

```
<?php
date_default_timezone_set('Asia/Jakarta');
session_start();
error_reporting(0);
$pg = "";
$level = $_SESSION['level'];
$id_pelanggan = $_SESSION['id_pelanggan'];

include "inc/config.php";
include "inc/header.php";

$cari = $_POST['nama'];

if(!isset($_GET['pg'])) {
    if (empty($cari)){
        include "inc/slider.php";
    }
    include ('page/beranda/beranda.php');
} else {
    $mod=$_GET['mod'];
    $pg = $_GET['pg'];
    include $mod."/". $pg . ".php";
}
include "inc/footer.php";
?>

<!-- /new_arrivals -->
<div
class="new_arrivals_agile_w3ls_info">
<div
class="container">

<h3
class="wthree_text_info">
>Produk Signus Id</h3>
```

```
</div><br>
<div class="row">
<div
class="container">
<?php

include"page/produk/daftar_produk.php";
?>
</div>
</div>
<div class="row">
<div class="container">

</div>
</div>
<div class="coupons">
<div class="coupons-grids text-center">
<div
class="w3layouts_mail_grid">
<div
class="col-md-3 w3layouts_mail_grid_left">

<div
class="w3layouts_mail_grid_left1 hvr-radial-out">

<i class="fa fa-truck"
aria-hidden="true"></i>

</div>

<div
class="w3layouts_mail_grid_left2">

<h3>JASA
```

PENGIRIMAN</h3>

<p>Kami menyediakan berbagai pilihan jasa pengiriman dengan jangkauan nasional</p>

</div>

</div>

<div

class="col-md-3 w3layouts_mail_grid_left">

<div class="w3layouts_mail_grid_left1 hvr-radial-out">

<i class="fa fa-headphones" aria-hidden="true"></i>

</div>

<div class="w3layouts_mail_grid_left2">

<h3>CUSTOMER SUPPORT</h3>

<p>Kami siap membantu Anda melalui pesan dan call center</p>

</div>

</div>

<div

class="col-md-3 w3layouts_mail_grid_left">

<div

class="w3layouts_mail_grid_left1 hvr-radial-out">

<i class="fa fa-shopping-bag" aria-hidden="true"></i>

</div>

<div class="w3layouts_mail_grid_left2">

<h3>KEMUDAHAN PEMBAYARAN</h3>

<p>Pembayaran yang mudah dan terpercaya</p>

</div>

</div>

<div class="col-md-3 w3layouts_mail_grid_left">

<div class="w3layouts_mail_grid_left1 hvr-radial-out">

<i class="fa fa-gift" aria-hidden="true"></i>

</div>

<div class="w3layouts_mail_grid_left2">

<h3>PROMOSI</h3>

<p>Kami selalu menyediakan


```
menambahkan produk
<u><a
href="?mod=page/produ
k&pg=daftar_produk">
lihat produk </a></u>
</div>
```

```
</div>
```

```
</div>
<?php } ?>
```

```
<h3 class="text-
center">INPUT
PRODUK</h3>
```

```
<hr>
```

```
<div class="form-
group">
```

```
<label
class="col-sm-3 control-
label">Nama
Produk</label>
```

```
<div
class="col-sm-6">
```

```
<input
type="text" class="form-
control"
name="nama_produk"
style="background-
color: white"
value="<?php echo
$nama_produk?>"
required>
```

```
</div>
```

```
</div>
```

```
<div class="form-
group">
```

```
<label
class="col-sm-3 control-
label">Kategori
Produk</label>
```

```
<div
class="col-sm-6">
```

```
<select
class="form-control"
name="id_kategori"
id="id_kategori"
required=""
onchange='showData()>
<?php
```

```
if
(empty($id_kategori)){
```

```
?>
```

```
<option
value="">--Pilih--
</option>
```

```
<?php
```

```
} else {
```

```
?>
```

```
<option
value="<?php echo
$id_kategori?>"><?php
echo
$kategori?></option>
```

```
<?php
```

```
}
```

```
?>
```

```
<?php
```

```

                                $sql1
=
mysql_query("SELECT
* FROM tbl_kategori");

while($data1=mysql_fet
ch_array($sql1)){
    ?>

<option value="<?php
echo
$data1['id_kategori']?>"
><?php echo
$data1['kategori']?></opt
ion>
                                <?php
} ?>
</select>
                                </div>

</div>

<div class="form-
group">
                                <label
class="col-sm-3 control-
label">Rasa
Produk</label>

                                <div
class="col-sm-6">

                                <select
class="form-control"
name="id_rasa"
id="id_rasa"
required="">

<option value="">--
Pilih--</option>

```

```

<option
value=""></option>

</select>
                                </div>

</div>

<div class="form-
group">
                                <label
class="col-sm-3 control-
label">Berat</label>

                                <div
class="col-sm-6">

                                <input
type="number"
class="form-control"
name="berat"
style="background-
color: white"
value="<?php echo
$berat?>" required>

                                </div>

</div>

<div class="form-
group">
                                <label
class="col-sm-3 control-
label">Jenis</label>

                                <div
class="col-sm-6">

                                <select

```

```
class="form-control"
name="jenis" id="jenis"
required="" >
    <option
value="">--Pilih--
</option>
    <option
value="ml">Mili
Liter</option>
    <option
value="gr">Gram</optio
n>
    <option
value="kg">Kilo
Gram</option>
</select>
</div>
</div>
```

```
<div class="form-
group">
    <label
class="col-sm-3 control-
label">Harga</label>
    <div
class="col-sm-6">
        <input
type="number"
class="form-control"
name="harga"
style="background-
color: white"
value="<?php echo
$harga?>" required>
    </div>
</div>
```

```
<div class="form-
group">
    <label
class="col-sm-3 control-
label">Stok</label>
    <div
class="col-sm-6">
        <input
type="number"
class="form-control"
name="stok"
style="background-
color: white"
value="<?php echo
$stok?>" required>
    </div>
</div>
```

```
<div class="form-
group">
    <label
class="col-sm-3 control-
label">Rincian
Produk</label>
    <div
class="col-sm-6">
        <textarea
class="form-control"
rows="8"
name="rincian"
style="background-
color: white"><?php
echo
$ rincian?></textarea>
    </div>
</div>
```

```

        <div class="form-
group">

            <label
class="col-sm-3 control-
label">Foto
Produk</label>

            <div
class="col-sm-6">

                <input
type="file" class="form-
control" name="foto">

                </div>

            </div>

            <input type="hidden"
class="form-control"
name="id_user"
value="<?php echo
$id_user?>" required>

            <div class="form-
group">

                <div class="col-sm-
offset-3 col-sm-10">

                    <button
type="submit" class="btn-
btn-
green">SIMPAN</butto
n>

                    <button
type="reset" class="btn-
btn-

```

```

green">BERSIH</button
>

                </div>

            </div>

        </form>

    </div>

</div>
<script
type="text/javascript">
    function
check() {
        var el =
document.getElementBy
Id("id_kategori");
        var str =
el.options[el.selectedInde
x].text;
        if(str == "Makanan"
|| str == "Minuman") {
            show();
        } else {
            hide();
        }
    }
    function hide(){
document.getElementBy
Id('dummyText').style.vi
sibility='hidden';
    }
    function show(){
document.getElementBy
Id('dummyText').style.vi
sibility='visible';
    }
</script>

<script
language='javascript'>

```

```

function showData(){
<?php

    $query = "SELECT *
FROM tbl_kategori";
    $hasil =
mysql_query($query);
    while ($data =
mysql_fetch_array($hasil
))
    {
        $id_kategori =
$data["id_kategori"];
        echo "if
(document.form1.id_kate
gori.value ==
\"".$id_kategori."\"");
        echo "{";
        $query2 = "SELECT
* FROM tbl_rasa

WHERE id_kategori =
'$id_kategori'

AND
id_user='$id_user'";
        $hasil2 =
mysql_query($query2);
        $content =
"document.getElementB
yId('id_rasa').innerHTM
L = \";
        while ($data2 =
mysql_fetch_array($hasil
2))
        {
            $content .= "<option
value=\"".$data2['id_rasa']
.\">\".$data2['nama_rasa']
.\"</option>\";
        }
        $content .= \";
        echo $content;
        echo "}\n";
    }

```

```

?>
}
</script>
<!-- Modal2 -->
<?php
    $nama_lengkap =
$_GET['nama_lengkap'];
    $alamat =
$_GET['alamat'];
    $no_telp =
$_GET['no_telp'];
    $email =
$_GET['email'];
?>
    <div class="modal
fade" id="myModal2"
tabindex="-1"
role="dialog">
        <div
class="modal-dialog">
            <!--
Modal content-->
            <div
class="modal-content">

                <div class="modal-
header">

                    <button type="button"
class="close" data-
dismiss="modal">&time
s;</button>

                </div>

                <div class="modal-
body modal-body-
sub_agile">

                    <div class="col-md-8
modal_body_left
modal_body_left1">

                        <h3
class="agileinfo_sign">
Daftar Akun

```



```
</span></span></h3>

    <form
action="page/daftar/simp
an_daftar.php"
method="post">

        <div
class="styled-input agile-
styled-input-top">

            <input
type="text"
name="nama_lengkap"
required=""
value="<?php      echo
$nama_lengkap?>">

            <label>Nama
Lengkap</label>

        </div>

        <div
class="styled-input agile-
styled-input-top">

            <input
type="text"
name="alamat"
required=""
value="<?php      echo
$alamat?>">

            <label>Alamat</label
>

        </div>

    </form>
</span></span>
</div>
```

```
        <div
class="styled-input agile-
styled-input-top">

            <input
type="text"
name="no_telp"
required=""
value="<?php      echo
$no_telp?>">

            <label>No
Telepon</label>

        </div>

        <div
class="styled-input">

            <input
type="email"
name="email"
required=""
value="<?php      echo
$email?>">

            <label>Email</label>

        </div>

        <div
class="styled-input">

            <input
type="password"
name="password1"
required="">
```

```

        <label>Password</label>
    </div>

    <span></span>

    </div>

    <div
class="styled-input">

        <input
type="password"
required=""
name="password2">

        <label>Konfirmasi
Password</label>

    <span></span>

    </div>

    <button
type="submit" class="btn
btn-
success">Daftar</button
>

    <button
type="reset" class="btn
btn-
primary">Bersih</button
>

    </form>

</div>

```

```

class="clearfix"></div>

    <p>Sudah memiliki
akun ? <u><a href="#"
data-toggle="modal"
data-target="#myModal"
data-
dismiss="modal">Login
</a></u> </a></p>

    </div>

    <div
class="clearfix"></div>

    </div>

    </div>

    <!--
//Modal content-->
    </div>

    </div>

<!-- //Modal2 -->
<?php
    $id_produk          =
    $_GET['id_produk'];
    $sql                =
    mysqli_query($koneksi,"
SELECT * FROM
tbl_produk,tbl_kategori
WHERE
tbl_produk.id_kategori=t
bl_kategori.id_kategori
AND
tbl_produk.id_produk='$
id_produk");
    $data               =
    mysqli_fetch_assoc($sql)
;

?>

    <!-- /banner_bottom_agile_info -
->

</div>

```

```

head_agile_info_w3l">
  <div
class="container">

    <h3>Keranjang
<span>Belanja
</span></h3>
</div>
</div>

<!-- banner-bootom-w3-agileits -->
<div class="banner-bootom-w3-
agileits">
  <div class="container">
    <div class="col-md-4
single-right-left ">
      <div
class="grid
images_3_of_2">
        <div
class="flexslider">

          <ul class="slides">

            <?php

              $sql1 =
mysql_query($koneksi,"
SELECT foto FROM
tbl_foto
WHERE
id_produk='$id_produk'
ORDER BY
id_foto ASC");
              while($data1=
mysql_fetch_assoc($sql
1)){

                <li data-
thumb="foto/produk/<?p
hp echo
$data1['foto']?>">

```

```

      <div
class="thumb-image">
        
      </div>

    </li>

    <?php

      }

    ?>

  </ul>

  <div
class="clearfix"></div>

    </div>
  <div
class="row">
    <div class="col-
sm-12">

      <div
class="box">

        <!-- /.ribbon -->

        <hr>

        <h3>Rating
Produk</h3>
        <?php
          $quer =
mysql_query($koneksi,"
select rate,count(rate)
jumlah from rating where
id_produk = '' .

```

```

$_GET['id_produk'] . ""
group by id_produk,
rate");
    $dat = [];
    while ($tmp =
mysqli_fetch_array($que
r)){
        $dat[] = $tmp;
    }

?>
<table
class="table">
    <tr>
        <td>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
        </td>
        <td>
            <?php
$jumlah =
0;
            foreach
($dat as $row){
                if
($row['rate'] == 5){
                    $jumlah
= $row['jumlah'];
                }
            }
            echo
$jumlah . ' Orang';
?>

```

```

        </td>
    </tr>
    <tr>
        <td>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
        </td>
        <td>
            <?php
$jumlah =
0;
            foreach
($dat as $row){
                if
($row['rate'] == 4){
                    $jumlah
= $row['jumlah'];
                }
            }
            echo
$jumlah . ' Orang';
?>
        </td>
    </tr>
    <tr>
        <td>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
            <span
class="fa fa-star
checked"></span>
        </td>
        <td>
            <?php
$jumlah =
0;
            foreach
($dat as $row){
                if
($row['rate'] == 5){
                    $jumlah
= $row['jumlah'];
                }
            }
            echo
$jumlah . ' Orang';
?>

```

```

class="fa fa-star
checked"></span>
<span
class="fa fa-star
"></span>
<span
class="fa fa-star
"></span>
</td>
<td>
<?php
$jumlah =
0;
foreach
($dat as $row){
if
($row['rate'] == 3){
$jumlah
= $row['jumlah'];
}
}
echo
$jumlah . ' Orang';
?>
</td>
</tr>
<tr>
<td>
<span
class="fa fa-star
checked"></span>
<span
class="fa fa-star
checked"></span>
<span
class="fa fa-star
"></span>
<span
class="fa fa-star
"></span>
<span
class="fa fa-star
"></span>
</td>
<td>
<?php

```

```

$jumlah =
0;
foreach
($dat as $row){
if
($row['rate'] == 2){
$jumlah
= $row['jumlah'];
}
}
echo
$jumlah . ' Orang';
?>
</td>
</tr>
<tr>
<td>
<span
class="fa fa-star
checked"></span>
<span
class="fa fa-star
"></span>
<span
class="fa fa-star
"></span>
<span
class="fa fa-star
"></span>
<span
class="fa fa-star
"></span>
</td>
<td>
<?php
$jumlah =
0;
foreach
($dat as $row){
if
($row['rate'] == 1){
$jumlah
= $row['jumlah'];
}
}
echo

```

```

$jumlah . 'Orang';
    ?>
    </td>
    </tr>
</table>
</div>
</div>
</div>
</div>
</div>
<div class="col-md-8
single-right-left
simpleCart_shelfItem">

    <form
action="page/keranjang/s
impan.php"
method="post"
enctype="multipart/form
-data">

    <input type="hidden"
class="form-control"
name="id_produk"
value="<?php      echo
$id_produk?>" required>

    <input type="hidden"
class="form-control"
name="id_pelanggan"
value="<?php      echo
$id_pelanggan?>"
required>

    <input type="hidden"
class="form-control"
name="stok"
value="<?php      echo
$data['stok']?>" required
readonly="">

```

```

<input type="hidden"
class="form-control"
name="harga"
value="<?php      echo
$data['harga']?>"
required readonly="">

```

```

<input type="hidden"
class="form-control"
name="total_harga"
value="<?php      echo
$data['total_harga']?>"
required readonly="">

```

```

<input type="hidden"
class="form-control"
name="minimal"
value="<?php      echo
$data['minimal']?>"
required readonly="">

```

```

<h3><?php      echo
$data['nama_produk']?>
</h3>

```

```

<p><span
class="item_price"><?ph
p

```

```

    $harga      =
$data['harga'];

```

```

    $diskon      =
$data['diskon'];

```

```

    $total_harga =
    $harga - ($harga *
    ($diskon / 100));

```

```

    echo      "Rp
.number_format($total_

```

```

harga,0,"
",".");?></span><br>

<?php

                if
($data['diskon']!=0){

                    ?>

                <del><?php
echo                "Rp
".number_format($data[
harga'],0,"
",".");?></del>

                <?php

                    }

                ?> </p>

                <div
class="description">

                <h5>Stok <?php echo
$data['stok']?></h5>

                <!-- /.ribbon -->

                </div>

                <?php
if (!empty($level)){
?>

```

```

                <div    class="color-
quality">

                <div    class="color-
quality-right">

                    <h5>Jumlah
Beli :</h5>

                    <input
type="number"
class="frm-field required
sect"          required=""
name="jumlah_beli">

                </div>

                </div>

                <div class="occasion-
cart">

                <div class="snipcart-
details
top_brand_home_details
item_add    single-item
hvr-outline-out
button2">

                <input type="submit"
name="submit"
value="Beli"
class="button">

```



```
responsive">

</div>

<div class="bootstrap-
tab-text-grid-right">

<ul>

<li><a
href="#">Admin</a></li>
>

<li><a
href="#"><i class="fa fa-
reply-all" aria-
hidden="true"></i>
Reply</a></li>

</ul>

<p>Lorem
ipsum dolor sit amet,
consectetur adipisicing
elPellentesque vehicula
augue eget.Ut enim ad
minima veniam, quis
nostrum exercitationem
ullam corporis

suscipit
laboriosam, nisi ut
aliquid ex ea commodi
consequatur? Quis autem

vel
eum iure
```

```
reprehenderit.</p>

</div>

<div class="clearfix">
</div>

</div>

<div class="add-
review">

<h4>add a
review</h4>

<form action="#"
method="post">

<input
type="text"
name="Name"
required="Name">

<input
type="email"
name="Email"
required="Email">

<textarea
name="Message"
required=""></textarea>

<input
type="submit"
value="SEND">
```

```
</form>

</div>

</div>

</div>

</div>

<div class="tab3">

  <div
class="single_page_agile
_its_w3ls">

    <h6>Big
Wing Sneakers
(Navy)</h6>

    <p>Lorem
ipsum dolor sit amet,
consectetur adipisicing
elPellentesque vehicula
augue eget nisl
ullamcorper, molestie
blandit ipsum auctor.
Mauris volutpat augue
dolor.Consectetur
adipiscing elit, sed do
eiusmod tempor
incidunt ut lab ore et
dolore magna aliqua. Ut
enim ad minim veniam,
quis nostrud exercitation
ullamco. labore et dolore
magna aliqua.</p>

    <p
class="w3ls_para">Lore
m ipsum dolor sit amet,
```

```
consectetur adipisicing
elPellentesque vehicula
augue eget nisl
ullamcorper, molestie
blandit ipsum auctor.
Mauris volutpat augue
dolor.Consectetur
adipiscing elit, sed do
eiusmod tempor
incidunt ut lab ore et
dolore magna aliqua. Ut
enim ad minim veniam,
quis nostrud exercitation
ullamco. labore et dolore
magna aliqua.</p>
```

```
</div>

</div>

-->

</div>

</div>

</div>

<div
class="clearfix"> </div>

<div
class="row">

  <div
class="container">

    <center><h2>Penilaia
n
Pembeli</h2></center><
br>

    <?php

    $sq =
```

```

mysqli_query($koneksi,"
select      *      from
rating,tbl_pelanggan
where
rating.id_pelanggan=tbl_
pelanggan.id_pelanggan
and
rating.id_produk='$_GE
T[id_produk]' ORDER
by id_rating desc");

while($da      =
mysqli_fetch_array($sq))
{

    ?>

    <div
class="alert      alert-
success" role="alert">

        <span
class="label      label-
success"><b><?php echo
$da['nama_pelanggan']
?></span>

            </b>

            <?php

                if($da['rate']==='1'){

                    ?>

                    <span class="fa fa-
star checked"></span>
                    <span
class="fa      fa-star
"></span>

                    <span
class="fa      fa-star
"></span>

                }

            }

            else
            if($da['rate']==='3'){

                ?>

```

```

        <span
class="fa      fa-star
"></span>

        <span
class="fa      fa-star
"></span>

        <?php

            }

            else
            if($da['rate']==='2'){

                ?>

                <span class="fa fa-
star checked"></span>
                <span
class="fa      fa-star
checked"></span>
                <span
class="fa      fa-star
"></span>

                <span
class="fa      fa-star
"></span>

                <span
class="fa      fa-star
"></span>

            }

            }

            else
            if($da['rate']==='3'){

                ?>

```

```

        <span class="fa fa-
star checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
"></span>
        <span
class="fa fa-star
"></span>

<?php
        }

        else
if($da['rate']==='4'){

        ?>

        <span class="fa fa-
star checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
"></span>

<?php
        }

```

```

        else
if($da['rate']==='5'){

        ?>

        <span class="fa fa-
star checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
checked"></span>
        <span
class="fa fa-star
checked"></span>

<?php

        }

        else{

        }

        ?>

        <br><hr>

        <p><?php echo
$da['komentar'] ?></p>

        </div>

```

```

        <?php
    }
    ?>

</div>
</div>

<div
class="w3_agile_latest_a
rrivals">
    <h4
class="wthree_text_info"
>Produk <span>Yang
Dibeli Secara
Bersamaan</span></h4>
<br>

    <?php

        $sql2 =
mysql_query($koneksi,"
SELECT
*,COUNT(tbl_keranjang
.id_produk) AS total,

SUM(tbl_keranjang.juml
ah_harga) AS
total_harga,tbl_produk.*
FROM
tbl_produk,tbl_keranjang
,tbl_transaksi
WHERE
tbl_produk.id_produk=tbl
_keranjang.id_produk
AND
tbl_keranjang.id_transak
si=tbl_transaksi.id_trans
aksi

GROUP BY
tbl_keranjang.id_produk
ORDER BY

```

```

COUNT(tbl_keranjang.i
d_produk) DESC
LIMIT 4");

while($data2=mysql_i
fetch_assoc($sql2)){

        $idnya
= $data2['id_produk'];

        $sql1 =
mysql_query($koneksi,"
SELECT foto FROM
tbl_foto
WHERE
id_produk='$idnya'
ORDER BY
id_foto ASC
LIMIT 1");
        $data1=
mysql_fetch_assoc($sql
1);

    ?>

<div class="col-md-3
product-men single">

        <div
class="men-pro-item
simpleCart_shelfItem">

            <div class="men-
thumb-item">

                

```

```

```

```
<div
class="men-cart-pro">
```

```
<div
class="inner-men-cart-
pro">
```

```
<a
href="?mod=page/keranj
ang&pg=input_keranj
g&id_produk=<?php
echo
$data2['id_produk']?>"
class="link-product-add-
cart">Quick View</a>
```

```
</div>
```

```
</div>
```

```
<span
class="product-new-
top">New</span>
```

```
</div>
```

```
<div class="item-info-
product ">
```

```
<h4><a
href="single.html"><?ph
p
echo
$data2['nama_produk'];?
></a></h4>
```

```
<div class="info-
product-price">
```

```
<span
class="item_price"
style="font-size: 13px">
Stok <?php echo
$data2['stok']?>
<br><br></span>
```

```
<span
class="item_price"><?ph
p
echo "Rp
".number_format($data2[
'harga'],0,"
",".");?></span>
```

```
</div>
```

```
<div class="snipcart-
details
top_brand_home_details
item_add single-item
hvr-outline-out
button2">
```

```
<fieldset>
```

```

<?php
    if
(empty($level)){
    ?>
    <a href="#" data-
toggle="modal" data-
target="#myModal2"
onclick="return
confirm('Untuk membeli
silahkan daftar terlebih
dahulu');">
    <input
type="button"
name="button"
value="Add to cart"
class="button" />
    </a>
    <?php
    } else {
    ?>
    <?php
    if
($data2['stok']>0) {
    ?>
    <a
href="?mod=page/keranj
ang&pg=input_keranj
g&id_produk=<?php
echo
$data2['id_produk']?>">
    <input
type="button"
name="button"
value="Add to cart"
class="button" />
    </a>
    <?php
    } else {
    ?>
    <input
type="button"
name="button"
value="Stok Habis"
class="button"
style="background-

```

```

color: red" />
    <?php
    }
    ?>
</fieldset>
</div>
</div>
</div>
</div>
<?php
}
?>
<div
class="clearfix"> </div>
<!--//slider_owl-->
</div>
</div>
<!--//single_page-->
<!--728x90-->
<!--/grids-->

```

```
<?php
```

```
$sid_kategori =  
$_GET['id_kategori'];  
$sql =  
mysql_query("SELECT  
kategori FROM  
tbl_kategori WHERE  
id_kategori='$sid_kategor  
i'");  
$data =  
mysql_fetch_assoc($sql);  
$kategori =  
$data['kategori'];  
$nama_produk =  
$_GET['nama_produk'];  
$harga =  
$_GET['harga'];  
$stok =  
$_GET['stok'];  
$rincian =  
$_GET['rincian'];
```

```
?>
```

```
<div class="page-  
content">  
  <div  
class="container">  
    <div  
class="row">  
      <div  
class="col-md-12">  
        <ol  
class="breadcrumb">  
          <li><a  
href="#">Home</a></li  
>  
          <li  
class="active">Order</li  
>  
        </ol>  
      </div>  
    </div>  
  </div>
```

```
    <div  
class="row confirm">  
      <div  
class="col-md-12">  
        <form class="form-  
horizontal"  
method="post"  
action="page/produk/sim  
pan.php" name="form1"  
enctype="multipart/form  
-data">  
          <?php  
$act = $_GET['act'];  
if ($act==1){  
          ?>  
          <div class="form-  
group">  
            <label  
class="col-sm-3 control-  
label"></label>  
            <div  
class="col-sm-6">  
              <div  
class="alert alert-  
success"  
id="MessageNotSent">  
                Berhasil  
menambahkan produk  
<u><a  
href="?mod=page/produ  
k&pg=daftar_produk">  
lihat produk </a></u>  
              </div>  
            </div>  
          </div>  
          <?php } ?>
```



```
<h3 class="text-center">INPUT
PRODUK</h3>
```

```
<hr>
```

```
<div class="form-group">
```

```
<label class="col-sm-3 control-label">Nama
Produk</label>
```

```
<div class="col-sm-6">
```

```
<input type="text" class="form-control"
name="nama_produk"
style="background-color: white"
value="<?php echo $nama_produk?>"
required>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label class="col-sm-3 control-label">Kategori
Produk</label>
```

```
<div class="col-sm-6">
```

```
<select class="form-control"
name="id_kategori"
```

```
style="background-color: white" required>
```

```
<?php
```

```
if
(empty($id_kategori)){
```

```
?>
```

```
<option value="">--Pilih--
</option>
```

```
<?php
```

```
} else {
```

```
?>
```

```
<option value="<?php echo $id_kategori?>"><?php echo $kategori?></option>
```

```
<?php
```

```
}
```

```
?>
```

```
<?php
```

```
$sql =
mysql_query("SELECT
* FROM tbl_kategori");
```

```
while($data=mysql_fetch_assoc($sql)){
```

```
?>
```

```
<option value="<?php echo
```

```

$data['id_kategori']?>">
<?php          echo
$data['kategori']?></opti
on>

        <?php
                }
        ?>
</select>

</div>

</div>

<div    class="form-
group">

        <label
class="col-sm-3 control-
label">Harga</label>

        <div
class="col-sm-6">

                <input
type="number"
class="form-control"
name="harga"
style="background-
color:          white"
value="<?php    echo
$harga?>" required>

                </div>

        </div>

<div    class="form-
group">

        <label
class="col-sm-3 control-
label">Stok</label>

```

```

        <div
class="col-sm-6">

                <input
type="number"
class="form-control"
name="stok"
style="background-
color:          white"
value="<?php    echo
$stok?>" required>

                </div>

</div>

<div    class="form-
group">

        <label
class="col-sm-3 control-
label">Rincian
Produk</label>

        <div
class="col-sm-6">

                <textarea
class="form-control"
rows="8"
name="rincian"
style="background-
color:          white"><?php
echo
$rincian?></textarea>

                </div>

</div>

<div    class="form-
group">

        <label

```

```

class="col-sm-3 control-label">Foto</label>

        <div
class="col-sm-6">

                <input
type="file" class="form-control" name="foto">

        </div>

</div>

        <input type="text"
class="form-control"
name="id_user"
value="<?php echo
$id_user?>" required>

        <div class="form-group">

                <div class="col-sm-
offset-3 col-sm-10">

                        <button
type="submit" class="btn-
green">SIMPAN</butto
n>

                                <button
type="reset" class="btn-
green">BERSIH</button
>

                        </div>

                </div>

</div>

```

```

        </form>
</div>
</div>
</div>
<?php
$id_transaksi =
$_GET['id_transaksi'];
$sql =
mysqli_query($koneksi,"
SELECT *
FROM
tbl_produk,tbl_keranjang
,tbl_transaksi,
tbl_pelanggan
WHERE
tbl_produk.id_produk=tb
l_keranjang.id_produk
AND
tbl_keranjang.id_pelangg
an=tbl_pelanggan.id_pel
anggan
AND
tbl_keranjang.id_transak
si=tbl_transaksi.id_trans
aksi
AND
tbl_pelanggan.id_pelang
gan='$id_pelanggan'
AND
tbl_transaksi.id_transaksi
='$id_transaksi'");
$data = mysqli_fetch_assoc($sql);
$total_transaksi =
$data['total_transaksi'];
$ongkir = $data['ongkir'];
?>
<div class="page-content">
<div class="container">
<div class="row">
<div class="col-md-12">
<ol class="breadcrumb">
</ol>
</div>
</div>
</div>

```

```

<div class="row confirm">
  <!-- Main content -->
  <section class="invoice">
    <!-- title row -->
    <div class="row">
      <div class="col-xs-12">
        <h2 class="page-header">
          <i class="fa fa-globe"></i>
          Signus ID
          <small class="pull-right">Tanggal <?php
            echo date('Y-m-
            d')?></small>
        </h2>
      </div><!-- /.col -->
    </div>
    <!-- info row -->
    <div class="row invoice-info">
      <div class="col-sm-4 invoice-
        col">
        Dari
        <address>

          <strong>Admin</strong>
          <br>
          Jl. YBandar Lampung
          <br>
          Bandar Lampung<br>
          Telp: 0896-3734-6107
          <br>
          Email: signus@gmail.com
        </address>
      </div><!-- /.col -->
      <div class="col-sm-4 invoice-
        col">
        Kepada
        <address>
          <strong><?php echo
            $data['nama_pelanggan']
            ?></strong><br>
          Tujuan:
          <?php echo
            $data['prov'];?>, <?php
            echo $data['kabkot'];?>,
          <?php echo
            $data['kode_pos'];?>,<br>

```

```

        >
        Alamat: <?php echo
          $data['alamat'];?><br>
        Telp: <?php echo
          $data['no_telp'];?><br>
        Email: <?php echo
          $data['email'];?>
        </address>
      </div><!-- /.col -->
      <div class="col-sm-4 invoice-
        col">
        <b>Invoice #<?php echo
          substr($id_transaksi,1,5)
          ?></b><br>
        <br>
        <b>Pembayaran
          Sampai:</b>
        <?php
          $tgl1 = date('Y-m-d');
          echo $tgl2 = date('Y-m-d',
            strtotime('+1 days',
            strtotime($tgl1)));
          ?><br>
        </div><!-- /.col -->
      </div><!-- /.row -->

    <!-- Table row -->
    <div class="row">
      <div class="col-xs-12 table-
        responsive">
        <table class="table table-
          striped">
          <thead>
            <tr>
              <th>No</th>
              <th>Nama
                Produk</th>
              <th>Kategori
                Produk</th>
              <th>Harga</th>
              <th>Jumlah
                Beli</th>
              <th>Jumlah
                Harga</th>
            </tr>
          </thead>

```

```

<tbody>
  <?php

      $sql =
mysqli_query($koneksi,"
SELECT * FROM
tbl_produk,tbl_keranjang
,
tbl_kategori

WHERE
tbl_produk.id_produk=tbl
_keranjang.id_produk
      AND
tbl_produk.id_kategori=t
bl_kategori.id_kategori
      AND
tbl_keranjang.id_pelanggan='
$id_pelanggan'
      AND
tbl_keranjang.id_transaksi='
$id_transaksi");

      $no = 1;

while($data=mysqli_fetch
_assoc($sql)){
      $id_produk =
$data['id_produk'];
      $sql1 =
mysqli_query($koneksi,"
SELECT foto FROM
tbl_foto
      WHERE
id_produk='$id_produk'
      ORDER BY
id_foto ASC
      LIMIT 1");
      $data1=
mysqli_fetch_assoc($sql
1);
      ?>
      <tr>
        <td><?php echo
$no++?></td>

```

```

        <td><?php echo
$data['nama_produk']?>
        </td>
        <td><?php echo
$data['kategori']?></td>
        <td><?php echo
"Rp
".number_format($data['
harga_jual'],0,"",".")?><
/td>
        <td><?php echo
$jumlah_beli =
$data['jumlah_beli']?><t
d>
        <td>
        <?php
            echo "Rp
".number_format($data['j
umlah_harga'],0,"",".");
            $total =
            $total +
            $data['jumlah_harga'];
            $status =
            $data['status'];
            $id_transaksi
            = $data['id_transaksi'];
            ?>
        </td>
    </tr>
    <?php
    }
    ?>
</tbody>
</table>
</div><!-- /.col -->
</div><!-- /.row -->

<div class="row">
  <!-- accepted payments
column -->
  <div class="col-xs-6">
    <p class="lead">Metode
Pembayaran</p>
    
<p class="text-muted well
well-sm no-shadow"
style="margin-top: 10px;
background-color: ">
Nama Bank = BCA <br>
No Rek = 0231681867
<br>
Atas Nama = Signus ID
<br>
</p>
</div><!-- /.col -->
<div class="col-xs-6">
<p class="lead"> </p>
<div class="table-
responsive">
<table class="table">
<tr>
<th
style="width:50%">Subt
otal:</th>
<td><?php echo "Rp.
".number_format($total_
transaksi,0,",",".");
?></td>
</tr>
<tr>
<th>Ongkir</th>
<td>
<?php
echo "Rp.
".number_format($ongki
r,0,",",".");
?>
</td>
</tr>
<tr>
<th>Total:</th>
<td>
<?php
$totalnya =
$total_transaksi +
$ongkir;
echo "Rp.

```

```

        ".number_format($totaln
ya,0,",",".");
        ?>
        </td>
        </tr>
        </table>
        </div>
        </div><!-- /.col -->
</div><!-- /.row -->

<!-- this row will not appear
when printing -->
<div class="row no-print">
<div class="col-xs-12">
<!--
<a href="invoice-print.html"
target="_blank"
class="btn btn-
default"><i class="fa fa-
print"></i> Print</a>
-->
<a
href="?mod=page/bukti
&pg=bukti_transaksi&id
_transaksi=<?php echo
$id_transaksi ?>">
<button class="btn btn-
success pull-right"><i
class="fa fa-credit-
card"></i>
Pembayaran</button>
</a>
</div>
</div>
</section><!-- /.content -->
</div>
</div>
</div>

<div class="page-content">
<div class="container">
<div class="row">
<div class="col-md-12">
<ol
class="breadcrumb">

```

```

        </ol>
    </div>
</div>

<div class="row confirm">
    <div class="col-md-12">
        <h2 class="text-center">PENILAIAN
        PRODUK <i class="fa
        fa-star"></i></h2>
        <div class="box-body
        table-responsive"><br>
<?php
    $id_produk =
        $_GET['id_produk'];
    $sql =
        mysqli_query($koneksi,"
        SELECT * FROM
        tbl_produk,tbl_kategori
        WHERE
        tbl_produk.id_kategori=t
        bl_kategori.id_kategori
        AND
        tbl_produk.id_produk='$
        id_produk");
    $data =
        mysqli_fetch_assoc($sql)
;
?>
<table class="table">
    <tr>
        <td>Nama Produk</td>
        <td:</td>
        <td><?php echo
        $data['nama_produk']
        ?></td>
    </tr>
    <tr>
        <td>Harga</td>
        <td:</td>
        <td><?php echo
        number_format($data['ha
        rga']) ?></td>
    </tr>
    <tr>
        <td>Rincian</td>
        <td:</td>
        <td><?php echo $data['rincian']
        ?></td>
    </tr>
</table>

<?php
    $data =
    mysqli_fetch_array(mys
   qli_query
    ($koneksi,"select
    * from rating where
    id_pelanggan="
    $_SESSION['id_pelangg
    an'] . " and id_produk = "
    . $_GET['id_produk'] .
    ""));
    if
    (empty($_SESSION['id_
    pelanggan'])) {
        # code...
    }else{
        if
        (!empty($data)){
            echo 'anda telah
            memberikan rating pada
            produk ini';
        }else{
            ?>
            <h3>Berikan
            rating pada produk
            ini</h3><br>
            <form
            method="post">
                <table
                class="table">
                    <tr>
                        <td><div
                        class='starr'></div></td>
                    </tr>
                </table>
            </form>
        }
    }
?>

```

```

<td><textarea
name="komen"
class="form-control"
placeholder="Isi
komentar..."></textarea>
</td>
        <td>
            <input
type="hidden"
name="rate"    id="text-
rate">
            <input
type="submit"
name="rating"
class="btn btn-primary"
value="Kirim">
        </td>
    </tr>
</table>
<?php
    if
    (isset($_POST['rating']))
    {
        $que =
        mysqli_query($koneksi,'i
nsert into rating
(rate,komentar,
id_pelanggan,
id_produk) values (" .
$_POST['rate'] . "," .
$_POST['komen'] . "," .
$_SESSION['id_pelangg
an'] . "," .
$_GET['id_produk'] .
"");
    }
}
</div>
</div>
</div>
</div>
</div>
        echo $_GET['id_produk']
        ?>;
    </script>
<?php
}
    ?>
</form>
<?php
}
?>
<?php
}
?>
</div>
</div>
</div>
</div>
</div>
$que =
mysqli_query($koneksi,'i
ninsert into rating
(rate,komentar,
id_pelanggan,
id_produk) values (" .
$_POST['rate'] . "," .
$_POST['komen'] . "," .
$_SESSION['id_pelangg
an'] . "," .
$_GET['id_produk'] .
"");
?>
<script
type="text/javascript">
    alert ("Berhasil
memberikan rating");

    window.location.href="i
ndex.php?mod=page/ker
anjang&pg=input_keranj
ang&id_produk=<?php

```


