

```

<!DOCTYPE html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8" />
<meta
name="viewport"
content="width=device-width, initial-scale=1,
shrink-to-fit=no"/>
<!-- Bootstrap CSS -->
<linkrel="stylesheet"
href="https://stackpath.bootstrapcdn.com/boo
tstrap/4.3.1/css/bootstrap.min.css"integrity="s
ha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY
/iJTQUOhcWr7x9JvoRxT2MZw1T"crossorigin="a
nonymous"/>
<linkrel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/boots
trap/3.3.7/css/bootstrap.min.css">
<scriptsrc="https://ajax.googleapis.com/ajax/lib
s/jquery/3.2.1/jquery.min.js"></script>
<scriptsrc="https://maxcdn.bootstrapcdn.com/
bootstrap/3.3.7/js/bootstrap.min.js"></script>
<title></title>
</head>
<body>
<div class="bd-example">
<divid="carouselExampleCaptions"
class="carousel slide"data-ride="carousel">
<ol class="carousel-indicators">

```

```

<li data-
target="#carouselExampleCaptions" data-slide-
to="0" class="active">
</li><li data-
target="#carouselExampleCaptions" data-slide-
to="1">
</li><li data-
target="#carouselExampleCaptions" data-slide-
to="2"></li></ol>
<div class="carousel-inner">
<div class="carousel-item active">
<div
class="centerbutton"><button type="button" cla
ss="btn btn-primary btn-lg" data-
toggle="modal" data-target=".bd-example-
modal-xl">
MULAI BELANJA
</button>
</div>
</div>
<div class="carousel-item">

<div
class="centerbutton"><button type="button"
class="btn btn-primary btn-lg"
data-toggle="modal" data-target=".bd-example-
modal-xl">
MULAI BELANJA
</button>
</div>

```

```

</div>

<div class="carousel-item">

<imgsrc="https://i.ibb.co/272fn5D/img-Gi0su-
Hdp-Vm.jpg"class="d-block w-100"alt="..."/>

<div class="centerbutton">

<buttontype="button"class="btn btn-primary
btn-lg"data-toggle="modal"data-target=".bd-
example-modal-xl">

        MULAI BELANJA

</button>

</div>

</div>

</div>

<aclass="carousel-control-
prev"href="#carouselExampleCaptions"role="b
utton"data-slide="prev">

<span class="carousel-control-prev-icon" aria-
hidden="true"></span>

<span class="sr-only">Previous</span></a><aclass="carousel-
control-
next"href="#carouselExampleCaptions"role="b
utton"data-slide="next"><span class="carousel-
control-next-icon" aria-hidden="true"></span>

<span class="sr-only">Next</span></a>

</div>

</div>

<!-- Optional JavaScript -->

<!-- jQuery first, then Popper.js, then Bootstrap
JS -->

<scriptsrc="https://code.jquery.com/jquery-
3.3.1.slim.min.js"integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5sm
XKp4YfRvH+8abtTE1Pi6jizo"

```

```

crossorigin="anonymous"></script>

<scriptsrc="https://cdnjs.cloudflare.com/ajax/li
bs/popper.js/1.14.7/umd/popper.min.js"integri
ty="sha384-
UO2eT0CpHqdSjQ6hJty5KVphtPhzWj9WO1cLHT
MGa3JDZwrnQq4sF86dIHNDz0W1"crossorigin=
"anonymous">

</script>

<scriptsrc="https://stackpath.bootstrapcdn.com
/bootstrap/4.3.1/js/bootstrap.min.js"integrity="
sha384JjSmVgyd0p3pXB1rRibZUAYoIly6OrQ6Vrj
IEaFf/nJGzlxFDsf4x0xIM+B07jRM"crossorigin="a
nonymous"

></script>

</body>

<divclass="modal fade bd-example-modal-xl"

tabindex="-1"role="dialog"aria-
labelledby="myExtraLargeModalLabel"aria-
hidden="true"><div class="modal-dialog modal-
lg">

<div class="modal-content">

<div class="modal-header"><h5 class="modal-
title"
id="exampleModalCenterTitle"><h1><b>Pilihla
h jenis kelamin kamu?</b></h1></h5>

<button type="button"class="close"data-
dismiss="modal"aria-label="Close">

<span aria-hidden="true">&times;</span>

</button></div>

<div class="modal-body">

<div><br>

</div>

<table align="center" width="40%">

<tr>

```

```

        <td>
            <a class="btn-primary btn-lg"
href="<?php
base_url();?>kategori/1"><span
class="glyphicon glyphicon-ok"></span>
Wanita</a>

```

```

        </td>

```

```

        <td>
            <a class="btn-danger btn-lg"
href="<?php
base_url();?>kategori/2"><span
class="glyphicon glyphicon-remove"> Pria</a>

```

```

        </td>

```

```

    </tr>

```

```

</table>

```

```

</div>

```

```

<div class="modal-footer">

```

```

    <button type="button" class="btn btn-
secondary" data-dismiss="modal">

```

```

        Close

```

```

    </button>

```

```

    <!-- <button type="button" class="btn btn-
primary">Save changes</button> -->

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

<style type="text/css">

```

```

    .centerbutton {

```

```

        margin: 0 auto;

```

```

        background-color: transparent;

```

```

        text-align: center;

```

```

        position:absolute;

```

```

        z-index:50;

```

```

        top:50%;

```

```

        left:50%;

```

```

        margin-top:-23px;

```

```

        margin-left:-50px;

```

```

    }

```

```

</style>

```

```

</html>

```

```

<!-- Content Wrapper. Contains page content -->

```

```

<div class="content-wrapper">

```

```

    <!-- Main content -->

```

```

<section class="content">

```

```

    <div class="box">

```

```

        <div class="box-header">

```

```

            <h3 class="box-title">Data
Kategori</h3>

```

```

        </div>

```

```

    <!-- /.box-header -->

```

```

    <div class="box-body">

```

```

        <div class="box-body"><button
type="button" class="btn btn-primary" data-
toggle="modal" data-target="#modal-
default"><i class="fa fa-edit"></i>
Tambah</button></div>

```

```

        <table id="example1" class="table table-
bordered table-striped">

```

```

            <thead>

```

```

                <tr>

```

```

        <th>ID</th>
        <th>Nama</th>
        <th>AKSI</th>
    </tr>
</thead>
<tbody>
    <?php foreach ($kategori as $kat) {?>
    <tr>
        <td><?php echo $kat->kode_kategori;
?></td>
        <td><?php echo $kat-
>nama_kategori; ?></td>
        <td><button type="button" class="btn
btn-primary ubah_dataSuplier" data-
toggle="modal" data-
target="#modalUbahkatin" data-id="<?php
echo $kat->kode_kategori; ?>" data-
nama="<?php echo $kat->nama_kategori;
?>"><i class="fa fa-edit"></i> Ubah </button> <a
onclick="return confirm('Apakah anda yakin
ingin menghapus data ini ?)'" href="<?php echo
base_url().'admin/Kategori/Hapus_Kategori/'. $k
at->kode_kategori; ?>"><button class="btn btn-
danger"><i class="fa fa-trash"></i>
HAPUS</button></a></td>
    </tr>
    <?php } ?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->

```

```

</section>
<!-- /.content -->
</div>
<div class="modal fade" id="modal-default">
    <?php echo
form_open_multipart('admin/Kategori/Kategori
Simpan'); ?>
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close"
data-dismiss="modal" aria-label="Close">
                    <span aria-
hidden="true">&times;</span></button>
                <h4 class="modal-title">Tambah Data
Kategori</h4>
            </div>
            <div class="modal-body">
                <div class="box box-warning">
                    <!-- /.box-header -->
                    <div class="box-body">
                        <div role="form">
                            <div class="form-group">
                                <label>Nama Kategori</label>
                                <input type="text" class="form-
control" placeholder="Nama" name="nama"
id="nama">

```

```

        </div>
    </div>
</div>
</div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-
default          pull-left" data-
dismiss="modal">Close</button>

    <button type="submit" class="btn btn-
primary">Simpan</button>
</div>
</div>
<!-- /.modal-content -->
</div>
<!-- /.modal-dialog -->
<?php echo form_close();?>
</div>

```

```

<div class="modal fade" id="modalUbahkatin">
    <?php          echo
form_open_multipart('admin/Kategori/Kategori
Ubah'); ?>
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close"
data-dismiss="modal" aria-label="Close">
                    <span          aria-
hidden="true">&times;</span></button>

```

```

        <h4 class="modal-title">Ubah  Data
Kategori</h4>
    </div>
<div class="modal-body">
    <div class="box box-warning">
        <!-- /.box-header -->
        <div class="box-body">
            <input type="hidden" id="id"
name="id" class="id">
            <div role="form">
                <div class="form-group">
                    <label>Nama</label>
                    <input type="text" class="form-
control  nama" placeholder="Nama"
name="nama" id="nama">
                </div>
            </div>
        </div>
    </div>
</div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-
default          pull-left" data-
dismiss="modal">Close</button>

    <button type="submit" class="btn btn-
primary">Simpan</button>
</div>
</div>
<!-- /.modal-content -->
</div>

```



```
<h1 class="white-color">New Product
<span>Collection</span></h1>

<button class="primary-btn">Shop
Now</button>

</div>

</div>

<!--
/banner -->

</div>

<!-- /home slick
-->

</div>

<!-- /container -->

</div>

<!-- /HOME -->

<!-- section -->
<div class="section">
  <!-- container -->
  <div class="container">
    <!-- row -->
    <div class="row">
      <!-- section title
-->
      <div class="col-
md-12">
```

```
<div
class="section-title">
  <h2 class="title">New Products</h2>
  <div class="pull-right">
    <div class="product-slick-dots-2 custom-
dots">
  </div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- section title
-->
<!-- Product
Slick -->
<div class="col-
md-12 col-sm-6 col-xs-6">
  <div
class="row">
    <div id="product-slick-1"
class="product-slick">
      <?php foreach ($barangnew as $nbrg)
{?>
      <!-- Product Single -->
      <div class="product product-single">
        <div class="product-thumb">
```

```

        <div class="product-
label">
            <span>New</span>
        </div>
        <button class="main-
btn quick-view"><i class="fa fa-search-
plus"></i> Quick view</button>
        
    </div>
    <div class="product-body">
        <h3 class="product-
price">Rp <?php echo number_format($nbrg-
>harga_promosi,0,',',''); ?> <del class="product-
old-price">Rp <?php echo
number_format($nbrg->harga_normal,0,',','');
?></del></h3>
        <div class="product-
rating">
            <i class="fa fa-
star"></i>
            <i class="fa fa-
star"></i>
        </div>
    </div>
        <div class="product-
name"><a href=""><?php
echo $nbrg-
>nama_barang; ?></a></h2>
        <div class="product-
btns">
            <!-- <button
class="main-btn icon-btn"><i class="fa fa-
heart"></i></button>
            <button
class="main-btn icon-btn"><i class="fa fa-
exchange"></i></button> -->
            <?php if
($user['nama'] != ""){?>
                <a href="<?php
echo base_url();?>detail/<?php echo $nbrg-
>kode_barang; ?>"><button class="primary-btn
add-to-cart"><i class="fa fa-shopping-cart"></i>
Add to Cart</button></a>
            <?PHP }else{?>

```



```
        <a href="<?php
echo        base_url();?>login"><button
class="primary-btn add-to-cart"><i class="fa fa-
shopping-cart"></i> Add to Cart</button>
```

```
</a>
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- /Product Single -->
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- /Product
```

```
Slick -->
```

```
</div>
```

```
<!-- /row -->
```

```
<!-- row -->
```

```
<div class="row">
```

```
<!-- section title
```

```
-->
```

```
md-12">
```

```
class="section-title">
```

```
<h2 class="title">ALL Products</h2>
```

```
<div class="pull-right">
```

```
<div class="product-slick-dots-2 custom-
dots">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- section title
```

```
-->
```

```
<!-- Product
```

```
Slick -->
```

```
md-12 col-sm-6 col-xs-6">
```

```
<div class="col-
```

```
<div
```

```
class="row">
```

```
<div id="product-slick-2"
class="product-slick">
```

```
<?php foreach ($allbarang as $abarang)
{?>
```

```

<!-- Product Single -->
<div class="product product-single">
    <div class="product-thumb">
        <div class="product-label">
            <span>New</span>
        </div>
        <button class="main-btn quick-view"><i class="fa fa-search-plus"></i> Quick view</button>
        
    </div>
    <div class="product-body">
        <h3 class="product-price">Rp <?php echo number_format($abarang->harga_promosi,0,',','.'); ?> <del class="product-old-price">Rp <?php echo number_format($abarang->harga_normal,0,',','.'); ?></del></h3>
        <div class="product-rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o empty"></i>
        </div>
        <h2 class="product-name"><a href="#"><?php echo $abarang->nama_barang; ?></a></h2>
        <div class="product-btns">
            <!-- <button class="main-btn icon-btn"><i class="fa fa-heart"></i></button>
            <button class="main-btn icon-btn"><i class="fa fa-exchange"></i></button> -->
            <?php if ($user['nama'] != ""){?>
                <a href="<?php echo base_url();?>detail/<?php echo $nbrg-

```

```
>kode_barang; ?>"><button class="primary-btn  
add-to-cart"><i class="fa fa-shopping-cart"></i>  
Add to Cart</button></a>
```

```
<!-- /container -->  
</div>  
<!-- /section -->
```

```
<?PHP }else{?>
```

```
<a href="<?php  
echo base_url();?>login"><button  
class="primary-btn add-to-cart"><i class="fa fa-  
shopping-cart"></i> Add to Cart</button>
```

```
</a>
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- /Product Single -->
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- /Product
```

```
Slick -->
```

```
</div>
```

```
<!-- /row -->
```

```
</div>
```