

LAMPIRAN

-

LAMPIRAN

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X1 X2 X3.

```

Regression

Notes

Output Created		16-AUG-2023 08:37:59
Comments		
	Data	D:\Thariq\SKRIPSI 6\Data
	Active Dataset	Statistika SPSS 17 51.sav
Input	Filter	DataSet1
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	51
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02

Memory Required	1988 bytes
Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan ^b		Enter

- a. Dependent Variable: Kinerja Keuangan
b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,593 ^a	,352	,310	,217552

- a. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1,207	3	,402	8,498	,000 ^b
	Residual	2,224	47	,047		
	Total	3,431	50			

- a. Dependent Variable: Kinerja Keuangan
b. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
(Constant)	-, 223	, 098		-2, 274	, 02
1 Kinerja Ekonomi	, 318	, 330	, 129	, 964	, 34
Kinerja Lingkungan	-, 512	, 332	-, 246	-1, 544	, 12
Kinerja Sosial	2, 456	, 545	, 670	4, 507	, 00

a. Dependent Variable: Kinerja Keuangan

Warning # 849 in column 23. Text: in_ID
 The LOCALE subcommand of the SET command has an invalid parameter. It could not be mapped to a valid backend locale.
 GET

FILE='D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav'.
 DATASET NAME DataSet1 WINDOW=FRONT.
 DESCRIPTIVES VARIABLES=X1 X2 X3 Y
 /STATISTICS=MEAN STDDEV MIN MAX.

Descriptives

Notes

Output Created	16-AUG-2023 08:12:13
Comments	
Input	Data Active Dataset Filter Weight Split File
	D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav DataSet1 <none> <none> <none>

	N of Rows in Working Data File	51
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=X1 X2 X3 Y /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Kinerja Ekonomi	51	,111	,555	,26335	,106377
Kinerja Lingkungan	51	,029	,500	,25786	,125954
Kinerja Sosial	51	,063	,354	,17648	,071419
Kinerja Keuangan	51	-,030	,940	,16210	,261955
Valid N (listwise)	51				

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X1 X2 X3
/RESIDUALS DURBIN.

```

Regression

Notes

Output Created		16-AUG-2023 08:28:37
Comments		
Input	Data	D:\Thariq\SKRIPSI 6\Data
	Active Dataset	Statistika SPSS 17 51.sav
	Filter	DataSet1
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	51
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing. Statistics are based on cases with no missing values for any variable used.
	Cases Used	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3 /RESIDUALS DURBIN.
Syntax	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02
	Memory Required	1980 bytes
	Additional Memory Required for Residual Plots	0 bytes
Resources		

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan ^b	.	Enter

- a. Dependent Variable: Kinerja Keuangan
 b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,593 ^a	,352	,310	,217552	2,015

- a. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan
 b. Dependent Variable: Kinerja Keuangan

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1,207	3	,402	8,498	,000 ^b
	Residual	2,224	47	,047		
	Total	3,431	50			

- a. Dependent Variable: Kinerja Keuangan
 b. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		

	(Constant)	-, 223	, 098		-2, 274	, 02
1	Kinerja Ekonomi	, 318	, 330	, 129	, 964	, 34
	Kinerja Lingkungan	-, 512	, 332	-, 246	-1, 544	, 12
	Kinerja Sosial	2, 456	, 545	, 670	4, 507	, 00

a. Dependent Variable: Kinerja Keuangan

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-, 07929	, 55155	, 16210	, 155342	51
Residual	-, 416884	, 517630	, 000000	, 210925	51
Std. Predicted Value	-1, 554	2, 507	, 000	1, 000	51
Std. Residual	-1, 916	2, 379	, 000	, 970	51

a. Dependent Variable: Kinerja Keuangan

REGRESSION

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X1 X2 X3
/SAVE RESID.

```

Regression

Notes

Output Created	16-AUG-2023 08:32:08
Comments	
Data	D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav
Active Dataset	DataSet1
Filter	<none>
Weight	<none>
Split File	<none>
N of Rows in Working Data	51
File	

	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3 /SAVE RESID.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02
	Memory Required	1956 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan ^b		Enter

a. Dependent Variable: Kinerja Keuangan

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,593 ^a	,352	,310	,217552

a. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

b. Dependent Variable: Kinerja Keuangan

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1,207	3	,402	8,498	,000 ^b
	Residual	2,224	47	,047		
	Total	3,431	50			

a. Dependent Variable: Kinerja Keuangan

b. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-,223	,098		-2,274	,028
	Kinerja Ekonomi	,318	,330	,129	,964	,340
	Kinerja Lingkungan	-,512	,332	-,246	-1,544	,129
	Kinerja Sosial	2,456	,545	,670	4,507	,000

a. Dependent Variable: Kinerja Keuangan

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,07929	,55155	,16210	,155342	51
Residual	-,416884	,517630	,000000	,210925	51
Std. Predicted Value	-1,554	2,507	,000	1,000	51
Std. Residual	-1,916	2,379	,000	,970	51

a. Dependent Variable: Kinerja Keuangan

```

COMPUTE ABS_RES=ABS (RES_1).
EXECUTE.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT ABS_RES
  /METHOD=ENTER X1 X2 X3.

```

Regression

Notes

Output Created		16-AUG-2023 08:33:45
Comments		
	Data	D:\Thariq\SKRIPSI 6\Data
	Active Dataset	Statistika SPSS 17 51.sav
Input	Filter	DataSet1
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	51
	File	
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling		Statistics are based on cases with no missing values for any variable used.
	Cases Used	

Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT ABS_RES /METHOD=ENTER X1 X2 X3.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00
	Memory Required	1988 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan ^b		Enter

a. Dependent Variable: ABS_RES

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,700 ^a	,490	,458	,10142

a. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

ANOVA^a

Model	Sum of Squares	df	Mean Square	F	Sig.
1 Regression	,465	3	,155	15,063	,000 ^b
Residual	,483	47	,010		
Total	,948	50			

a. Dependent Variable: ABS_RES

b. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	-,037	,046		-,819	,41
Kinerja Ekonomi	-,073	,154	-,056	-,473	,63
Kinerja Lingkungan	-,266	,155	-,243	-1,720	,09
Kinerja Sosial	1,605	,254	,833	6,321	,00

a. Dependent Variable: ABS_RES

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COLLIN TOL
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X1 X2 X3.

```

Regression

Notes

Output Created		16-AUG-2023 08:25:49
Comments		
Input	Data	D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	51
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION
		/MISSING LISTWISE
		/STATISTICS COLLIN TOL
		/CRITERIA=PIN(.05)
		POUT(.10)
		/NOORIGIN
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02
	Memory Required	1972 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan ^b	.	Enter

- a. Dependent Variable: Kinerja Keuangan
b. All requested variables entered.

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	Kinerja Ekonomi	,769	1,300
	Kinerja Lingkungan	,543	1,842
	Kinerja Sosial	,625	1,600

- a. Dependent Variable: Kinerja Keuangan

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	Kinerja Ekonomi	Kinerja Lingkungan	Kinerja Sosial
1	1	3,756	1,000	,01	,01	,01	,01
	2	,108	5,890	,22	,23	,37	,10
	3	,085	6,651	,27	,48	,16	,25
	4	,051	8,621	,50	,29	,46	,64

a. Dependent Variable: Kinerja Keuangan

Warning # 849 in column 23. Text: in_ID

The LOCALE subcommand of the SET command has an invalid parameter. It could not be mapped to a valid backend locale.

GET

FILE='D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav'.

DATASET NAME DataSet1 WINDOW=FRONT.

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT Y

/METHOD=ENTER X1 X2 X3

/SAVE RESID.

Regression

Notes

Output Created	16-AUG-2023 08:22:45
Comments	

	Data	D:\Thariq\SKRIPSI 6\Data
	Active Dataset	Statistika SPSS 17 51.sav
Input	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	51
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 X3 /SAVE RESID.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,02
	Memory Required	1956 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method

1	Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan ^b	.	Enter
---	--	---	-------

- a. Dependent Variable: Kinerja Keuangan
b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,593 ^a	,352	,310	,217552

- a. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan
b. Dependent Variable: Kinerja Keuangan

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1,207	3	,402	8,498	,000 ^b
	Residual	2,224	47	,047		
	Total	3,431	50			

- a. Dependent Variable: Kinerja Keuangan
b. Predictors: (Constant), Kinerja Sosial, Kinerja Ekonomi, Kinerja Lingkungan

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-,223	,098		-2,274	,028
	Kinerja Ekonomi	,318	,330	,129	,964	,341
	Kinerja Lingkungan	-,512	,332	-,246	-1,544	,128
	Kinerja Sosial	2,456	,545	,670	4,507	,000

- a. Dependent Variable: Kinerja Keuangan

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-, 07929	, 55155	, 16210	, 155342	51
Residual	-, 416884	, 517630	, 000000	, 210925	51
Std. Predicted Value	-1, 554	2, 507	, 000	1, 000	51
Std. Residual	-1, 916	2, 379	, 000	, 970	51

a. Dependent Variable: Kinerja Keuangan

NPAR TESTS
 /K-S(NORMAL)=RES_1
 /MISSING ANALYSIS.

NPar Tests

Notes	
Output Created	16-AUG-2023 08:23:16
Comments	
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Definition of Missing Missing Value Handling Cases Used
Syntax	D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav DataSet1 <none> <none> <none> 51 User-defined missing values are treated as missing. Statistics for each test are based on all cases with valid data for the variable(s) used in that test. NPAR TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.
Resources	Processor Time Elapsed Time Number of Cases Allowed ^a
	00:00:00,00 00:00:00,00 196608

a. Based on availability of workspace memory.

[DataSet1] D:\Thariq\SKRIPSI 6\Data Statistika SPSS 17 51.sav

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		51
Normal Parameters ^{a, b}	Mean	0E-7
	Std. Deviation	,21092484
	Absolute	,113
Most Extreme Differences	Positive	,113
	Negative	-,087
Kolmogorov-Smirnov Z		,808
Asymp. Sig. (2-tailed)		,531

a. Test distribution is Normal.

b. Calculated from data.