

## LAMPIRAN

```
<?php
session_start();
require_once("db.php");

$query_blog = mysqli_query($koneksi,"SELECT * FROM blog");

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Springhill - Bandar Lampung</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- Favicon -->
    <link href="img/favicon.ico" rel="shortcut icon"/>
    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro"
rel="stylesheet">
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/all.css">
    <link rel="stylesheet" href="css/font-awesome.min.css"/>
    <link rel="stylesheet" href="css/animate.css"/>
    <link rel="stylesheet" href="css/owl.carousel.css"/>
    <link rel="stylesheet" href="css/style.css"/>
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
```

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></scri
pt>

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>

<script type="text/javascript" src="tinymce/jquery.tinymce.min.js"></script>

<script type="text/javascript" src="tinymce/tinymce.min.js"></script>

<style media="screen">

  li {

    color: blue;

  }

.main-menu li a {

  display: inline-block;

  color: black;

  text-transform: uppercase;

  margin-left: 30px;

  padding: 12px 5px;

  font-size: 14px;

}

</style>

</head>

<body>

  <!-- Page Preloader -->

<?php require_once("navbar.php"); ?>
```

```
<!-- page -->
```

```
<div class="container container b-panel">
```

```
<div class="row">
```

```
<?php while ($data = mysqli_fetch_assoc($query_blog) ) { ?>
```

```
<div style="margin-top:5%" class="col-md-4 blog-  
item">
```

```

```

```
<h5><a href="single-  
blog.php?id=<?php echo $data['id']; ?>"><?php echo $data['judul'] ?></a></h5>
```

```
<div class="blog-meta">
```

```
<span><i class="fa fa-  
user"></i>Admin</span>
```

```
<span><i class="fa fa-  
clock-o"></i>25 Jan 2020</span>
```

```
</div>
```

```
</div>
```

```
<?php } ?>
```

</div>

</div>

<!-- page end -->

<?php require\_once("footer.php") ?>

<!--===== Javascrpts & JQuery =====>

<script src="js/jquery-3.2.1.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/owl.carousel.min.js"></script>

<script src="js/masonry.pkgd.min.js"></script>

<script src="js/magnific-popup.min.js"></script>

<script src="js/main.js"></script>

</body>

</html>

<?php

session\_start();

if(isset(\$\_SESSION['akses'])) {

if(\$\_SESSION['akses'] != 1) {

header("location:index.php");

}

}

require\_once("db.php");

if(isset(\$\_POST[' kirim'])) {

```
$ekstensi_diperbolehkan = array('png','jpg');  
$img = $_FILES['file']['name'];  
$x = explode('.', $img);  
$ekstensi = strtolower(end($x));  
$ukuran = $_FILES['file']['size'];  
$file_tmp = $_FILES['file']['tmp_name'];
```

```
$jenis_properti = $_POST['jenis_properti'];
```

```
$alamat = $_POST['alamat'];
```

```
$tipe = $_POST['tipe'];
```

```
$harga = $_POST['harga'];
```

```
$luas_tanah = $_POST['luas_tanah'];
```

```
$luas_bangunan = $_POST['luas_bangunan'];
```

```
$kamar = $_POST['kamar'];
```

```
$garasi = $_POST['garasi'];
```

```
$listrik = $_POST['listrik'];
```

```
$ukuran = $_POST['ukuran'];
```

```
$deskripsi = $_POST['deskripsi'];
```

```
$marketing = $_SESSION['id'];
```

```
if(in_array($ekstensi, $ekstensi_diperbolehkan) === true){
```

```
    if($ukuran < 1044070){
```

```
        move_uploaded_file($file_tmp, 'gambar/'.$img);
```

```
        $query = mysqli_query($koneksi,"INSERT INTO properti  
(jenis_properti,alamat,tipe,harga,luas_tanah,luas_bangunan,kamar,garasi,listrik,ukuran,foto1,deskripsi,id_user)
```

VALUES

```
('$jenis_properti','$alamat','$tipe','$harga','$luas_tanah','$luas_bangunan','$kamar','$garasi','$listrik','$ukuran','$img','$deskripsi','$marketing');");
```

```
        if($query){
            echo 'FILE BERHASIL DI UPLOAD';

            header("location:admin.php");
        }else{
            echo 'GAGAL MENGUPLOAD GAMBAR';
        }
    }else{
        echo 'UKURAN FILE TERLALU BESAR';
    }
}
else{
    echo 'EKSTENSI FILE YANG DI UPLOAD TIDAK DI
PERBOLEHKAN';
}
}
```

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Springhill - Bandar Lampung</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<!-- Favicon -->

<link href="img/favicon.ico" rel="shortcut icon"/>

<!-- Google Fonts -->

<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro" rel="stylesheet">

<link rel="stylesheet" href="css/font-awesome.min.css"/>

```
<link rel="stylesheet" href="css/animate.css"/>
<link rel="stylesheet" href="css/owl.carousel.css"/>
<link rel="stylesheet" href="css/style.css"/>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></scri
pt>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<script type="text/javascript" src="tinymce/jquery.tinymce.min.js"></script>
<script type="text/javascript" src="tinymce/tinymce.min.js"></script>

<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->
<style media="screen">
li {
color: blue;
}

.main-menu li a {
display: inline-block;
color: black;
text-transform: uppercase;
margin-left: 30px;
padding: 12px 5px;
```

```
font-size: 14px;  
}
```

```
</style>
```

```
<script>
```

```
tinymce.init({  
  selector: '#richTextArea',  
  plugins: 'image',
```

```
  images_upload_url: 'upload.php',  
  automatic_uploads: false,
```

```
  images_upload_handler: function (blobInfo, success, failure) {
```

```
    var xhr, formData;
```

```
    xhr = new XMLHttpRequest();
```

```
    xhr.withCredentials = false;
```

```
    xhr.open('POST', 'upload.php');
```

```
    xhr.onload = function () {
```

```
      var json;
```

```
      if (xhr.status != 200) {
```

```
        failure('HTTP Error: ' + xhr.status);
```

```
        return;
```



```
    }

    json = JSON.parse(xhr.responseText);

    if (!json || typeof json.file_path !== 'string') {
        failure('Invalid JSON: ' + xhr.responseText);
        return;
    }

    success(json.file_path);
};

formData = new FormData();
formData.append('file', blobInfo.blob(), blobInfo.filename());

xhr.send(formData);
},
});
</script>

</head>
<body>

<?php require_once("navbar.php"); ?>

<section class="a-panel" >
```

```
<div class="container"><br>
<div class="row">
  <div class="col-md-3 col-sm">

  <ul class="list-group">
    <li class="list-group-item active"><strong>ADMIN PANEL</strong></li>
    <a href="admin.php"><li class="list-group-item">Tambah Properti</li></a>
    <a href="list-properti.php"><li class="list-group-item">List Properti</li></a>
    <a href="admin-booking.php"><li class="list-group-item">Booking</li></a>
    <a href="write-blog.php"><li class="list-group-item">Blog</li></a>
    <a href="list-artikel.php"><li class="list-group-item">List Artikel</li></a>
    <a href="email.php"><li class="list-group-item">Email List </li></a>
  </ul>

</div>
<div class="col-md-9 col-sm">

<div class="card">
  <div class="card-body">
    <h5 class="card-title">Detail Rumah</h5>
    <p class="card-text">Harap di isi dengan lengkap!</p>
    <form method="post" enctype="multipart/form-data">
    <div class="row">
      <label for="regency2" class="col-md-2 control-label">Jenis Properti</label>
      <div class="col-md-5">
        <select name="jenis_properti" class="custom-select">
          <option selected>Pilih Tipe Properti</option>
          <option value="Perumahan">Perumahan</option>
```

```
<option value="Ruko">Ruko</option>

</select>

</div>

<div class="col-md-5">

  <input type="text" class="form-control" name="alamat" placeholder="Alamat /
Lokasi" value="" > <br>

</div>

</div>

<div class="row">

  <label for="regency2" class="col-md-2 control-label">Tipe / Harga</label>

  <div class="col-md-5">

    <select name="tipe" class="custom-select">

      <option selected>Pilih Tipe Rumah</option>

      <option value="Vanda">Vanda</option>

      <option value="Yasmin">Yasmin</option>

      <option value="Catalia">Catalia</option>

    </select>

  </div>

  <div class="col-md-5">

    <input type="text" class="form-control" name="harga" placeholder="Harga"
value="" > <br>

  </div>

</div>

<div class="row">
```

```
<label for="regency2" class="col-md-2 control-label">Luas Tanah / Bagunan
</label>
```

```
<div class="col-md-5">
```

```
<input type="text" class="form-control" name="luas_tanah" placeholder="Luas
Tanah" value="" > <br>
```

```
</div>
```

```
<div class="col-md-5">
```

```
<input type="text" class="form-control" name="luas_bangunan"
placeholder="Luas Bangunan" value="" > <br>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<label for="regency2" class="col-md-2 control-label">Kamar / Garansi </label>
```

```
<div class="col-md-5">
```

```
<input type="text" class="form-control" name="kamar" placeholder="Jumlah
Kamar" value="" > <br>
```

```
</div>
```

```
<div class="col-md-5">
```

```
<input type="text" class="form-control" name="garasi" placeholder="Jumlah
Garansi" value="" > <br>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<label for="regency2" class="col-md-2 control-label">Ukuran</label>
```

```
<div class="col-md-5">
```

```
<input type="text" class="form-control" name="ukuran" placeholder="Ukuran" value="" > <br>
```

```
</div>
```

```
<div class="col-md-5">
```

```
<input type="text" class="form-control" name="listrik" placeholder="Listrik" value="" > <br>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<label for="regency2" class="col-md-2 control-label">Gambar Priview </label>
```

```
<div class="col-md-4">
```

```
Pilih file: <span style="color:orange">JPG & PNG Only! </span> <input type="file" name="file" />
```

```
</div>
```

```
</div>
```

<br>

<!-- <div class="row">

<label for="regency2" class="col-md-2 control-label">Gambar Detail </label>

<div class="col-md-4">

Pilih file: <span style="color:orange">JPG & PNG Only! </span> <input  
type="file" name="file2" />

</div>

</div>

<br -->

<div class="row">

<label for="regency2" class="col-md-2 control-label">Deskripsi</label>

<div class="col-md-10">

<textarea name="deskripsi" id="richTextArea" rows="25"  
cols="80"></textarea>

</div>

</div><br>

<div class="row">

<label for="regency2" class="col-md-2 control-label"><hr> </label>

<div class="col-md-4">

```
<input type="submit" class="btn btn-success" name=" kirim" value="Upload" />
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section><br>
```

```
<?php require_once("footer.php"); ?>
```

```
</body>
```

```
</html>
```

```
<?php
```

```
error_reporting(0);
```

```
session_start();
if(isset($_SESSION['akses'])) {
    if($_SESSION['akses'] != 1) {
        header("location:index.php");
    }
}
require_once("db.php");

if(isset($_POST['status'])) {
    if($_POST['status'] == 'SEMUA') {
        $get_boking = mysqli_query($koneksi,"SELECT * FROM booking ORDER BY status DESC ");
    }else {
        $status = $_POST['status'];
        $get_boking = mysqli_query($koneksi,"SELECT * FROM booking WHERE status ='$status'
");
    }
}else {
    $get_boking = mysqli_query($koneksi,"SELECT * FROM booking ");
}

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Springhill - Bandar Lampung</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```



```
<!-- Favicon -->
<link href="img/favicon.ico" rel="shortcut icon"/>
<!-- Google Fonts -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro"
rel="stylesheet">
<link rel="stylesheet" href="css/font-awesome.min.css"/>
<link rel="stylesheet" href="css/animate.css"/>
<link rel="stylesheet" href="css/owl.carousel.css"/>
<link rel="stylesheet" href="css/style.css"/>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></scri
pt>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<script type="text/javascript" src="tinymce/jquery.tinymce.min.js"></script>
<script type="text/javascript" src="tinymce/tinymce.min.js"></script>

<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->
<style media="screen">
li {
color: blue;
}

.main-menu li a {
```

```
display: inline-block;
color: black;
text-transform: uppercase;
margin-left: 30px;
padding: 12px 5px;
font-size: 14px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<?php require_once("navbar.php"); ?>
```

```
<section class="a-panel" >
```

```
<div class="container"><br>
```

```
<div class="row">
```

```
<div class="col-md-3 col-sm">
```

```
<ul class="list-group">
```

```
<li class="list-group-item active"><strong>ADMIN PANEL</strong></li>
```

```
<a href="admin.php"><li class="list-group-item">Tambah Properti</li></a>
```

```
<a href="list-properti.php"><li class="list-group-item">List Properti</li></a>
```

```
<a href="admin-booking.php"><li class="list-group-item">Booking</li></a>
```



```

</form>
<table class="table table-bordered">
  <thead>
    <tr style="text-align:center">
      <th>ID PESANAN</th>
      <th>NAMA</th>
      <th>TIPE RUMAH</th>
      <th>TANGGAL</th>
      <th>STATUS</th>
      <th>AKSI</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $tanggal = date("Y/m/d");
      while ($data = mysqli_fetch_assoc($get_boking)) {

        $id_user = $data['id_user'];
        $get_nama = mysqli_query($koneksi,"SELECT nama From user WHERE id
= '$id_user'");
        $user = mysqli_fetch_assoc($get_nama);
        $buat=date_create($data['tanggal']);
        $sekarang=date_create($tanggal);
        $diff=date_diff($buat,$sekarang);
        $exp = $diff->format("%d%");

        if ($exp > 1) {
          mysqli_query($koneksi,"UPDATE booking SET status = 'BATAL' WHERE
tanggal!='$tanggal' AND status ='PENDING'; ");
        }
      }
    </?php>
  </tbody>
</table>

```

```

        ?>
<tr>
    <td><?php echo $data['tipe'].'00'.$data['id'] ?></td>
    <td><?php echo $user['nama']; ?></td>
    <td><?php echo $data['tipe']; ?></td>
    <td><?php echo $data['tanggal']; ?></td>
    <td><?php echo $data['status']; ?></td>
    <td style="text-align:center"><button data-toggle="modal" data-
target="#admin-booking<?php echo $data['id']; ?>" type="button" class="btn btn-success
btn-sm" name="button">Lihat Detail</button> </td>
</tr>

<?php
    $id_b = $data['id'];
    $id_m = $_SESSION['id'];
    if(isset($_POST['lunas'])){
        mysqli_query($koneksi,"UPDATE booking
SET status = 'LUNAS', marketing ='$id_m' WHERE id='$id_b '");
        echo '<script type="text/javascript">
        window.location.href = "admin-booking.php";
</script>';
    }

?>

<!-- The Modal Boking -->
<div class="modal fade" id="admin-booking<?php echo $data['id']; ?>">

```

```

<div class="modal-dialog modal-lg">
  <div class="modal-content">

    <!-- <button type="button" class="close" data-
dismiss="modal">&times;</button> -->

    <!-- Modal body -->
    <div class="modal-body">
      <div class="row">
        <div class="col-md-12">
          <p style="text-align:center">
            <br>
          </p>
        </div>

      </div>

    </div>
    <div class="container">
      <div class="row">
        <div class="col-md">
          <?php
            $id_pesanan = $data['tipe'].'00'.$data['id'];
            $pembayaran= mysqli_query($koneksi,"SELECT * FROM pembayaran
WHERE id_pesanan ='$id_pesanan' ");
            $pay = mysqli_fetch_assoc($pembayaran); ?>

          <span><strong>Detail Booking</strong></span><b>
            <div style="background-color:#F5F5F5" class="card">
              <div class="card-body">
                <div class="row">

```

```
<div class="col-md-7">
    <span><strong>Nama : <?php echo $user['nama'];
?></strong></span><br>
</div>
<div class="col-md-4">
    <span><strong>Tanggal: <?php echo $data['tanggal'];
?></strong></span><br>
</div>
</div>

<div class="row">

    <div class="col-md-7"><br>
        <span ><strong>Nik: <?php echo $data['nik'];
?></strong></span><br>
    </div>
    <div class="col-md-4"><br>
        <span><strong>Npwp: <?php echo $data['npwp'];
?></strong></span><br>
    </div>
</div>
<div class="row">

    <div class="col-md-4"><br>
        <span><strong>Alamat: <?php echo $data['alamat'];
?></strong></span><br>
    </div>
</div>
</div>
</div>
```

```

<div class="row">

    <div class="col-md-4 "><br>

        <span><strong>No.Pesanan</strong></span><br>

        <span style="text-align:center;font-weight: normal"><?php echo
$Sid_pesanan; ?></span><br>

    </div>

    <div class="col-md-4"><br>

        <span><strong>Waktu Pembayaran</strong></span><br>

        <span style="text-align:center;font-weight: normal"><?php echo
$pay['waktu']; ?></span><br>

    </div>

    <div class="col-md-4"><br>

        <span><strong>Metode Pembayaran</strong></span><br>

        <?php if ($pay['bukti'] != null) {

            echo '<span style="text-align:center;font-weight: normal">Bank
Transfer - <a href="gambar/'. $pay["bukti"].'"target="_blank">Lihat Bukti</a></span>';

        }else {

            echo '<span style="text-align:center;font-weight: normal">Bank
Transfer - Belum Bayar </span>';

        } ?>

    </div><br><br>

</div>

<div class="row">

    <div class="col-md-12"><br>

        <span><strong>Rincian Pesanan :</strong></span><br>

    </div>

    <div class="col-md-6">

```



```
<label for="">Tipe Rumah</label>
<input type="text" class="form-control form-control-sm" readonly
name="" value="<?php echo $data['tipe']; ?>">
<label for="">Cluster & No Rumah</label>
<input type="text" class="form-control form-control-sm" readonly
name="" value="<?php echo $data['cluster']. ' - '.$data['nomor_rumah']; ?>">
</div>
<div class="col-md-6">
<label for="">Nama Rekening Pengirim</label>
<input type="text" class="form-control form-control-sm" readonly
name="" value="<?php echo $pay['nama_pengirim']; ?>">
<label for="">No Rekening Pengirim - Ke Bank</label>
<input type="text" class="form-control form-control-sm" readonly
name="" value="<?php echo $pay['norek_costumer']. ' ke '.$pay['ke_rekening']; ?>">
</div>
```

```
</div>
```

```
</div>
```

```
</div><br>
```

```
<!-- Modal footer -->
```

```
<div class="modal-footer">
```

```
<form method="post">
```

```
        <input type="submit" class="btn btn-success" name="lunas" value="Set
Lunas" >
```

```
    </form>
```

```
        <a href="cetak.php?id=<?php echo $data['id']; ?>"
target="_blank"><button type="button" class="btn btn-primary">Cetak</button></a>
```

```
        <button type="button" class="btn btn-dark" data-
dismiss="modal">Close</button>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    <?php } ?>
```

```
    </tbody>
```

```
    </table>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

</div>

</div>

</div>

</div>

</section><br>

<?php require\_once("footer.php"); ?>

</body>

</html>

<?php

session\_start();

require\_once('db.php');

\$query\_v = mysqli\_query(\$koneksi,"SELECT \* FROM properti WHERE tipe ='Vanda' LIMIT 0, 1");

\$vanda = mysqli\_fetch\_assoc(\$query\_v);

\$query\_y = mysqli\_query(\$koneksi,"SELECT \* FROM properti WHERE tipe ='Yasmin' LIMIT 0, 1");

\$yasmin = mysqli\_fetch\_assoc(\$query\_y);

```
$query_c = mysqli_query($koneksi,"SELECT * FROM properti WHERE tipe ='Catalia' LIMIT 0, 1");
```

```
$catalia = mysqli_fetch_assoc($query_c);
```

```
$query_blog = mysqli_query($koneksi,"SELECT * FROM blog LIMIT 0, 3");
```

```
$cookie_name = "promo";
```

```
$cookie_value = "foto";
```

```
if(!isset($_COOKIE[$cookie_name])) {
```

```
    setcookie($cookie_name, $cookie_value, time() + (86400 * 30), "/");
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <title>Springhill - Bandar Lampung</title>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <!-- Favicon -->
```

```
    <link href="img/favicon.ico" rel="shortcut icon"/>
```

```
    <!-- Google Fonts -->
```

```
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro" rel="stylesheet">
```

```
    <link rel="stylesheet" href="css/font-awesome.min.css"/>
```

```
    <link rel="stylesheet" href="css/animate.css"/>
```

```
    <link rel="stylesheet" href="css/owl.carousel.css"/>
```

```
    <link rel="stylesheet" href="css/style.css"/>
```

```
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></scri
pt>

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>

<!--[if lt IE 9]>

<script
src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>

<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

<![endif]-->
```

```
</head>
```

```
<body>
```

```
<?php require_once("navbar.php");
```

```
if(!isset($_COOKIE[$cookie_name])) {
    echo '
    <div class="modal fade" id="promo" role="dialog">
        <div class="modal-dialog">

            <!-- Modal content-->

            <div class="modal-content">
```

```

```

```
<a href="detail.php?tipe=vanda"
```

```
<button type="button" class="btn btn-danger">BOOKING SEKARANG</button> </a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
$("#promo").modal({
```

```
show: true
```

```
})
```

```
</script>';
```

```
<!-- Hero section -->
```

```
<section style="background:url('img/bg.jpg') no-repeat cover "class="set-bg" data-  
setbg="img/bg.jpg">
```

```
<div class="container hero-text text-white">
```

```
<h2>SPRINGHILL BANDAR LAMPUNG</h2>
```

```
<p>Springhill Bandar Lampung di bangun di area seluas 14.7  
Ha.<br>dengan konsep kawasan yang hijau dan mewah.</p>
```

```
<a href="about.php" class="site-btn">VIEW DETAIL</a>
```

```
</div>
```

```
</section>
```

```
<!-- Hero section end -->
```

```
<!-- feature section -->
```

```
<section class="feature-section spad">
```

```
  <div class="container">
```

```
    <div class="section-title text-center">
```

```
      <h3>Featured Listings</h3>
```

```
      <p>Browse houses and flats for sale and to rent in your  
area</p>
```

```
    </div>
```

```
    <div class="row">
```

```
  <?php if(mysqli_num_rows($query_v) > 0) {
```

```
    echo '<div class="col-lg-4 col-md-6">
```

```
      <!-- feature -->
```

```
      <div class="feature-item">
```

```
        <div class="feature-pic set-bg" data-  
setbg="gambar/' . $vanda['foto1']. ' ">
```

```
          <div class="sale-notic">VANDA</div>
```

```
        </div>
```

```
        <div class="feature-text">
```

```
          <div class="text-center feature-title">
```

```
            <h5>Springhill Bandar  
Lampung</h5>
```

```
            <p><i class="fa fa-map-  
marker"></i> ' . $vanda["alamat"].' </p>
```

```
          </div>
```

```
        <div class="room-info-warp">
```

```
          <div class="room-info">
```

```
            <div class="rf-left">
```

```

th-large"></i> '. $vanda["ukuran"] .'</p>
bed"></i> '. $vanda["kamar"].' Bedrooms</p>
car"></i> '. $vanda["garasi"] .' Garages</p>
bath"></i> '. $vanda["listrik"] .' Listik</p>
class="room-price">SELENGKAPNYA</a>
} ?>
<?php if(mysqli_num_rows($query_y) > 0) {
    echo '<div class="col-lg-4 col-md-6">
        <!-- feature -->
        <div class="feature-item">
            <div class="feature-pic set-bg" data-
setbg="gambar/'. $yasmin['foto1']. ' ">
                <div class="sale-notic">YASMIN</div>
            </div>

```



```

Lampung</h5>
marker"></i> '. $yasmin["alamat"].' </p>

<div class="feature-text">
    <div class="text-center feature-title">
        <h5>Springhill Bandar

        <p><i class="fa fa-map-

    </div>
    <div class="room-info-warp">
        <div class="room-info">
            <div class="rf-left">
                <p><i class="fa fa-
            <p><i class="fa fa-
            </div>
            <div class="rf-right">
                <p><i class="fa fa-
                <p><i class="fa fa-
            </div>
        </div>
    </div>
    <div class="room-price">SELENGKAPNYA</a>
    </div>
    </div>
    </div>';
} ?>

```

```

<?php if(mysqli_num_rows($query_c) > 0) {

    echo '<div class="col-lg-4 col-md-6">

        <!-- feature -->
        <div class="feature-item">

            <div class="feature-pic set-bg" data-
setbg="gambar/' . $catalia['foto1'] . '">

                <div class="sale-notice">CATALIA</div>
            </div>

            <div class="feature-text">

                <div class="text-center feature-title">
                    <h5>Springhill Bandar
Lampung</h5>

                    <p><i class="fa fa-map-
marker"></i> ' . $catalia["alamat"] . ' </p>

                </div>

                <div class="room-info-warp">
                    <div class="room-info">
                        <div class="rf-left">
                            <p><i class="fa fa-
th-large"></i> ' . $catalia["ukuran"] . ' </p>

                            <p><i class="fa fa-
bed"></i> ' . $catalia["kamar"] . ' Bedrooms</p>

                        </div>
                        <div class="rf-right">
                            <p><i class="fa fa-
car"></i> ' . $catalia["garasi"] . ' Garages</p>

                            <p><i class="fa fa-
bath"></i> ' . $catalia["listrik"] . ' Listrik</p>

                        </div>
                    </div>
                </div>
            </div>
        </div>
    }
}

```

```

        </div>
        <a href="detail.php?type=Catalia"
class="room-price">SELENGKAPNYA</a>
    </div>
</div>
</div>;
}??>

</div>

</div>
</section>
<!-- feature section end -->

<!-- Services section -->
<section class="services-section spad set-bg" data-setbg="img/service-bg.jpg">
    <div class="container">
        <div class="row">
            <div class="col-lg-6">
                
            </div>
            <div class="col-lg-5 offset-lg-1 pl-lg-0">
                <div class="section-title text-white">
                    <h3>OUR SERVICES</h3>
                    <p>We provide the perfect service for </p>
                </div>
            </div>
        </div>
    </div>

```

```
<div class="services">
```

```
<div class="service-item">
```

```
<i class="fa fa-home"></i>
```

```
<div class="service-text">
```

```
<h5>Hunian Cluster modern
```

```
yang Aman, nyaman dan Asri</h5>
```

```
<p>In Aenean purus, pretium  
sito amet sapien denim consectet sed urna placerat sodales magna leo.</p>
```

```
</div>
```

```
</div>
```

```
<div class="service-item">
```

```
<i class="fa fa-briefcase"></i>
```

```
<div class="service-text">
```

```
<h5>Security 24 jam</h5>
```

```
<p>In Aenean purus, pretium  
sito amet sapien denim consectet sed urna placerat sodales magna leo.</p>
```

```
</div>
```

```
</div>
```

```
<div class="service-item">
```

```
<i class="fa fa-home"></i>
```

```
<div class="service-text">
```

```
<h5>Fasilitas Umum
```

```
ibadah</h5>
```

```
<p>In Aenean purus, pretium  
sito amet sapien denim consectet sed urna placerat sodales magna leo.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Services section end -->
```

```
<!-- feature category section -->
```

```
<section class="feature-category-section spad">
```

```
<div class="container">
```

```
<div class="section-title text-center">
```

```
<h3>LOOKING PROPERTY</h3>
```

```
<p>What kind of property are you looking for? We will help  
you</p>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-lg-3 col-md-6 f-cata">
```

```

```

```
<h5>Vanda</h5>
```

```
</div>
```

```
<div class="col-lg-3 col-md-6 f-cata">
```

```

```

```
<h5>Catalia</h5>
```

```
</div>
```

```
<div class="col-lg-3 col-md-6 f-cata">
```

```

```

```
<h5>Yasmin</h5>
```

```
</div>
```

```

        <div class="col-lg-3 col-md-6 f-cata">
            
                <h5>Office Building</h5>
            </div>
        </div>
    </div>
</section>
<!-- feature category section end-->

<!-- Review section -->
<section class="review-section set-bg" data-setbg="img/review-bg.jpg">
    <div class="container">

        <div class="review-slider owl-carousel">
            <?php $rev= mysqli_query($konek,"SELECT * FROM review");
            while ($row = mysqli_fetch_assoc($rev)) { ?>
                <div class="review-item text-white">
                    <div class="rating">

                        <?php

                            $rating = $row['rating'];
                            for ($i=0 ; $i < $rating ; $i++ ) {
                                echo '<i class="fa fa-star"></i>';
                            }

                        ?>

                    </div>
                </div>
            }
        </div>
    </div>

```

```
<?php
```

```
    $id_us = $row['id_user'];
```

```
    $user = mysqli_query($koneksi,"SELECT * FROM user WHERE id = '$id_us' ");
```

```
    $usr = mysqli_fetch_assoc($user);
```

```
?>
```

```
        <p>" <?php echo $row['konten']; ?>."</p>
```

```
        <h5><?php echo $usr['nama'] ?></h5>
```

```
        <span>Customer</span>
```

```
        <div class="clint-pic set-bg" data-  
setbg="gambar/<?php echo $usr['foto']?>"></div>
```

```
        </div>
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Review section end-->
```

```
<!-- Blog section -->
```

```
<section class="blog-section spad">
```

```
    <div class="container">
```

```
        <div class="section-title text-center">
```

```

        <h3>LATEST NEWS</h3>
        <p>Real estate news headlines around the world.</p>
    </div>
    <div class="row">
        <?php while ($data = mysqli_fetch_assoc($query_blog) ) { ?>
            <div style="margin-top:5%" class="col-md-4 blog-item">
                
                <h5><a href="single-blog.php?id=<?php echo $data['id']; ?>"><?php echo
                $data['judul'] ?></a></h5>
                <div class="blog-meta">
                    <span><i class="fa fa-user"></i>Admin</span>
                    <span><i class="fa fa-clock-o"></i>25 Jan 2020</span>
                </div>
            </div>
        <?php    } ?>
    </div>
</div>
</section>
<!-- Blog section end -->

<?php require_once("footer.php"); ?>
</body>
</html>

```