

# **LAMPIRAN**

## Hasil Wawancara

Nama : Muhari  
Bagian : Pemasaran  
Tanggal : 15 Mei 2019

1. Bergerak dibidang apa PT. Gresik Cipta Sejahtera?

Jawaban:

Perusahaan bergerak dibidang distribusi pupuk subsidi dan non-subsidi. Selain itu juga perusahaan merupakan produsen bahan baku industri, transportasi angkutan, dan lain-lain.

2. Bagaimana proses transaksi pupuk non-subsidi yang dilakukan oleh Perusahaan?

Jawaban:

Bila dari pihak pengecer melakukan permintaan pupuk, kami akan siapkan segala kebutuhannya sesuai dengan kesepakatan tentunya. Karna bila dari pihak pengecer tidak melakukan permintaan. Kami juga tidak akan melakukan proses transaksi. Karna untuk pupuk non-subsidi, kami melakukan transaksi langsung bayar. Menggunakan metode pembayaran *Transfer Bank*.

3. Lokasi pendistribusian pupuk non-subsidi diwilayah Lampung?

Jawaban:

Untuk saat ini, lokasi pendistribusian pupuk non-subsidi di Lampung berada di wilayah Lampung Timur, Lampung Tengah, Lampung Barat dan wilayah Pesawaran.

4. Bagaimana ketersediaan pupuk non-subsidi?

Jawaban:

Untuk produk yang cukup populer, barang akan disimpan di gudang. Bila tidak ada stoknya, kami akan mencari barang yang diminta. Bila pengecer menginginkannya akan transaksi jual beli dapat dilakukan. Tentunya, jumlah pupuk dan harga pastinya berbeda.

5. Bagaimana mengatur harga pupuk non-subsidi?

Jawaban:

Untuk harga pupuk sendiri, kami mengikuti pergerakan mata uang asing. Jadi, jika mata uang asing bergerak naik cukup tinggi. Kami akan menaikkan harga pupuknya. Bila mata uang asing bergerak turun. Kami akan turunkan harga pupuknya.

6. Bagaimana cara mengatasinya bila pada proses pendistribusian pupuk non-subsidi bermasalah?

Jawaban:

Tergantung dari permasalahannya. bila permasalahannya mengenai keterlambatan distribusi pupuk, itu akan diurus oleh bagian pemasaran. Akan tetapi, bila permasalahannya barang rusak, kami akan mengirimkan tim ke kios untuk verifikasi kemudian akan dilaporkan ke atasan kami. Sedangkan, bila permasalahannya mengenai sesuatu diluar batas kemampuan pimpinan wilayah akan diambil ahli ke kasid dan diketahui oleh direksi.

7. Apa yang dibutuhkan perusahaan dan aplikasi yang akan dirancang?

Jawaban:

Kami mengharapkan sebuah sistem informasi yang dapat mengalokasi sumber daya menjadi lebih baik tentunya.

8. Bisa tolong jelaskan bagaimana proses permintaan dan pembelian pupuk non-subsidi?

Jawaban:

Pengecer melakukan permintaan pupuk ke perusahaan. Kemudian perusahaan akan mengecek ketersediaan pupuk. Lalu memberikan informasi kepada pengecer mengenai pupuk yang diminta. Bila pengecer setuju, maka akan dibuatkan tagihan untuk dibayarkan kepada pengecer. Setelah dibayar, barang akan langsung dikirimkan ke kios pengecer.

9. Bisa tolong jelaskan bagaimana proses retur pupuk non-subsidi?

Jawaban:

Untuk proses retur pupuk non-subsidi, kami akan mengirimkan tim untuk melakukan survey dilapangan. Bila kondisi sesuai, kami akan berkordinasi dengan pihak terkait dan mengganti barang baru tentunya.

DAFTAR PRODUK PUPUK

PT. GRESIK CIPTA SEJAHTERA PERWAKILAN LAMPUNG

No.	Jenis Pupuk	Nama Barang	Ukuran	Nama Perusahaan	Keterangan	Harga per Kg
1.	UREA	Pupuk Urea	50 kg	Petrokimia Gresik	Non-subsidi	Rp 5,400
		Daun Buah (Prill)	50 kg	Pupuk Kaltim	Non-subsidi	-
		Dauh Buah (Granule)	50 kg	Pupuk Kaltim	Non-subsidi	-
		Nitrea (Prill)	25 kg	Pupuk Kujang	Non-subsidi	Rp 5,000
		Nitrea (Prill)	50 kg	Pupuk Kujang	Non-subsidi	Rp 5,000
		Urea Pusri	50 kg	Pusri	Non-subsidi	-
		Urea PIM (Prill)	50 kg	Pupuk Iskandar Muda	Non-subsidi	-
		Urea PIM (Granule)	50 kg	Pupuk Iskandar Muda	Non-subsidi	-
2.	Amonium Sulphate (ZA)	Pupuk ZA	50 kg	Petrokimia Gresik	Subsidi	Rp 2,750
3.	SP-36	Pupuk SP-36	50 kg	Petrokimia Gresik	Subsidi	-
4.	NPK PHONSKA	NPK Phonska Plus	25 kg	Petrokimia Gresik	Non-subsidi	Rp 6,700
5.	NPK	NPK Kebo Mas	20 kg	Petrokimia Gresik	Non-subsidi	-
		NPK Kebo Mas	40 kg	Petrokimia Gresik	Non-subsidi	Rp 6,200
		NPK Petro Nitrat	25 kg	Petrokimia Gresik	Non-subsidi	-
		NPK Sejahtera	50 kg	GSC	Non-subsidi	-
		NPK Pelangi (Blending)	50 kg	Pupuk Kaltim	Non-subsidi	-
		NPK Pelangi Argo (Compound)	50 kg	Pupuk Kaltim	Non-subsidi	-
		NPK Kujang (30-6-8)	5 kg	Pupuk Kujang	Non-subsidi	-
		NPK Kujang (30-6-8)	25 kg	Pupuk Kujang	Non-subsidi	-
		NPK Kujang (30-6-8)	50 kg	Pupuk Kujang	Non-subsidi	-
		NPK Jeranti	750 gram	Pupuk Kujang	Non-subsidi	-
		NPK Jeranti	1 kg	Pupuk Kujang	Non-subsidi	-

No.	Jenis Pupuk	Nama Barang	Ukuran	Nama Perusahaan	Keterangan	Harga per Kg
		NPK Jeranti	5 kg	Pupuk Kujang	Non-subsidi	Rp 3,400
		NPK Pusri (16-16-16)	50 kg	Pusri	Non-subsidi	-
		NPK Pusri (12-12-17-2)	50 kg	Pusri	Non-subsidi	-
		NPK Pusri (13-6-27-4+0,68)	50 kg	Pusri	Non-subsidi	-
		NPK Tiara	50 kg	Petrosida Gresik	Non-subsidi	-
6.	KCl	Pupuk KCl	5 kg	Pupuk Kujang	Non-subsidi	Rp 1,750
		Pupuk KCl	25 kg	Pupuk Kujang	Non-subsidi	-
		Daun Sawit	50kg	MMC	Non-subsidi	Rp 6,200
7.	Amonium Sulfat (ZK)	Pupuk ZK	50 kg	Petrokimia Gresik	Non-subsidi	Rp 8,150
8.	Triple Super Phosphate (TSP)	Pupuk TSP	50 kg	Petrokimia Gresik	Non-subsidi	Rp 5,200
9.	Diamonium Phosphate (DAP)	Pupuk DAP	50 kg	Petrokimia Gresik	Non-subsidi	-
10.	Rock Phosphate	Pupuk Rock Phosphate	50 kg	GCS	Non-subsidi	Rp 3,300
11.	Amonium Phosphate (AMOPHOS)	Pupuk Amonium Phosphate	50 kg	Petrokimia Gresik	Non-subsidi	-
12.	Dolomit	Pupuk Dolomit	50 kg	Petrokimia Gresik	Non-subsidi	-
		Dolomit Sejahtera	50 kg	GSC	Non-subsidi	-
13.	Kieserite	Pupuk Kieserite	50 kg	GSC	Non-subsidi	-
14.	Kapur Petanian (Kaptan)	Kaptan Kebo Mas	50 kg	Petrokimia Gresik	Non-subsidi	Rp 750
15.	Phosphogypsum	Pupuk Phosphogypsum	50 kg	Petrokimia Gresik	Non-subsidi	-
			50 kg	GSC	Non-subsidi	-
16.	Pupuk Hayati (Organik)	Pupuk Hayati Petro Biofertil	2 kg	Petrokimia Gresik	Non-subsidi	-
		Pupuk Hayati Petro Biofertil	5 kg	Petrokimia Gresik	Non-subsidi	-

No.	Jenis Pupuk	Nama Barang	Ukuran	Nama Perusahaan	Keterangan	Harga per Kg
		Pupuk Hayati Petro Biofertil	10 kg	Petrokimia Gresik	Non-subsidi	-
		Pupuk Hayati Cair Bion-Up	1 liter	Pupuk Kujang	Non-subsidi	-
		Pupuk Organik Excow	1 kg	Pupuk Kujang	Non-subsidi	-
		Pupuk Organik Excow	5 kg	Pupuk Kujang	Non-subsidi	-
		Pupuk Organik Excow	25 kg	Pupuk Kujang	Non-subsidi	-
		Pupuk Organik Excow	40 kg	Pupuk Kujang	Non-subsidi	-
		Pupuk Organik Excow	50 kg	Pupuk Kujang	Non-subsidi	-
		Pupuk Organik Super Sejahtera	40 kg	GSC	Non-subsidi	Rp 1,500
		Pupuk Organik Petroganik	25 kg	Pupuk Indonesia	Subsidi	Rp 1,200
		Pupuk Organik	40 kg	Pusri	Non-subsidi	-
		PIM Organik	50 kg	Pupuk Iskandar Muda	Non-subsidi	-
		Ecofert	20 kg	Pupuk Kaltim	Non-subsidi	-
		Biotara (untuk Lahan Rawa)		Pupuk Kaltim	Non-subsidi	-
		Biodekomposer (Biodex)		Pupuk Kaltim	Non-subsidi	-
		Pupuk Kuriza	5kg	Pupuk Kujang	Non-subsidi	-
		Nutreamag (Pupuk Nutrisi Mikro)	1 liter	Pusri	Non-subsidi	-
		Pupuk Organik Cair Sidanik	500 ml	Petrosida Gresik	Non-subsidi	-
17.	Pupuk Anorganik	Sida Green	500 ml	Petrosida Gresik	Non-subsidi	-
		Sida Green	1 liter	Petrosida Gresik	Non-subsidi	-
		Sida Green	4 liter	Petrosida Gresik	Non-subsidi	-

No.	Jenis Pupuk	Nama Barang	Ukuran	Nama Perusahaan	Keterangan	Harga per Kg
		Sida Green	5 liter	Petrosida Gresik	Non-subsidi	-
		Sida Green	10 liter	Petrosida Gresik	Non-subsidi	-
		Sida Green	20 liter	Petrosida Gresik	Non-subsidi	-
		Nutri-Comp B	100 gram	Petrosida Gresik	Non-subsidi	-
		Nutri-Comp B	500 gram	Petrosida Gresik	Non-subsidi	-
		Nutri-Comp D	100 gram	Petrosida Gresik	Non-subsidi	-
		Nutri-Comp D	500 gram	Petrosida Gresik	Non-subsidi	-
		Petro-Cas	50 kg	Petrokimia Gresik	Non-subsidi	-
		Petro Kalimas	50 kg	Petrokimia Gresik	Non-subsidi	-
		Petro Niphos	25 kg	Petrokimia Gresik	Non-subsidi	-
		Petro Kalsipalm	50 kg	Petrokimia Gresik	Non-subsidi	-



## **KCL Kujang**

### **Spesifikasi :**

- Kadar KCl 95 - 99,5%.
- Bentuk padat.
- Warna kemerahan/kecoklatan.

### **Kandungan :**

- Uncoated KCl 95 - 99,5%.
- NaCl 0,5 - 5%.
- pH 7 - 10 (larut dalam air 10%).
- K<sub>2</sub>O 60%.



### **Keunggulan :**

- Memperkuat batang tanaman.
- Meningkatkan daya tahan tanaman terhadap kekeringan dan penyakit.
- Mencegah agar daun, bunga dan buah tidak mudah gugur.

### **Peruntukan :**

- Segala jenis tanaman.

## Nitrea

### Spesifikasi :

- Kadar Biuret maksimal 1%.
- Kadar Nitrogen minimal 46%.
- Bentuk butiran prill uncoated.
- 100% larut dalam air.

### Kandungan :

- Nitrogen 46%.

### Keunggulan :

- Membuat tanaman lebih hijau dan segar.
- Mempercepat proses pertumbuhan.
- Menambahkan nutrisi protein untuk tanaman.

### Peruntukan :

- Tanaman pangan.
- Hortikultura.
- Tanaman keras.
- Perkebunan.



## Organik Super Sejahtera

### Spesifikasi :

- Bentuk butiran prill uncoated.
- 100% larut dalam air.

### Kandungan :

- C-Organik : 12,5%.
- C/N Ratio : 10-25.
- pH : 4-8.
- Kadar Air : 4-12%.



### Keunggulan :

- Kadar C-Organik tinggi.
- Berbentuk granul sehingga mudah dalam aplikasi.
- Aman & ramah lingkungan (bebas mikroba patogen).
- Bebas dari biji-bijian gulma.
- Kadar air rendah sehingga lebih efisien dalam pengangkutan & penyimpanan.
- Dikemas dalam kantong kedap air.

### Peruntukan :

- Menggemburkan & menyuburkan tanah.
- Meningkatkan daya simpan dan daya serap air.
- Meningkatkan efisiensi pemupukan.
- Memperkaya hara makro & mikro.
- Sesuai untuk semua jenis tanah & tanaman.

## *Triple Super Phosphate (TSP)*

### **Spesifikasi :**

- Bentuk : granul.
- Warna : Keabu-abuan.

### **Kandungan :**

- $P_2O_5$  : 46%.



### **Keunggulan :**

- Memacu pertumbuhan akar dan pembentukan perakaran dengan baik sehingga tanaman menjadi kuat dan kokoh.
- Menambah daya tahan terhadap serangan hama dan penyakit.
- Mempercepat pembentukan bunga serta masaknya buah dan biji.
- Meningkatkan rendemen dan komponen hasil panen tanaman biji-bijian.
- Meningkatkan mutu benih dan bibit.

### **Peruntukan :**

- Dipergunakan untuk tanaman yang kekurangan Unsur Hara Fosfor.

## NPK Kebo Mas

### Spesifikasi :

- Mengandung Nitrogen dalam bentuk Nitrat.
- Mengandung Fosfat yang mudah diserap.
- Mengandung kalium dan rendah chlor.
- Bentuk : Granul.
- Warna : Biru.

### Kandungan :

- Nitrogen (N) : 12%.
- Fosfat ( $P_2O_5$ ) : 11%.
- Kalium ( $K_2O$ ) : 20%.
- Boron ( $B_2O_3$ ) : 0,2%.
- Magnesium ( $MgO$ ) : 1%.
- Kadar Air : 2%.

### Keunggulan :

- Meningkatkan hasil panen.
- Meningkatkan kualitas buah dan sayur.
- Meningkatkan daya tahan buah dalam penyimpanan.
- Memperbaiki aroma dan meningkatkan kualitas daun tembakau.

### Peruntukan :

- Untuk meningkatkan kualitas buah dan sayur.



## Petro Calcium Sulphate (PETRO-CAS)

### Spesifikasi :

- Bentuk : Powder.
- Warna : Putih Kecoklatan.

### Kandungan :

- $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$  : 90%.
- $\text{CaO}$  : 30%.
- $\text{SO}_3$  : 42%.
- pH : 6-7.



### Keunggulan :

- Menyediakan unsur hara Sulfur (S) dan Calsium (Ca) untuk tanaman.
- Memperbaiki sifat fisik dan kimia tanah.
- Meningkatkan produktivitas tanaman.
- Mudah dalam aplikasi.
- Memperbaiki perakaran tanaman.

### Peruntukan :

- Meningkatkan kualitas buah dan tanaman yang membutuhkan unsur Hara Sulfur (S) dan Calsium (Ca).

## **NPK Phonska Plus**

### **Spesifikasi :**

- Bentuk : Granul.
- Sifat : Larut dalam air.
- Warna : Putih (Natural White).

### **Kandungan :**

- Nitrogen (N) : 15%.
- Fosfat (P<sub>2</sub>O<sub>5</sub>) : 15%.
- Kalium (K) : 15%.
- Sulfur (S) : 9%.
- Zink (Zn) : 2000 ppm.



### **Keunggulan :**

- Pupuk majemuk NPK yang diperkaya dengan unsur Sulfur & Zink.
- Meningkatkan efisiensi & efektifitas penggunaan pupuk.
- Meningkatkan jumlah & mutu hasil panen.
- Hasil racikan bahan baku melalui proses produksi yang tepat sehingga menghasilkan kualitas campuran produk yang homogen.

### **Peruntukan :**

- Mengoptimalkan pembentukan bunga dan memperbanyak buah.

**PT. PETROKIMIA GRESIK**

Alamat : Jalan Jenderal A. Yani - Gresik  
 Telepon : (031) 3881811 (8 saluran), 3882100 (5 saluran)  
 3882200 (5 saluran)



Facsimile : (031) 3881244  
 Kotak Pos : 102 Gresik 61101

**BUKTI PENYERAH TERIMAAN PUPUK**  
 No. BP : 24/PB03079/VI/2019

Antara PT. PETROKIMIA GRESIK dengan Distributor PT. GRESIK CIPTA SEJAHTERA.  
 Pada hari ini tanggal **16-05-2019** PT. PETROKIMIA GRESIK telah menyerahkan dan dengan demikian  
 Distributor tersebut di atas menerima dalam jumlah yang cukup dalam keadaan baik :

1. Nama Barang / Spesifikasi : **NPK PHONSKA PLUS - RITAIL**
2. Jumlah : **8.000 TON**
3. Berdasar SO PT. PETROKIMIA GRESIK No. **3100428295** Tgl. **21-03-2019** Jumlah : **50.00 TON**
4. Pengangkutan :
  - a. Alat Pengangkut/No. Pol :
  - b. Nama Pengendara/No. SIM :
  - c. Tujuan : **Lampung Tengah**
5. Perincian Barang :
  - a. Jumlah menurut SO : **50.00 TON**
  - b. Diambil sebelum BP ini : **17.00 TON**
  - c. Diambil dengan BP ini : **8.000 TON**
  - d. Sisa sesudah BP ini : **25.00 TON**
6. Buktii ini berlaku juga sebagai Pas / Surat Jalan
7. Dilayani Tgl..... Jam.....

Yang Menerima  
 EKSPEDITUR

DISTRIBUTOR

Yang Menyerahkan  
 PT. PETROKIMIA GRESIK



#51338



**PT. GRESIK CIPTA SEJAHTERA**

Jalan Jenderal A. Yani - Gresik  
 Telp. (031) 3985543, 3984822, 3973230

**No. 81339**

**SURAT PENGANTAR**

Surat Jalan Pengiriman Barang

Tanggal :  
 Kepada Yth.  
**GAPOKTAN MAJU MAKMUR**  
 DUSUN IV RT. 02/07 DS. NAMBAH REJO  
 Di  
**Kota Gajah, Lampung Tengah**

Kendaraan No. Pol :

NO	URAIAN BARANG	JUMLAH	SATUAN	HARGA	NILAI
1	DO. 3100428295NPKPLUS/19 / NPK PHONSKA PLUS - RITAIL	8,000	TON	6.363.636,36	50.909.090,88

Dikirim ke alamat tersebut untuk memenuhi permintaan

Pemilik : SUPARDI, SE

Telp : 082183038100

DPP : 50.909.090,88

PPN : 5.090.909,00

TOTAL NILAI : 55.999.999,88

Terbilang :

# Lima Puluh Lima Juta Sembilan Ratus Sembilan Puluh Sembilan Ribu Sembilan Ratus Sembilan Puluh Sembilan Rupiah #

Catatan :

1. Surat pengantar ini sebagai Nota Penjualan.
2. Harap menyimpan surat pengantar ini sebagai arsip.
3. Faktur Pajak diterbitkan dan dikirim oleh Kantor Pusat.
4. Pembayaran TUNAI.

Penerima,

Tanda Tangan,  
 Sopir/Pembawa

Pengirim,





## LISTING PROGRAM

Nama berkas : config.php  
Lokasi berkas : localhost\gcs\application\config

```
=====
1.  <?php
2.  defined('BASEPATH') OR exit('No direct script access allowed');
3.  date_default_timezone_set("Asia/Jakarta");
4.
5.  /*
6.  |-----
7.  | Base Site URL
8.  |-----
9.  |
10. | URL to your CodeIgniter root. Typically this will be your base URL,
11. | WITH a trailing slash:
12. |
13. | http://example.com/
14. |
15. | WARNING: You MUST set this value!
16. |
17. | If it is not set, then CodeIgniter will try guess the protocol and path
18. | your installation, but due to security concerns the hostname will be set
19. | to $_SERVER['SERVER_ADDR'] if available, or localhost otherwise.
20. | The auto-detection mechanism exists only for convenience during
21. | development and MUST NOT be used in production!
22. |
23. | If you need to allow multiple domains, remember that this file is still
24. | a PHP script and you can easily do that on your own.
25. |
26. */
27.
28. $config['base_url'] = ((isset($_SERVER['HTTPS']) && $_SERVER['HTTPS'] ==
    "on") || (!empty($_SERVER['HTTP_X_FORWARDED_PROTO']) &&
    $_SERVER['HTTP_X_FORWARDED_PROTO'] == 'https' ||
    !empty($_SERVER['HTTP_X_FORWARDED_SSL']) &&
    $_SERVER['HTTP_X_FORWARDED_SSL'] == 'on')) ? "https" : "http";
29. $config['base_url'] .= "://" . $_SERVER['HTTP_HOST'];
30. $config['base_url'] .= str_replace(basename($_SERVER['SCRIPT_NAME']), "",
    $_SERVER['SCRIPT_NAME']);
31.
32. /*
33. |-----
34. | Index File
35. |-----
36. |
37. | Typically this will be your index.php file, unless you've renamed it to
38. | something else. If you are using mod_rewrite to remove the page set this
39. | variable so that it is blank.
40. |
41. */
42.
43. $config['index_page'] = "";
44.
```

```

45.  /*
46.  |-----
47.  | URI PROTOCOL
48.  |-----
49.  |
50.  | This item determines which server global should be used to retrieve the
51.  | URI string. The default setting of 'REQUEST_URI' works for most servers.
52.  | If your links do not seem to work, try one of the other delicious flavors:
53.  |
54.  | 'REQUEST_URI'  Uses $_SERVER['REQUEST_URI']
55.  | 'QUERY_STRING' Uses $_SERVER['QUERY_STRING']
56.  | 'PATH_INFO'   Uses $_SERVER['PATH_INFO']
57.  |
58.  | WARNING: If you set this to 'PATH_INFO', URIs will always be URL-decoded!
59.  */
60.  $config['uri_protocol']   = 'REQUEST_URI';
61.
62.  /*
63.  |-----
64.  | URL suffix
65.  |-----
66.  |
67.  | This option allows you to add a suffix to all URLs generated by CodeIgniter.
68.  | For more information please see the user guide:
69.  |
70.  | https://codeigniter.com/user_guide/general/urls.html
71.  */
72.  $config['url_suffix'] = "";
73.
74.  /*
75.  |-----
76.  | Default Language
77.  |-----
78.  |
79.  | This determines which set of language files should be used. Make sure
80.  | there is an available translation if you intend to use something other
81.  | than english.
82.  |
83.  */
84.  $config['language']     = 'english';
85.
86.  /*
87.  |-----
88.  | Default Character Set
89.  |-----
90.  |
91.  | This determines which character set is used by default in various methods
92.  | that require a character set to be provided.
93.  |
94.  | See http://php.net/htmlspecialchars for a list of supported charsets.
95.  |
96.  */
97.  $config['charset'] = 'UTF-8';
98.
99.  /*

```

```

100. |-----
101. | Enable/Disable System Hooks
102. |-----
103. |
104. | If you would like to use the 'hooks' feature you must enable it by
105. | setting this variable to TRUE (boolean). See the user guide for details.
106. |
107. */
108. $config['enable_hooks'] = FALSE;
109.
110. /*
111. |-----
112. | Class Extension Prefix
113. |-----
114. |
115. | This item allows you to set the filename/classname prefix when extending
116. | native libraries. For more information please see the user guide:
117. |
118. | https://codeigniter.com/user\_guide/general/core\_classes.html
119. | https://codeigniter.com/user\_guide/general/creating\_libraries.html
120. |
121. */
122. $config['subclass_prefix'] = 'MY_';
123.
124. /*
125. |-----
126. | Composer auto-loading
127. |-----
128. |
129. | Enabling this setting will tell CodeIgniter to look for a Composer
130. | package auto-loader script in application/vendor/autoload.php.
131. |
132. | $config['composer_autoload'] = TRUE;
133. |
134. | Or if you have your vendor/ directory located somewhere else, you
135. | can opt to set a specific path as well:
136. |
137. | $config['composer_autoload'] = '/path/to/vendor/autoload.php';
138. |
139. | For more information about Composer, please visit http://getcomposer.org/
140. |
141. | Note: This will NOT disable or override the CodeIgniter-specific
142. | autoloading (application/config/autoload.php)
143. */
144. $config['composer_autoload'] = TRUE;
145.
146. /*
147. |-----
148. | Allowed URL Characters
149. |-----
150. |
151. | This lets you specify which characters are permitted within your URLs.
152. | When someone tries to submit a URL with disallowed characters they will
153. | get a warning message.
154. |

```

```

155. | As a security measure you are STRONGLY encouraged to restrict URLs to
156. | as few characters as possible. By default only these are allowed: a-z 0-9~%.:_-
157. |
158. | Leave blank to allow all characters -- but only if you are insane.
159. |
160. | The configured value is actually a regular expression character group
161. | and it will be executed as: ! preg_match('/^[<permitted_uri_chars>]+$'/i
162. |
163. | DO NOT CHANGE THIS UNLESS YOU FULLY UNDERSTAND THE
    | REPERCUSSIONS!!
164. |
165. */
166. $config['permitted_uri_chars'] = 'a-z 0-9~%.:_-';
167.
168. /*
169. |-----
170. | Enable Query Strings
171. |-----
172. |
173. | By default CodeIgniter uses search-engine friendly segment based URLs:
174. | example.com/who/what/where/
175. |
176. | By default CodeIgniter enables access to the $_GET array. If for some
177. | reason you would like to disable it, set 'allow_get_array' to FALSE.
178. |
179. | You can optionally enable standard query string based URLs:
180. | example.com?who=me&what=something&where=here
181. |
182. | Options are: TRUE or FALSE (boolean)
183. |
184. | The other items let you set the query string 'words' that will
185. | invoke your controllers and its functions:
186. | example.com/index.php?c=controller&m=function
187. |
188. | Please note that some of the helpers won't work as expected when
189. | this feature is enabled, since CodeIgniter is designed primarily to
190. | use segment based URLs.
191. |
192. */
193. $config['allow_get_array'] = TRUE;
194. $config['enable_query_strings'] = FALSE;
195. $config['controller_trigger'] = 'c';
196. $config['function_trigger'] = 'm';
197. $config['directory_trigger'] = 'd';
198.
199. /*
200. |-----
201. | Error Logging Threshold
202. |-----
203. |
204. | You can enable error logging by setting a threshold over zero. The
205. | threshold determines what gets logged. Threshold options are:
206. |
207. | 0 = Disables logging, Error logging TURNED OFF
208. | 1 = Error Messages (including PHP errors)

```

```

209. | 2 = Debug Messages
210. | 3 = Informational Messages
211. | 4 = All Messages
212. |
213. | You can also pass an array with threshold levels to show individual error types
214. |
215. | array(2) = Debug Messages, without Error Messages
216. |
217. | For a live site you'll usually only enable Errors (1) to be logged otherwise
218. | your log files will fill up very fast.
219. |
220. */
221. $config['log_threshold'] = 0;
222.
223. /*
224. |-----
225. | Error Logging Directory Path
226. |-----
227. |
228. | Leave this BLANK unless you would like to set something other than the default
229. | application/logs/ directory. Use a full server path with trailing slash.
230. |
231. */
232. $config['log_path'] = "";
233.
234. /*
235. |-----
236. | Log File Extension
237. |-----
238. |
239. | The default filename extension for log files. The default 'php' allows for
240. | protecting the log files via basic scripting, when they are to be stored
241. | under a publicly accessible directory.
242. |
243. | Note: Leaving it blank will default to 'php'.
244. |
245. */
246. $config['log_file_extension'] = "";
247.
248. /*
249. |-----
250. | Log File Permissions
251. |-----
252. |
253. | The file system permissions to be applied on newly created log files.
254. |
255. | IMPORTANT: This MUST be an integer (no quotes) and you MUST use octal
256. | integer notation (i.e. 0700, 0644, etc.)
257. */
258. $config['log_file_permissions'] = 0644;
259.
260. /*
261. |-----
262. | Date Format for Logs
263. |-----

```

```

264. |
265. | Each item that is logged has an associated date. You can use PHP date
266. | codes to set your own date formatting
267. |
268. */
269. $config['log_date_format'] = 'Y-m-d H:i:s';
270.
271. /*
272. |-----
273. | Error Views Directory Path
274. |-----
275. |
276. | Leave this BLANK unless you would like to set something other than the default
277. | application/views/errors/ directory. Use a full server path with trailing slash.
278. |
279. */
280. $config['error_views_path'] = "";
281.
282. /*
283. |-----
284. | Cache Directory Path
285. |-----
286. |
287. | Leave this BLANK unless you would like to set something other than the default
288. | application/cache/ directory. Use a full server path with trailing slash.
289. |
290. */
291. $config['cache_path'] = "";
292.
293. /*
294. |-----
295. | Cache Include Query String
296. |-----
297. |
298. | Whether to take the URL query string into consideration when generating
299. | output cache files. Valid options are:
300. |
301. | FALSE    = Disabled
302. | TRUE     = Enabled, take all query parameters into account.
303. |           Please be aware that this may result in numerous cache
304. |           files generated for the same page over and over again.
305. | array('q') = Enabled, but only take into account the specified list
306. |           of query parameters.
307. |
308. */
309. $config['cache_query_string'] = FALSE;
310.
311. /*
312. |-----
313. | Encryption Key
314. |-----
315. |
316. | If you use the Encryption class, you must set an encryption key.
317. | See the user guide for more info.
318. |

```

```

319. | https://codeigniter.com/user\_guide/libraries/encryption.html
320. |
321. */
322. $config['encryption_key'] = 'yeyeyye';
323.
324. /*
325. |-----
326. | Session Variables
327. |-----
328. |
329. | 'sess_driver'
330. |
331. | The storage driver to use: files, database, redis, memcached
332. |
333. | 'sess_cookie_name'
334. |
335. | The session cookie name, must contain only [0-9a-z_-] characters
336. |
337. | 'sess_expiration'
338. |
339. | The number of SECONDS you want the session to last.
340. | Setting to 0 (zero) means expire when the browser is closed.
341. |
342. | 'sess_save_path'
343. |
344. | The location to save sessions to, driver dependent.
345. |
346. | For the 'files' driver, it's a path to a writable directory.
347. | WARNING: Only absolute paths are supported!
348. |
349. | For the 'database' driver, it's a table name.
350. | Please read up the manual for the format with other session drivers.
351. |
352. | IMPORTANT: You are REQUIRED to set a valid save path!
353. |
354. | 'sess_match_ip'
355. |
356. | Whether to match the user's IP address when reading the session data.
357. |
358. | WARNING: If you're using the database driver, don't forget to update
359. | your session table's PRIMARY KEY when changing this setting.
360. |
361. | 'sess_time_to_update'
362. |
363. | How many seconds between CI regenerating the session ID.
364. |
365. | 'sess_regenerate_destroy'
366. |
367. | Whether to destroy session data associated with the old session ID
368. | when auto-regenerating the session ID. When set to FALSE, the data
369. | will be later deleted by the garbage collector.
370. |
371. | Other session cookie settings are shared with the rest of the application,
372. | except for 'cookie_prefix' and 'cookie_httponly', which are ignored here.
373. |

```

```

374. */
375. $config['sess_driver'] = 'files';
376. $config['sess_cookie_name'] = 'knapsack_session';
377. $config['sess_expiration'] = 7200;
378. $config['sess_save_path'] = FCPATH . 'application/ci_sessions/';
379. $config['sess_match_ip'] = FALSE;
380. $config['sess_time_to_update'] = 300;
381. $config['sess_regenerate_destroy'] = FALSE;
382.
383. /*
384. |-----
385. | Cookie Related Variables
386. |-----
387. |
388. | 'cookie_prefix' = Set a cookie name prefix if you need to avoid collisions
389. | 'cookie_domain' = Set to .your-domain.com for site-wide cookies
390. | 'cookie_path'   = Typically will be a forward slash
391. | 'cookie_secure' = Cookie will only be set if a secure HTTPS connection exists.
392. | 'cookie_httponly' = Cookie will only be accessible via HTTP(S) (no javascript)
393. |
394. | Note: These settings (with the exception of 'cookie_prefix' and
395. |       'cookie_httponly') will also affect sessions.
396. |
397. */
398. $config['cookie_prefix'] = "";
399. $config['cookie_domain'] = "";
400. $config['cookie_path']   = '/';
401. $config['cookie_secure'] = FALSE;
402. $config['cookie_httponly'] = FALSE;
403.
404. /*
405. |-----
406. | Standardize newlines
407. |-----
408. |
409. | Determines whether to standardize newline characters in input data,
410. | meaning to replace \r\n, \r, \n occurrences with the PHP_EOL value.
411. |
412. | This is particularly useful for portability between UNIX-based OSes,
413. | (usually \n) and Windows (\r\n).
414. |
415. */
416. $config['standardize_newlines'] = FALSE;
417.
418. /*
419. |-----
420. | Global XSS Filtering
421. |-----
422. |
423. | Determines whether the XSS filter is always active when GET, POST or
424. | COOKIE data is encountered
425. |
426. | WARNING: This feature is DEPRECATED and currently available only
427. |         for backwards compatibility purposes!
428. |

```



```

429. */
430. $config['global_xss_filtering'] = FALSE;
431.
432. /*
433. |-----
434. | Cross Site Request Forgery
435. |-----
436. | Enables a CSRF cookie token to be set. When set to TRUE, token will be
437. | checked on a submitted form. If you are accepting user data, it is strongly
438. | recommended CSRF protection be enabled.
439. |
440. | 'csrf_token_name' = The token name
441. | 'csrf_cookie_name' = The cookie name
442. | 'csrf_expire' = The number in seconds the token should expire.
443. | 'csrf_regenerate' = Regenerate token on every submission
444. | 'csrf_exclude_uris' = Array of URIs which ignore CSRF checks
445. */
446. $config['csrf_protection'] = FALSE;
447. $config['csrf_token_name'] = 'csrf_test_name';
448. $config['csrf_cookie_name'] = 'csrf_cookie_name';
449. $config['csrf_expire'] = 7200;
450. $config['csrf_regenerate'] = TRUE;
451. $config['csrf_exclude_uris'] = array();
452.
453. /*
454. |-----
455. | Output Compression
456. |-----
457. |
458. | Enables Gzip output compression for faster page loads. When enabled,
459. | the output class will test whether your server supports Gzip.
460. | Even if it does, however, not all browsers support compression
461. | so enable only if you are reasonably sure your visitors can handle it.
462. |
463. | Only used if zlib.output_compression is turned off in your php.ini.
464. | Please do not use it together with httpd-level output compression.
465. |
466. | VERY IMPORTANT: If you are getting a blank page when compression is
467. | enabled it
468. | means you are prematurely outputting something to your browser. It could
469. | even be a line of whitespace at the end of one of your scripts. For
470. | compression to work, nothing can be sent before the output buffer is called
471. | by the output class. Do not 'echo' any values with compression enabled.
472. */
473. $config['compress_output'] = FALSE;
474.
475. /*
476. |-----
477. | Master Time Reference
478. |-----
479. |
480. | Options are 'local' or any PHP supported timezone. This preference tells
481. | the system whether to use your server's local time as the master 'now'
482. | reference, or convert it to the configured one timezone. See the 'date

```

```

483. | helper' page of the user guide for information regarding date handling.
484. |
485. */
486. $config['time_reference'] = 'local';
487.
488. /*
489. |-----
490. | Rewrite PHP Short Tags
491. |-----
492. |
493. | If your PHP installation does not have short tag support enabled CI
494. | can rewrite the tags on-the-fly, enabling you to utilize that syntax
495. | in your view files. Options are TRUE or FALSE (boolean)
496. |
497. | Note: You need to have eval() enabled for this to work.
498. |
499. */
500. $config['rewrite_short_tags'] = FALSE;
501.
502. /*
503. |-----
504. | Reverse Proxy IPs
505. |-----
506. |
507. | If your server is behind a reverse proxy, you must whitelist the proxy
508. | IP addresses from which CodeIgniter should trust headers such as
509. | HTTP_X_FORWARDED_FOR and HTTP_CLIENT_IP in order to properly
510. | identify
511. | the visitor's IP address.
512. |
513. | You can use both an array or a comma-separated list of proxy addresses,
514. | as well as specifying whole subnets. Here are a few examples:
515. | Comma-separated:      '10.0.1.200,192.168.5.0/24'
516. | Array:                array('10.0.1.200', '192.168.5.0/24')
517. */
518. $config['proxy_ips'] = "";
519.

```

```

=====
Nama berkas   : database.php
Lokasi berkas : localhost\gcs\application\config
=====

```

```

1. <?php
2. defined('BASEPATH') OR exit('No direct script access allowed');
3.
4. /*
5. |-----
6. | DATABASE CONNECTIVITY SETTINGS
7. |-----
8. | This file will contain the settings needed to access your database.
9. |
10. | For complete instructions please consult the 'Database Connection'
11. | page of the User Guide.
12. |

```

```

13. | -----
14. | EXPLANATION OF VARIABLES
15. | -----
16. |
17. | ['dsn'] The full DSN string describe a connection to the database.
18. | ['hostname'] The hostname of your database server.
19. | ['username'] The username used to connect to the database
20. | ['password'] The password used to connect to the database
21. | ['database'] The name of the database you want to connect to
22. | ['dbdriver'] The database driver. e.g.: mysqli.
23. | Currently supported:
24. | cubrid, ibase, mssql, mysql, mysqli, oci8,
25. | odbc, pdo, postgre, sqlite, sqlite3, sqlsrv
26. | ['dbprefix'] You can add an optional prefix, which will be added
27. | to the table name when using the Query Builder class
28. | ['pconnect'] TRUE/FALSE - Whether to use a persistent connection
29. | ['db_debug'] TRUE/FALSE - Whether database errors should be displayed.
30. | ['cache_on'] TRUE/FALSE - Enables/disables query caching
31. | ['cachedir'] The path to the folder where cache files should be stored
32. | ['char_set'] The character set used in communicating with the database
33. | ['dbcollat'] The character collation used in communicating with the database
34. | NOTE: For MySQL and MySQLi databases, this setting
35. | is only used as a backup if your server is running PHP < 5.2.3 or
36. | MySQL < 5.0.7 (and in table creation queries made with DB Forge).
37. | There is an incompatibility in PHP with
38. | mysql_real_escape_string() which
39. | are using a can make your site vulnerable to SQL injection if you
40. | multi-byte character set and are running versions lower
41. | than these. Sites using Latin-1 or UTF-8 database character set and
42. | collation are unaffected.
43. |
44. | ['swap_pre'] A default table prefix that should be swapped with the dbprefix
45. | ['encrypt'] Whether or not to use an encrypted connection.
46. |
47. | 'mysql' (deprecated), 'sqlsrv' and 'pdo/sqlsrv' drivers accept
48. | TRUE/FALSE
49. | 'mysqli' and 'pdo/mysqli' drivers accept an array with the following
50. | options:
51. | 'ssl_key' - Path to the private key file
52. | 'ssl_cert' - Path to the public key certificate file
53. | 'ssl_ca' - Path to the certificate authority file
54. | 'ssl_capath' - Path to a directory containing trusted CA
55. | certificates in PEM format
56. | 'ssl_cipher' - List of *allowed* ciphers to be used for the
57. | encryption, separated by colons (':')
58. | 'ssl_verify' - TRUE/FALSE; Whether verify the server
59. | certificate or not
60. |
61. | ['compress'] Whether or not to use client compression (MySQL only)
62. | ['stricton'] TRUE/FALSE - forces 'Strict Mode' connections

```

```

56. |                                     - good for ensuring strict SQL
    | while developing
57. | ['ssl_options'] Used to set various SSL options that can be used when making
    | SSL connections.
58. | ['failover'] array - A array with 0 or more data for connections if the main should
    | fail.
59. | ['save_queries'] TRUE/FALSE - Whether to "save" all executed queries.
60. |                                     NOTE: Disabling this will also effectively disable both
61. |                                     $this->db->last_query() and profiling of DB queries.
62. |                                     When you run a query, with this setting set to TRUE
    | (default),
63. |                                     CodeIgniter will store the SQL statement for debugging
    | purposes.
64. |                                     However, this may cause high memory usage, especially
    | if you run
65. |                                     a lot of SQL queries ... disable this to avoid that problem.
66. |
67. | The $active_group variable lets you choose which connection group to
68. | make active. By default there is only one group (the 'default' group).
69. |
70. | The $query_builder variables lets you determine whether or not to load
71. | the query builder class.
72. */
73. $active_group = 'default';
74. $query_builder = TRUE;
75.
76. $db['default'] = array(
77.     'dsn' => "",
78.     'hostname' => 'localhost',
79.     'username' => 'root',
80.     'password' => "",
81.     'database' => 'gcs',
82.     'dbdriver' => 'mysqli',
83.     'dbprefix' => "",
84.     'pconnect' => FALSE,
85.     'db_debug' => (ENVIRONMENT !== 'production'),
86.     'cache_on' => FALSE,
87.     'cachedir' => "",
88.     'char_set' => 'utf8',
89.     'dbcollat' => 'utf8_general_ci',
90.     'swap_pre' => "",
91.     'encrypt' => FALSE,
92.     'compress' => FALSE,
93.     'stricton' => FALSE,
94.     'failover' => array(),
95.     'save_queries' => TRUE
96. );

```

```

=====
Nama berkas   : routes.php
Lokasi berkas : localhost\gcs\application\config
=====

```

```

1. <?php
2. defined('BASEPATH') OR exit('No direct script access allowed');
3.

```

```

4.  /*
5.  | -----
6.  | URI ROUTING
7.  | -----
8.  | This file lets you re-map URI requests to specific controller functions.
9.  |
10. | Typically there is a one-to-one relationship between a URL string
11. | and its corresponding controller class/method. The segments in a
12. | URL normally follow this pattern:
13. |
14. | example.com/class/method/id/
15. |
16. | In some instances, however, you may want to remap this relationship
17. | so that a different class/function is called than the one
18. | corresponding to the URL.
19. |
20. | Please see the user guide for complete details:
21. |
22. | https://codeigniter.com/user\_guide/general/routing.html
23. |
24. | -----
25. | RESERVED ROUTES
26. | -----
27. |
28. | There are three reserved routes:
29. |
30. | $route['default_controller'] = 'welcome';
31. |
32. | This route indicates which controller class should be loaded if the
33. | URI contains no data. In the above example, the "welcome" class
34. | would be loaded.
35. |
36. | $route['404_override'] = 'errors/page_missing';
37. |
38. | This route will tell the Router which controller/method to use if those
39. | provided in the URL cannot be matched to a valid route.
40. |
41. | $route['translate_uri_dashes'] = FALSE;
42. |
43. | This is not exactly a route, but allows you to automatically route
44. | controller and method names that contain dashes. '-' isn't a valid
45. | class or method name character, so it requires translation.
46. | When you set this option to TRUE, it will replace ALL dashes in the
47. | controller and method URI segments.
48. |
49. | Examples:   my-controller/index    -> my_controller/index
50. |             my-controller/my-method -> my_controller/my_method
51. */

```

```
52.
53. $route['default_controller'] = "depan";
54. $route['404_override'] = "";
55. $route['translate_uri_dashes'] = FALSE;
56.
```

```
=====
Nama berkas : Depan.php
Lokasi berkas : localhost\gcs\application\controllers
=====
```

```
1. <?php
2. defined('BASEPATH') OR exit('No direct script access allowed');
3.
4. class Depan extends CI_Controller {
5.
6.     function __construct() {
7.         parent::__construct();
8.         $this->load->model('m_login');
9.         $this->load->model('m_front');
10.    }
11.
12.    public function index() {
13.
14.        // redirect('front/dashboard');
15.        $data['userLogin'] = $this->session->userdata('loginData');
16.        $data['listKios'] = $this->m_front->getWebgis();
17.        $data['v_content'] = 'fronts/depan';
18.        $this->load->view('fronts/layout',$data);
19.    }
20.
21.    public function ajukan() {
22.        $this->load->view("fronts/ajukan");
23.    }
24.
25. }
```

```
=====
Nama berkas : Dashboard.php
Lokasi berkas : localhost\gcs\application\controllers\front
=====
```

```
1. <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');
2.
3. class Dashboard extends CI_Controller {
4.     function __construct() {
5.         parent::__construct();
6.         $this->load->model('m_front');
7.         $this->load->model('m_umum');
8.         $this->load->model('m_permohonan');
9.         $this->load->model('m_pengecer');
10.        $this->load->model('M_global');
11.        $this->load->helper(array('url','download'));
12.    }
13.
14.    public function index()
```

```

15.     {
16.         redirect('front/dashboard/prosedur');
17.     }
18.
19.     public function webgis()
20.     {
21.
22.         // $data['userLogin'] = $this->session->userdata('loginData');
23.         redirect('depan/#webgis',$data);
24.     }
25.
26.     public function tentang()
27.     {
28.
29.         // $data['userLogin'] = $this->session->userdata('loginData');
30.         redirect('depan/#tentang',$data);
31.     }
32.
33.     public function prosedur()
34.     {
35.         // $data['userLogin'] = $this->session->userdata('loginData');
36.         redirect('depan/#about',$data);
37.     }
38.
39.     public function formPengecer()
40.     {
41.         $this->load->view("fronts/formPengecer");
42.     }
43.
44.     public function ajukan(){
45.         $data['userLogin'] = $this->session->userdata('loginData');
46.         $data['v_content'] = 'front/dashboard/ajukan';
47.         $this->load->view('front/layout',$data);
48.     }
49.
50.     public function doAddPengecer(){
51.
52.         $data['userLogin'] = $this->session->userdata('loginData');
53.         $post = $this->input->post();
54.
55.
56.         $upload_path = './upload/ktp/';
57.         /*===== BEGIN UPLOADING
58.         FEATEURE IMAGE =====*/
59.         $ktp = "";
60.         if ($_FILES['upload_ktp']['name'] <> "") {
61.             $ext      = pathinfo($_FILES['upload_ktp']['name'],
62.             PATHINFO_EXTENSION);
63.             $ktp = "K".time().'.'.$ext;
64.
65.             $config['upload_path'] = $upload_path;
66.             $config['allowed_types'] = '*';
67.             $config['file_name'] = $ktp;
68.
69.             $this->load->library('upload', $config);

```

```

68.         $this->upload->initialize($config);
69.         if ( ! $this->upload->do_upload('upload_ktp')){
70.             $error = 'error: '. $this->upload->display_errors();
71.             echo $error;
72.             die();
73.         }else{
74.             $ktp = "upload/ktp/".$ktp;
75.         }
76.     }
77.     /*===== END UPLOADING
FEATEURE IMAGE =====*/

78.
79.     $upload_path = './upload/npwp/';
80.     /*===== BEGIN UPLOADING
FEATEURE IMAGE =====*/

81.     $npwp = "";
82.     if ($_FILES['upload_npwp']['name'] <> "") {
83.         $ext      = pathinfo($_FILES['upload_npwp']['name'],
PATHINFO_EXTENSION);
84.         $npwp = "N".time().'.'.$ext;
85.
86.         $config['upload_path'] = $upload_path;
87.         $config['allowed_types'] = '*';
88.         $config['file_name'] = $npwp;
89.
90.         $this->load->library('upload', $config);
91.         $this->upload->initialize($config);
92.         if ( ! $this->upload->do_upload('upload_npwp')){
93.             $error = 'error: '. $this->upload->display_errors();
94.             echo $error;
95.             die();
96.         }else{
97.             $npwp = "upload/npwp/".$npwp;
98.         }
99.     }
100.    /*===== END UPLOADING
FEATEURE IMAGE =====*/

101.
102.    $upload_path = './upload/foto/';
103.    /*===== BEGIN UPLOADING
FEATEURE IMAGE =====*/

104.    $foto = "";
105.    if ($_FILES['upload_foto']['name'] <> "") {
106.        $ext      = pathinfo($_FILES['upload_foto']['name'],
PATHINFO_EXTENSION);
107.        $foto = "F".time().'.'.$ext;
108.
109.        $config['upload_path'] = $upload_path;
110.        $config['allowed_types'] = '*';
111.        $config['file_name'] = $foto;
112.
113.        $this->load->library('upload', $config);
114.        $this->upload->initialize($config);
115.        if ( ! $this->upload->do_upload('upload_foto')){
116.            $error = 'error: '. $this->upload->display_errors();

```



```

117.         echo $error;
118.         die();
119.     }else{
120.         $foto = "upload/foto/".$foto;
121.     }
122. }
123. /*===== END UPLOADING
FEATEURE IMAGE =====*/
124. $kode = $this->m_pengecer->kode_otomatis();
125.
126. $dataArray = array(
127.     'nama_lengkap' => $post['nama_lengkap'],
128.     'jenis_kelamin' => $post['jenis_kelamin'],
129.     'tempat_lahir' => $post['tempat_lahir'],
130.     'tanggal_lahir' => $post['tanggal_lahir'],
131.     'no_ktp' => $post['no_ktp'],
132.     'no_npwp' => $post['no_npwp'],
133.     'alamat_tinggal' => $post['alamat_tinggal'],
134.     'kelurahan' => $post['kelurahan'],
135.     'kecamatan' => $post['kecamatan'],
136.     'kota_kabupaten'=> $post['kota_kabupaten'],
137.     'provinsi' => $post['provinsi'],
138.     'kodepos' => $post['kodepos'],
139.     'no_telp' => $post['no_telp'],
140.     'np_hp' => $post['np_hp'],
141.     'email' => $post['email'],
142.     'jenjang_pendidikan'=> $post['jenjang_pendidikan'],
143.     'nama_bank' => $post['nama_bank'],
144.     'no_rekening' => $post['no_rekening'],
145.     'password' => md5($post['password']),
146.     'upload_ktp' => $ktp,
147.     'upload_npwp' => $npwp,
148.     'upload_foto' => $foto,
149.     'kode_pengecer'=> $kode,
150. );
151.
152. $insert = $this->db->insert("tbl_pengecer" , $dataArray);
153. $id = $this->db->insert_id();
154. if($insert){
155.     // $data = array(
156.     // 'id_pengecer' => $id,
157.     // 'waktu_pengajuan' => date('Y-m-d h:i:s'),
158.     // 'status' => '1'
159.     // );
160.     // $this->db->insert('tbl_pengajuan_kemitraan', $data);
161.     // $this->m_umum->generatePesan("Berhasil menambahkan
data","berhasil");
162.     redirect('front/dashboard/formKios/'.$id);
163. }else{
164.     // $this->m_umum->generatePesan("Gagal menambahkan data","gagal");
165.     redirect('front/dashboard/formPengecer');
166. }
167. }
168.
169. public function formKios()

```

```

170.     {
171.         // $data['userLogin'] = $this->session->userdata('loginData');
172.         // $data['v_content'] = 'front/dashboard/formKios';
173.         $this->load->view("fronts/formKios");
174.     }
175.
176.     public function doAddKios($id){
177.         $post = $this->input->post();
178.         // echo var_dump($post['upload_siup']);die();
179.         $data['userLogin'] = $this->session->userdata('loginData');
180.
181.         $upload_path = './upload/siup/';
182.         /*===== BEGIN UPLOADING
FEATEURE IMAGE =====*/
183.         $siup = "";
184.         if ($_FILES['upload_siup']['name'] <> "") {
185.             $ext      = pathinfo($_FILES['upload_siup']['name'],
PATHINFO_EXTENSION);
186.             $siup = "S".time().'.'.$ext;
187.
188.             $config['upload_path'] = $upload_path;
189.             $config['allowed_types'] = '*';
190.             $config['file_name']    = $siup;
191.
192.             $this->load->library('upload', $config);
193.             $this->upload->initialize($config);
194.             if ( ! $this->upload->do_upload('upload_siup')){
195.                 $error = 'error: '. $this->upload->display_errors();
196.                 echo $error;
197.                 die();
198.             }else{
199.                 $siup = "upload/siup/".$siup;
200.             }
201.         }
202.
203.         $upload_path = './upload/tdp/';
204.         /*===== BEGIN UPLOADING
FEATEURE IMAGE =====*/
205.         $tdp = "";
206.         if ($_FILES['upload_tdp']['name'] <> "") {
207.             $ext      = pathinfo($_FILES['upload_tdp']['name'],
PATHINFO_EXTENSION);
208.             $tdp = "T".time().'.'.$ext;
209.
210.             $config['upload_path'] = $upload_path;
211.             $config['allowed_types'] = '*';
212.             $config['file_name']    = $tdp;
213.
214.             $this->load->library('upload', $config);
215.             $this->upload->initialize($config);
216.             if ( ! $this->upload->do_upload('upload_tdp')){
217.                 $error = 'error: '. $this->upload->display_errors();
218.                 echo $error;
219.                 die();
220.             }else{

```

```

221.         $tdp = "upload/tdp/".$tdp;
222.     }
223. }
224. /*===== END UPLOADING
FEATEURE IMAGE =====*/

225.
226. $upload_path = './upload/npwp/';
227. /*===== BEGIN UPLOADING
FEATEURE IMAGE =====*/

228. $npwp = "";
229. if ($_FILES['upload_npwp']['name'] <> "") {
230.     $ext      = pathinfo($_FILES['upload_npwp']['name'],
PATHINFO_EXTENSION);
231.     $npwp = "N".time().'.'.$ext;
232.
233.     $config['upload_path'] = $upload_path;
234.     $config['allowed_types'] = '*';
235.     $config['file_name']    = $npwp;
236.
237.     $this->load->library('upload', $config);
238.     $this->upload->initialize($config);
239.     if (! $this->upload->do_upload('upload_npwp')){
240.         $error = 'error: '. $this->upload->display_errors();
241.         echo $error;
242.         die();
243.     }else{
244.         $npwp = "upload/npwp/".$npwp;
245.     }
246. }
247.
248. $upload_path = './upload/foto/';
249. /*===== BEGIN UPLOADING
FEATEURE IMAGE =====*/

250. $foto = "";
251. if ($_FILES['upload_foto_toko']['name'] <> "") {
252.     $ext      = pathinfo($_FILES['upload_foto_toko']['name'],
PATHINFO_EXTENSION);
253.     $foto = "F".time().'.'.$ext;
254.
255.     $config['upload_path'] = $upload_path;
256.     $config['allowed_types'] = '*';
257.     $config['file_name']    = $foto;
258.
259.     $this->load->library('upload', $config);
260.     $this->upload->initialize($config);
261.     if (! $this->upload->do_upload('upload_foto_toko')){
262.         $error = 'error: '. $this->upload->display_errors();
263.         echo $error;
264.         die();
265.     }else{
266.         $foto = "upload/foto/".$foto;
267.     }
268. }
269. /*===== END UPLOADING
FEATEURE IMAGE =====*/

```

```

270.
271.     $dataArray = array(
272.         'id_pengecer'           => $id,
273.         'nama_kios'             => $post['nama_kios'],
274.         'status_approve'       => '1',
275.         'lokasi_kios'           => $post['Postcode'],
276.         'lat'                   => $post['lat'],
277.         'lang'                  => $post['lng'],
278.         'nomor_siup'            => $post['nomor_siup'],
279.         'nomor_tdp'             => $post['nomor_tdp'],
280.         'nomor_npwp'            => $post['nomor_npwp'],
281.         'kodepos'              => $post['kodepos'],
282.         'nomor_siup'            => $post['nomor_siup'],
283.         'nomor_tdp'             => $post['nomor_tdp'],
284.         'nomor_npwp'            => $post['nomor_npwp'],
285.         'upload_siup'           => $siup,
286.         'upload_tdp'            => $tdp,
287.         'upload_npwp'           => $npwp,
288.         'upload_foto_toko'      => $foto,
289.     );
290.
291.     $insert = $this->db->insert("tbl_kios" , $dataArray);
292.     $id_kios = $this->db->insert_id();
293.     if($insert){
294.         // $data = array(
295.         //     'id_kios' => $id_kios,
296.         // );
297.         // $this->db->update('tbl_pengajuan_kemitraan', $data,array('id_pengecer'
298.         // => $id ));
299.         // $this->m_umum->generatePesan("Berhasil menambahkan
300.         data","berhasil");
301.         redirect('front/dashboard/formReferensi/'.$id.'/'.$id_kios);
302.     }else{
303.         // $this->m_umum->generatePesan("Gagal menambahkan data","gagal");
304.         redirect('front/dashboard/formKios/'.$id);
305.     }
306.
307.     public function formReferensi(){
308.         $this->load->view("fronts/formReferensi");
309.     }
310.
311.     public function doAddReferensi(){
312.         $id_pengecer = $this->uri->segment(4);
313.         $id_kios = $this->uri->segment(5);
314.
315.         $post = $this->input->post();
316.
317.         $dataArray = array(
318.             'nama_lengkap'       => $post['nama_lengkap'],
319.             'jenis_kelamin'       => $post['jenis_kelamin'],
320.             'alamat_tinggal'      => $post['alamat_tinggal'],
321.             'kelurahan'           => $post['kelurahan'],
322.             'kecamatan'           => $post['kecamatan'],
323.             'kota_kabupaten'      => $post['kota_kabupaten'],

```

```

323.         'provinsi'           => $post['provinsi'],
324.         'no_telp'           => $post['no_telp'],
325.         'no_hp'             => $post['no_hp'],
326.         'email'             => $post['email'],
327.         'hubungan_keluarga' => $post['hubungan_keluarga'],
328.     );
329.
330.     $insert = $this->db->insert("tbl_referensi" , $dataArray);
331.     $id_referensi = $this->db->insert_id();
332.     if($insert){
333.         // $this->m_umum->generatePesan("Berhasil menambahkan
334.         data", "berhasil");
335.         redirect('front/dashboard/formAjukan/'.$id_pengecer.'/'.$id_kios.'/'.$id_re
336.         ferensi);
337.     }else{
338.         // $this->m_umum->generatePesan("Gagal menambahkan
339.         data", "gagal");
340.         redirect('front/dashboard/formReferensi/'.$id_pengecer.'/'.$id_kios);
341.     }
342. }
343.
344. public function formAjukan(){
345.     $this->load->view("fronts/formAjukan");
346. }
347.
348. public function doAddAjukan(){
349.     $id_pengecer      = $this->uri->segment(4);
350.     $id_kios          = $this->uri->segment(5);
351.     $id_referensi     = $this->uri->segment(6);
352.     $kode_pengajuank  = $this->m_permohonan->kode_otomatis();
353.
354.     $data = array(
355.         'id_pengecer'      => $id_pengecer,
356.         'id_referensi'     => $id_referensi,
357.         'id_kios'          => $id_kios,
358.         'waktu_pengajuan' => date('Y-m-d h:i:s'),
359.         'status'          => '1',
360.         'kode_pengajuank'  => $kode_pengajuank
361.     );
362.
363.     $insert = $this->db->insert('tbl_pengajuan_kemitraan' , $data);
364.
365.     if($insert){
366.         // $this->m_umum->generatePesan("Berhasil menambahkan data,
367.         silahkan tunggu sampai permohonanmu disetujui", "berhasil");
368.         $this->setemail($id_pengecer);
369.         $this->m_umum->generatePesan("Selamat pengajuanmu sudah kami
370.         simpan, silahkan tunggu sampai admin menyetujuinya", "pengajuan");
371.         redirect('login/admin');
372.     }else{
373.         // $this->m_umum->generatePesan("Gagal menambahkan data", "gagal");
374.         redirect('front/dashboard/formAjukan/'.$id_pengecer.'/'.$id_kios.'/'.$id_refer
375.         ensi);
376.     }
377. }

```

```

372.
373.     public function setemail($id){
374.
375.         $dataPengecer = $this->m_pengecer->getPengecerDetail($id);
376.         // echo var_dump($dataKios);die();
377.
378.         // $link_gambar = base_url('uploads/logo/cap.png');
379.         $email    = $dataPengecer->email;
380.         // echo var_dump($email);die();
381.         // echo var_dump($email);die();
382.         $subject  = "Informasi Permohonan Kemitraan";
383.         $message  = '<table width="100%" cellpadding="0" cellspacing="0">';
384.         $message  .= '<tbody><tr>';
385.         $message  .= '<td style="width:100%;margin:0;padding:0;background-
color:#f2f4f6" align="center">';
386.         $message  .= '<table width="100%" cellpadding="0" cellspacing="0">';
387.         $message  .= '<tbody><tr>';
388.         $message  .= '<td style="padding:25px 0;text-
align:center;width:100px;height:100px;">';
389.         // $message  .= '<a href="#"></a>';
390.         $message  .= '</td>';
391.         $message  .= '</tr>';
392.
393.         $message  .= '<tr>';
394.
395.         $message  .= '<td style="width:100%;margin:0;padding:0;border-top:1px solid
#edeff2;border-bottom:1px solid #edeff2;background-color:#fff"
width="100%">';
396.         $message  .= '<table style="width:auto;max-width:570px;margin:0
auto;padding:0" align="center" width="570" cellpadding="0" cellspacing="0">';
397.
398.         $message  .= '<tr>';
399.         $message  .= '<td colspan="3" style="font-family:Arial,"Helvetica
Neue",Helvetica,sans-serif;padding:35px">';
400.         $message  .= '<h1 style="margin-top:0;color:#2f3133;font-size:19px;font-
weight:bold;text-align:left">
401.         Hi, '.$dataPengecer->nama_lengkap.'
402.         </h1>';
403.         $message  .= '</td>';
404.         $message  .= '</tr>';
405.
406.         $message  .= '<tr>';
407.         $message  .= '<td colspan="3">';
408.         $message  .= 'Terimakasih telah mempercayakan GCSDITRO sebagai mitra
Anda. Silahkan tunggu samapi admin menverifikasi datamu.';
409.         $message  .= '<td>';
410.         $message  .= '</tr>';
411.         $message  .= '<tr>';
412.
413.         // $message  .= '<tr>';
414.         // $message  .= '<td colspan="3">';
415.         // $message  .= 'Ini informasi Login kamu :';
416.         // $message  .= '<td>';
417.         // $message  .= '</tr>';

```

```

418. // $message .=<tr>;
419.
420. // $message .=<tr>;
421. // $message .=<th style="width:90px; text-align:left;">Nama</th>;
422. // $message .=<td>:</td>;
423. // $message .=<td>.$dataCalon['nama_pendaftar'].</td>;
424. // $message .=</tr>;
425. // $message .=<tr>;
426. // $message .=<th style="text-align:left;">Username</th>;
427. // $message .=<td>:</td>;
428. // $message .=<td>.$dataCalon['username'].</td>;
429. // $message .=</tr>;
430. // $message .=<tr>;
431. // $message .=<th style="text-align:left;">Password</th>;
432. // $message .=<td>:</td>;
433. // $message .=<td>.$password.</td>;
434. // $message .=</tr>;
435. // $message .=<tr>;
436. // $message .=<td colspan='3'>Untuk keamanan, jangan beritahukan kepada
        siapapun informasi login kamu</td>;
437. // $message .=</tr>;
438.
439. $message .=</table>;
440. $message .=<p></p>;
441. $message .=<table style="width:100%;margin:30px auto;padding:0;text-
        align:center" align="center" width="100%" cellpadding="0" cellspacing="0">;
442. $message .=<tr>
443. <td>
444. Regards,<br>
445. <a href="https://gcsdistro.com/" target="_blank">GCSDISTRO.com</a>
446. </td>
447. </tr>;
448. $message .=</table>
449. ';
450.
451.
452. $message .=<table style="width:auto;max-width:570px;margin:0
        auto;padding:0;text-align:center" align="center" width="570" cellpadding="0"
        cellspacing="0">
453. <tbody>
454. <tr>
455. <td style="font-family:Arial,"Helvetica Neue",Helvetica,sans-
        serif;color:#aeaeae;padding:35px;text-align:center">
456. <p style="margin-top:0;color:#74787e;font-size:12px;line-height:1.5em">
457. © 2018
458. <a style="color:#3869d4" href="https://gcsdistro.com/"
        target="_blank">GCSDISTRO.com</a>.
459. All rights reserved.
460. </p>
461. </td>
462. </tr>
463. </tbody>
464. </table>;
465.
466. $attachments = array();

```

```

467.     $send_email = $this->M_global->send_email(defaultFormEmail(),
468.     defaultFormName(), $email, "", $subject, $message,$attachments );
469.     //$this->sendEmail($email,$subject,$message);
470. }
471. }
472.

```

```

=====
Nama berkas   : M_front.php
Lokasi berkas : localhost\gcs\application\models
=====

```

```

1.  <?php
2.  defined('BASEPATH') OR exit('No direct script access allowed');
3.
4.  class M_front extends CI_Model {
5.
6.      public function __construct() {
7.          parent::__construct();
8.          $this->load->database();
9.      }
10.
11.     public function getWebgis() {
12.         $this->db->select("");
13.         $this->db->from("tbl_kios");
14.         $this->db->where('status_approve = 2');
15.         $query = $this->db->get();
16.         $result = $query->result();
17.         // echo $this->db->last_query();
18.         // die;
19.         return $result;
20.     }
21.
22. }

```

```

=====
Nama berkas   : M_global.php
Lokasi berkas : localhost\gcs\application\models
=====

```

```

1.  <?php
2.
3.  class M_global extends CI_Model {
4.      function __construct() {
5.          parent::__construct();
6.      }
7.
8.      function send_email($fromEmail, $fromName, $to, $cc, $subject, $template,
9.      $attach = array()){
10.         /*$this->load->library('email');
11.         $fromemail="ad@c.com";
12.         $toemail = "user@email.id";
13.         $subject = "Mail Subject is here";
14.         $data=array();
15.         // $mesg = $this->load->view('template/email',$data,true);
16.         // or

```



```

16.     $mesg = $this->load->view('template/email','',true);
17.
18.     $config=array(
19.     'charset'=>'utf-8',
20.     'wordwrap'=> TRUE,
21.     'mailtype' => 'html'
22.     );
23.
24.     $this->email->initialize($config);
25.     $this->email->to($toemail);
26.     $this->email->from($fromemail, "Title");
27.     $this->email->subject($subject);
28.     $this->email->message($mesg);
29.     $mail = $this->email->send();*/
30.
31.     $config = Array (
32.         'protocol' => 'smtp',
33.         'smtp_host' => 'ssl://smtp.googlemail.com',
34.         'smtp_port' => 465,
35.         'smtp_user' => 'budum377@gmail.com',
36.         'smtp_pass' => 'Budum123',
37.         'mailtype' => 'html',
38.         'charset' => 'iso-8859-1'
39.     );
40.     $this->load->library ( 'email', $config );
41.     $this->email->set_newline ( "\r\n" );
42.     /*$this->email->initialize ($config);*/
43.     $this->email->from ( $fromEmail, $fromName );
44.     $this->email->to ( $to );
45.     $this->email->cc ( $cc );
46.     $this->email->subject ( $subject );
47.     $this->email->message ( $template );
48.     $this->email->reply_to("csgcsdistro@gmail.com");
49.     if (count ( $attach ) > 0) {
50.         for($i = 0; $i < count ( $attach ); $i ++) {
51.             $this->email->attach ( $attach [$i] );}
52.     }
53.
54.     if ($this->email->send()) {
55.         $this->email->clear ( TRUE );
56.         return true;
57.     } else {
58.         echo $this->email->print_debugger();die;
59.         return false;
60.         //return true; }
61.     }
62. }
63. ?>

```

```

=====
Nama berkas   : M_login.php
Lokasi berkas : localhost\gcs\application\models
=====

```

```

1.     <?php
2.

```

```

3. class M_login extends CI_Model {
4.
5.     function checkLogin($username, $password) {
6.         $this->db->select('*');
7.         $this->db->from('tbl_petugas p');
8.         $this->db->where('p.email', $username);
9.         $this->db->where('p.password', $password);
10.        $query = $this->db->get();
11.        if ($query->num_rows() > 0) {
12.            $querycheck = $query->row();
13.            $dataArr = array(
14.                'UserID'           => $querycheck->id_petugas,
15.                'Username'         => $querycheck->nama_lengkap,
16.                'UserStatus'       => $querycheck->bagian,
17.                'project_name'     => 'GCSDistro',
18.                'copyright'        => '&copy; 2019',
19.                'established'      => '2019'
20.            );
21.            $this->session->set_userdata('loginData', $dataArr);
22.            return true;
23.        }else{
24.            return false;
25.        }
26.    }
27.
28.    function checkPengecer($email, $password) {
29.        $this->db->select('*');
30.        $this->db->from('tbl_pengecer u');
31.        $this->db->where('u.email', $email);
32.        $this->db->where('u.password', $password);
33.        $this->db->join('tbl_pengajuan_kemitraan', 'tbl_pengajuan_kemitraan.
            id_pengecer = u.id_pengecer');
34.        $this->db->where('tbl_pengajuan_kemitraan.status', 2);
35.        $query = $this->db->get();
36.        if ($query->num_rows() > 0) {
37.            $querycheck = $query->row();
38.            $dataArr = array(
39.                'UserID'           => $querycheck->id_pengecer,
40.                'Username'         => $querycheck->nama_lengkap,
41.                'UserStatus'       => 'pengecer',
42.                'project_name'     => 'GCSDistro',
43.                'copyright'        => '&copy; 2019',
44.                'established'      => '2019'
45.            );
46.            $this->session->set_userdata('loginData', $dataArr);
47.            return true;
48.        }else{
49.            return false;
50.        }
51.    }
52.
53.    function checkKurir($email, $password) {
54.        $this->db->select('*');
55.        $this->db->from('tbl_kurir u');
56.        $this->db->where('u.email', $email);

```

```

57.     $this->db->where('u.password', $password);
58.     $query = $this->db->get();
59.     if ($query->num_rows() > 0) {
60.         $querycheck = $query->row();
61.         $dataArr = array(
62.             'UserID' => $querycheck->id_kurir,
63.             'Username' => $querycheck->nama_lengkap,
64.             'UserStatus' => 'kurir',
65.             'project_name' => 'GCSDistro',
66.             'copyright' => '&copy; 2019',
67.             'established' => '2019'
68.         );
69.         $this->session->set_userdata('loginData', $dataArr);
70.         return true;
71.     }else{
72.         return false;
73.     }
74. }
75.
76. public function checkLoginAppsAdmin($username, $password) {
77.     $this->db->select('*');
78.     $this->db->from('tbl_user u');
79.     $this->db->where('u.username', $username);
80.     $this->db->where('password', md5($password));
81.     $query = $this->db->get();
82.     $result = $query->row();
83.     return $result;
84. }
85.
86. public function getIDlogin($id) {
87.     $this->db->select('*');
88.     $this->db->from('tbl_login_info');
89.     $this->db->where('username', $id);
90.     $query = $this->db->get();
91.     $result = $query->row();
92.     return $result;
93. }
94.
95. }
96.

```

```

=====
Nama berkas   : M_pengecer.php
Lokasi berkas : localhost\gcs\application\models
=====

```

```

1. <?php
2. /**
3. *
4. */
5. class M_pengecer extends CI_Model
6. {
7.
8.     function __construct(){
9.         parent::__construct();
10.    }

```

```

11.
12.     public function getPengecer(){
13.         $this->db->select('*');
14.         $this->db->from('tbl_pengecer');
15.         $this->db->join('tbl_kios','tbl_kios.id_pengecer = tbl_pengecer.id_pengecer');
16.         $this->db->join('tbl_pengajuan_kemitraan','tbl_pengajuan_kemitraan.id_kios
17.             = tbl_kios.id_kios');
18.         // $this->db->join('tbl_referensi','tbl_pengajuan_kemitraan.id_referensi =
19.             tbl_referensi.id_referensi');
20.         $query = $this->db->get();
21.         $result = $query->result();
22.         return $result;
23.     }
24.
25.     public function getPengecerDetail($id){
26.         $this->db->select('*');
27.         $this->db->from('tbl_pengecer');
28.         $this->db->where('id_pengecer' , $id);
29.         $query = $this->db->get();
30.         $result = $query->row();
31.         return $result;
32.     }
33.
34.     public function getPetugasDetail($id){
35.         $this->db->select('*');
36.         $this->db->from('tbl_petugas');
37.         $this->db->where('id_petugas' , $id);
38.         $query = $this->db->get();
39.         $result = $query->row();
40.         return $result;
41.     }
42.
43.     public function getKurirDetail($id){
44.         $this->db->select('*');
45.         $this->db->from('tbl_kurir');
46.         $this->db->where('id_kurir' , $id);
47.         $query = $this->db->get();
48.         $result = $query->row();
49.         return $result;
50.     }
51.
52.     public function kode_otomatis(){
53.         $this->db->select('RIGHT(tbl_pengecer.kode_pengecer, 6) as kode',
54.             FALSE);
55.         $this->db->order_by('kode_pengecer','DESC');
56.         $this->db->limit(1);
57.
58.         $query = $this->db->get('tbl_pengecer');
59.         if($query->num_rows()<>0){
60.             $data = $query->row();
61.             $kode = intval($data->kode)+1;
62.         }else{
63.             $kode = 1;
64.         }
65.         $kode_max = str_pad($kode,6,"0",STR_PAD_LEFT);

```

```

63.         $kode_jadi = "PGC".$kode_max;
64.         return $kode_jadi;
65.     }
66. }
67.
68. ?>

```

```

=====
Nama berkas   : M_kios.php
Lokasi berkas : localhost\gcs\application\models\
=====

```

```

1.  <?php
2.  /**
3.  *
4.  */
5.  class M_kios extends CI_Model
6.  {
7.
8.      function __construct(){
9.          parent::__construct();
10.     }
11.
12.     public function getKios(){
13.         $this->db->select('*');
14.         $this->db->from('tbl_kios');
15.         $query = $this->db->get();
16.         $result = $query->result();
17.         return $result;
18.     }
19.
20.     public function getKiosGm(){
21.         $this->db->select('*');
22.         $this->db->from('tbl_kios');
23.         $this->db->join('tbl_pengecer' , 'tbl_pengecer.id_pengecer = tbl_kios.
id_pengecer');
24.         $this->db->join('tbl_pengajuan_kemitraan','tbl_pengajuan_kemitraan.
id_pengecer = tbl_pengecer.id_pengecer');
25.         $this->db->join('tbl_lapsurvey','tbl_lapsurvey.id_pengajuan =
tbl_pengajuan_kemitraan.id_penganjuan');
26.         $this->db->where('status_approve = 2');
27.         $query = $this->db->get();
28.         $result = $query->result();
29.         return $result;
30.     }
31.
32.     public function getKiosDetail($id){
33.         $this->db->select('*');
34.         $this->db->from('tbl_kios');
35.         $this->db->where('id_kios' , $id);
36.         $query = $this->db->get();
37.         $result = $query->row();
38.         return $result;
39.     }
40.
41.     public function getStokkios($id){

```

```

42.     $this->db->select('*');
43.     $this->db->join('tbl_stokkios','tbl_stokkios.id_kios = tbl_kios.id_kios');
44.     $this->db->from('tbl_kios');
45.     $this->db->where('tbl_kios.id_kios' , $id);
46.     $query = $this->db->get();
47.     $result = $query->result();
48.     return $result;
49. }
50.
51. public function getKiosDetailID($id){
52.     $this->db->select('*');
53.     $this->db->from('tbl_kios');
54.     $this->db->join('tbl_pengecer','tbl_pengecer.id_pengecer = tbl_kios.id_kios');
55.     $this->db->where('id_kios', $id);
56.     $query = $this->db->get();
57.     $result = $query->row();
58.     return $result;
59. }
60.
61. public function getPengecerDetailID($id){
62.     $this->db->select('*',tbl_pengecer.nama_lengkap as nama, tbl_pengecer.
        email as email_pengecer');
63.     $this->db->from('tbl_pengecer');
64.     $this->db->join('tbl_kios','tbl_kios.id_pengecer = tbl_pengecer.id_pengecer',
        'left');
65.     $this->db->where('id_kios', $id);
66.     $query = $this->db->get();
67.     $result = $query->row();
68.     return $result;
69. }
70. }
71.
72. ?>

```

```

=====
Nama berkas   : M_permohonan.php
Lokasi berkas : localhost\gcs\application\models
=====

```

```

1.  <?php
2.  /**
3.   *
4.   */
5.  class M_permohonan extends CI_Model
6.  {
7.
8.      function __construct(){
9.          parent::__construct();
10.     }
11.
12.     public function getKios(){
13.         $this->db->select('*');
14.         $this->db->from('tbl_kios');
15.         $this->db->join('tbl_pengecer','tbl_pengecer.id_pengecer = tbl_kios.
            id_pengecer ');

```

```

16.         $this->db->join('tbl_pengajuan_kemitraan', 'tbl_pengajuan_kemitraan.
           id_pengecer = tbl_pengecer.id_pengecer');
17.         $this->db->join('tbl_referensi', 'tbl_referensi.id_referensi = tbl_pengajuan_
           kemitraan.id_referensi', 'left');
18.         $query = $this->db->get();
19.         $result = $query->result();
20.         return $result;
21.     }
22.
23.     public function getListPemohon(){
24.         $this->db->select('*');
25.         $this->db->from('tbl_kios');
26.         $this->db->join('tbl_pengecer', 'tbl_pengecer.id_pengecer = tbl_kios.
           id_pengecer');
27.         $this->db->join('tbl_pengajuan_kemitraan', 'tbl_pengajuan_kemitraan.
           id_pengecer = tbl_pengecer.id_pengecer');
28.         $query = $this->db->get();
29.         $result = $query->result();
30.         return $result;
31.     }
32.
33.     public function getPengecerID($id){
34.         $this->db->select('*');
35.         $this->db->from('tbl_pengecer');
36.         $this->db->where('id_pengecer', $id);
37.         $query = $this->db->get();
38.         $result = $query->row();
39.         return $result;
40.     }
41.
42.     public function getReferensiID($id){
43.         $this->db->select('*');
44.         $this->db->from('tbl_referensi');
45.         $this->db->where('id_referensi', $id);
46.         $query = $this->db->get();
47.         $result = $query->row();
48.         return $result;
49.     }
50.
51.     public function getRef(){
52.         $this->db->select('*');
53.         $this->db->from('tbl_referensi');
54.         $query = $this->db->get();
55.         $result = $query->result();
56.         return $result;
57.     }
58.
59.     public function getKiosID($id){
60.         $this->db->select('*');
61.         $this->db->from('tbl_kios');
62.         $this->db->where('tbl_kios.id_kios', $id);
63.         // $this->db->join('tbl_pengecer', 'tbl_pengecer.id_pengecer = tbl_kios.
           id_pengecer');
64.         // $this->db->join('tbl_pengajuan_kemitraan', 'tbl_pengajuan_kemitraan.
           id_pengecer = tbl_pengecer.id_pengecer');

```

```

65.         // $this->db->join('tbl_referensi','tbl_referensi.id_referensi = tbl_pengajuan
66.         _kemitraan.id_referensi','left');
67.         $query = $this->db->get();
68.         $result = $query->row();
69.         return $result;
70.     }
71.     public function kode_otomatis(){
72.         $this->db->select('RIGHT(tbl_pengajuan_kemitraan.kode_pengajuank, 6)
73.         as kode',FALSE);
74.         $this->db->order_by('kode_pengajuank','DESC');
75.         $this->db->limit(1);
76.         $query = $this->db->get('tbl_pengajuan_kemitraan');
77.         if($query->num_rows()<>0){
78.             $data = $query->row();
79.             $kode = intval($data->kode)+1;
80.         }else{
81.             $kode = 1;
82.         }
83.         $kode_max = str_pad($kode,6,"0",STR_PAD_LEFT);
84.         $kode_jadi = "PNJK".$kode_max;
85.         return $kode_jadi;
86.     }
87.
88. }
89.
90. ?>

```

```

=====
Nama berkas   : M_umum.php
Lokasi berkas : localhost\gcs\application\models
=====

```

```

1.  <?php
2.
3.  class M_umum extends CI_Model {
4.  function __construct() {
5.      parent::__construct();
6.  }
7.
8.  function generatePesan($pesan, $type) {
9.      if ($type == "berhasil") {
10.         $str = '<div class="alert alert-block alert-success">
11.         <button type="button" class="close" data-dismiss="alert">
12.         <i class="ace-icon fa fa-times"></i>
13.         </button>
14.
15.         <!--<i class="ace-icon fa fa-check green"></i>-->
16.         '.$pesan.'
17.         </div>;
18.     } elseif($type=="gagal") {
19.         $str = '<div class="alert alert-block alert-danger">
20.         <button type="button" class="close" data-dismiss="alert">
21.         <i class="ace-icon fa fa-times"></i>
22.         </button>

```



```

23.
24.     <!--<i class="ace-icon fa fa-times red"></i-->
25.     '.$pesan.'
26.     </div>;
27.     }elseif($type=="pengajuan"){
28.     $str = '<div class="alert alert-block alert-warning">
29.     <button type="button" class="close" data-dismiss="alert">
30.     <i class="ace-icon fa fa-times"></i>
31.     </button>
32.
33.     '.$pesan.'
34.     </div>';
35.     }else{
36.     $str = '<div class="alert alert-block alert-warning">
37.     <button type="button" class="close" data-dismiss="alert">
38.     <i class="ace-icon fa fa-times"></i>
39.     </button>
40.
41.     '.$pesan.'
42.     </div>';
43.     }
44.
45.     $this->session->set_flashdata('msgbox',$str);
46.     return $str;
47.     }
48.
49.     function formatTanggal($datetime,$format='d/m/Y'){
50.         $time = strtotime($datetime);
51.         $myFormatForView = date($format, $time);
52.         return $myFormatForView;
53.     }
54.     }
55.

```

```

=====
Nama berkas   : ajukan.php
Lokasi berkas : localhost\gcs\application\views\front
=====

```

```

1.     <?php include 'include/head.php' ?>
2.     <?php include 'include/style.php' ?>
3.     <?php include 'include/topnavbar.php' ?>
4.     <div class="card" style="width: auto;" >
5.     <div class="row center" align="">
6.     <!-- Description -->
7.     <div class="col-12">
8.     <div class="card border-light mb-3">
9.     <div class="card-body">
10.    <form action="<?= base_url('front/dashboard/formPengecer');?>" method="post">
11.    <div class="form-group">
12.    <div class="col-sm-12" >
13.    <centre> <h2><b>Syarat & Ketentuan Layanan</b></h2><centre>
14.    </div>
15.    </div>
16.    <br>

```

```
17. <div class="col-sm-12" ><br> <b> <h4>Persyaratan Pengajuan Kemitraan Calon
Mitra menyiapkan kelengkapan administrasi berupa:</h4></b><br>
18. <h7>
19. 1. Scan Surat Izin Usaha Perdagangan (SIUP).
20. <br>
21. 2. Scan Tanda Daftar Perusahaan (TDP).
22. <br>
23. 3. Scan Nomor Pokok Wajib Pajak (NPWP) Personal atau Badan Usaha.
24. <br>
25. 4. Scan KTP dan Foto Calon Mitra.
26. <br>
27. 5. Memiliki pengurus aktif dan sarana penyaluran produk.
28. <br>
29. 6. Menyertakan lokasi kios dan foto kios.
30. <br>
31. 7. Memiliki permodalan yang cukup.
32. <br>
33. 8. Mengisi formulir pengajuan kemitraan online.
34. <br>
35. <br></h7>
36.
37. <h4><b>Ketentuan Kebijakan Perusahaan</b></h4><br>
38. <h7>Harap dicatat bahwa perusahaan sewaktu-waktu dapat melakukan
perubahan terhadap Kebijakan ini. Perubahan apa pun terhadap kebijakan ini
serta versi terbaru dan autentik dari Kebijakan ini akan diterbitkan pada
halaman ini. Periksa kembali dari waktu ke waktu untuk memastikan bahwa
Anda telah membaca versi terbaru dari Kebijakan ini. Dengan cara yang sesuai,
Perusahaan akan menyampaikan perubahan penting apa pun dalam Kebijakan
ini kepada para mitra.</h7>
39. <br><br>
40.
41. </div>
42. <div class="form-group">
43. <div class="col-sm-9">
44. <h4> <input type="checkbox" required/> &nbsp;Saya telah membaca &
menyetujui persyaratan</h4>
45. <label class="col-sm-12 control-label no-padding-right" for="form-field-1">
</label>
46. </div>
47. </div>
48.
49. <br>
50. <div class="clearfix form-actions">
51. <div class="col-md-offset-3 col-md-9">
52. <button class="btn btn-md btn-primary" type="submit">
53. <i class="ace-icon fa fa-check bigger-110"></i>
54. Selanjutnya
55. </button>
56. </div>
57. </div>
58. <!-- </form> -->
59. </div>
60. </div>
61. </div>
62. </div>
```

63. </div>  
64.  
65. <?php include 'include/scripts.php' ?>  
66.

=====  
Nama berkas : depan.php  
Lokasi berkas : localhost\gcs\application\views\front  
=====

```
1. <aside id="fh5co-hero" name="about">
2. <div class="flexslider" style="text-align:center;">
3. <ul class="slides">
4. <li style="background-image: url('<?php echo base_url('upload/')?>sebastian-pena-
   lambarri-1iUXUgUQMCY-unsplash.jpg');">
5. <div class="overlay-gradient"></div>
6. <div class="container">
7. <div class="row" style="">
8. <div class="col-md-12 col-md-offset-2 text-center slider-text">
9. <div class="slider-text-inner" >
10. <h1>Bergabunglah bersama kami menjadi <span>Mitra </span> GCS.</h1>
11. <h2>"Rasakan pengalaman menjadi mitra perusahaan yang telah
    memberikan pelayanan lebih dari 10 tahun."</h2>
12. <p><a class="btn btn-primary btn-lg" href="<?php echo
    base_url('depan/ajukan')?>">Ajukan Kemitraan!</a></p>
13.
14. </div>
15. </div>
16. </div>
17. </div>
18. </li>
19. <li style="background-image: url('<?php echo base_url('upload/')?>andre-ouellet-
    maCrimfIJK-unsplash.jpg');">
20. <div class="overlay-gradient"></div>
21. <div class="container">
22. <div class="row" style="">
23. <div class="col-md-12 col-md-offset-2 text-center slider-text">
24. <div class="slider-text-inner">
25. <h1>Ayo Mulai Menjadi Mitra Kami, Tanpa Dipungut Biaya! </h1>
26. <p><a class="btn btn-primary btn-lg" href="<?php echo
    base_url('depan/ajukan')?>">Ajukan Kemitraan!</a></p>
27. </div>
28. </div>
29. </div>
30. </div>
31. </li>
32. <li style="background-image: url('<?php echo base_url('upload/')?>luke-paris-
    BFTk0rA-ykl-unsplash.jpg');">
33. <div class="overlay-gradient"></div>
34. <div class="container">
35. <div class="row" style="">
36. <div class="col-md-12 col-md-offset-2 text-center slider-text">
37. <div class="slider-text-inner">
38. <h1>Berbagai Penawaran Menarik Menanti !</h1>
39. <p><a class="btn btn-primary btn-lg" href="<?php echo
    base_url('depan/ajukan')?>">Ajukan Kemitraan!</a></p>
```

```

40. </div>
41. </div>
42. </div>
43. </div>
44. </li>
45. </ul>
46. </div>
47. </aside>
48. <div id="about" name="about" style="margin-top:50px;">
49. <div id="fh5co-course-categories ">
50. <div class="container">
51. <div class="row animate-box">
52. <div class="col-md-6 col-md-offset-3 text-center fh5co-heading">
53. <h2>Pengajuan Prosedur</h2>
54. <p>Prosedur pengajuan kemitraan terdiri dari 3 (tiga) tahap, yaitu :</p>
55. </div>
56. </div>
57. <div class="row">
58. <div class="col-md-4 col-sm-6 text-center animate-box">
59. <div class="services">
60. <span class="icon">
61. <i class="icon-head"></i>
62. </span>
63. <div class="desc">
64. <h3><a href="#">Proses Input Data</a></h3>
65. <p>Dimana pendaftar telah membaca persyaratan & ketentuan perusahaan.
    Kemudian mengisi informasi detail mengenai data personal, data kios dan
    data referensi untuk dapat mengajukan kemitraan perusahaan.</p>
66. </div>
67. </div>
68. </div>
69. <div class="col-md-4 col-sm-6 text-center animate-box">
70. <div class="services">
71. <span class="icon">
72. <i class="icon-lab2"></i>
73. </span>
74. <div class="desc">
75. <h3><a href="#"> Proses Verifikasi</a></h3>
76. <p>- Seleksi Kelengkapan Administrasi<br>- Seleksi Kesiapan Finansial<br>-
    Seleksi Kesiapan Kios</p>
77. </div>
78. </div>
79. </div>
80. <div class="col-md-4 col-sm-6 text-center animate-box">
81. <div class="services">
82. <span class="icon">
83. <i class="icon-home-outline"></i>
84. </span>
85. <div class="desc">
86. <h3><a href="#">Proses Survei Lapangan</a></h3>
87. <p>Bertujuan untuk menyamakan data yang telah diinput Calon Mitra dengan
    fakta di lapangan.</p>
88. </div>
89. </div>
90. </div>

```

```

91.
92. </div>
93. </div>
94. </div>
95. </div>
96.
97. <br>
98. <br>
99. <br>
100. <style>
101. #mapCanvas {
102.     width: 800px;
103.     height: 500px;
104. }
105. #infoPanel {
106.     float: left;
107.     margin-left: 10px;
108. }
109. #infoPanel div {
110.     margin-bottom: 5px;
111. }
112. </style>
113.
114. <div class="container-fluid gtco-testimonials" id="webgis" style="margin-top:
115.     100px;">
116. <div class="container">
117.     <h2>WebGIS Mitra Perusahaan</h2>
118. <div class="" style="margin-top:-50px;">
119. <div class="row form-group" style="padding: 10px;">
120. <div id="map" style="height: 500px;" class="col-md-12"></div>
121. </div>
122. </div>
123. </div>
124. </div>
125. <script>
126.     var map;
127.     function initMap() {
128.         map = new google.maps.Map(document.getElementById('map'), {
129.             center: {lat:-5.450000, lng: 105.266670},
130.             zoom: 12
131.         });
132.
133.
134.     <?php
135.     $query = "select * from tbl_kios";
136.     $data_kios = $this->db->query($query)->result_array();
137.     $dataMaps = [];
138.     foreach ($data_kios as $key => $value) {
139.     $dataMaps[] = [$value['nama_kios'],$value['lat'],$value['lang']];
140.     }
141.     ?>
142.     var locations = <?= json_encode($dataMaps) ?>;
143.
144.     var infowindow = new google.maps.InfoWindow();

```

```

145.
146.     var marker, i;
147.
148.     for (i = 0; i < locations.length; i++) {
149.         marker = new google.maps.Marker({
150.             position: new google.maps.LatLng(locations[i][1], locations[i][2]),
151.             map: map
152.         });
153.
154.         google.maps.event.addListener(marker, 'click', (function(marker, i) {
155.             return function() {
156.                 infowindow.setContent(locations[i][0]);
157.                 infowindow.open(map, marker);
158.             }
159.         })(marker, i));
160.     }
161. }
162. </script>
163. <script src="https://maps.googleapis.com/maps/api/js?key=
AlzaSyDmLLmleQHgZH-7cZS9VeBaMqoBLrtSK7c&callback=initMap"
164. async defer></script>
165.
166.
167. <div class="container-fluid gtco-testimonials" id="tentang">
168. <div class="container">
169. <h2>Tentang Layanan</h2>
170. <div class="" style="margin-top:-50px;">
171. <div class="col-sm-12">
172. <div class="card border-light mb-3">
173. <div class="card-body">
174. <form action="<?= base_url('front/dashboard/formPengecer');?>" method="post">
175. <div class="form-group">
176. <div class="col-sm-12" >
177. <center><h3>Syarat & Ketentuan Layanan</h3></center>
178.
179. </div>
180. </div>
181. <br>
182. <br> <b> <h4>Persyaratan Pengajuan Kemitraan Calon Mitra menyiapkan
kelengkapan administrasi berupa:</h4></b><br>
183. <h7>
184. 1. Scan Surat Izin Usaha Perdagangan (SIUP).
185. <br>
186. 2. Scan Tanda Daftar Perusahaan (TDP).
187. <br>
188. 3. Scan Nomor Pokok Wajib Pajak (NPWP) Personal atau Badan Usaha.
189. <br>
190. 4. Scan KTP dan Foto Calon Mitra.
191. <br>
192. 5. Memiliki pengurus aktif dan sarana penyaluran produk.
193. <br>
194. 6. Menyertakan lokasi kios dan foto kios.
195. <br>
196. 7. Memiliki permodalan yang cukup.
197. <br>

```

198. 8. Mengisi formulir pengajuan kemitraan online.  
 199. <br>  
 200. <br>  
 201. <br>  
 202. <br>  
 203. </h7>  
 204.  
 205. <h4><b>Ketentuan Kebijakan Perusahaan</b></h4><br>  
 206. <h7> Harap dicatat bahwa perusahaan sewaktu-waktu dapat melakukan perubahan terhadap Kebijakan ini. Perubahan apa pun terhadap kebijakan ini serta versi terbaru dan autentik dari Kebijakan ini akan diterbitkan pada halaman ini. Periksalah kembali dari waktu ke waktu untuk memastikan bahwa Anda telah membaca versi terbaru dari Kebijakan ini. Dengan cara yang sesuai, Perusahaan akan menyampaikan perubahan penting apa pun dalam Kebijakan ini kepada para mitra.</h7>  
 207. <br>  
 208. <br>  
 209. <br>  
 210.  
 211. </div>  
 212. </div>  
 213. </div>  
 214. </div>  
 215. </div>  
 216. <br>  
 217.  
 218. </div>  
 219. </div>  
 220. </div>  
 221.

```
=====
Nama berkas : formPengecer.php
Lokasi berkas : localhost\gcs\application\views\front
=====
```

```
1. <?php include 'include/head.php' ?>
2. <?php include 'include/style.php' ?>
3. <?php include 'include/topnavbar.php' ?>
4.
5. <div class="row">
6. <!-- Description -->
7. <div class="col-12">
8. <div class="card" style="width: auto;" >
9. <div class="card-body">
10. <div class="page-header">
11. <h3>Mengisi Data Personal</h3>
12. </div>
13. </br>
14. <form class="form-horizontal" method="post" action="<?= base_url(). 'front/
    dashboard/doAddPengecer'?" role="form" enctype="multipart/form-data">
15. <?php
16. $dataOld = $this->session->flashdata('oldPost');
17. echo $this->session->flashdata('msgbox');?>
18. <!-- #section:elements.form -->
19. <div class="form-group">
```

```

20. <div class="col-sm-2" style="border-bottom: 2px solid #6EBACC;">
21.     Harap isi isian di bawah ini:
22. </div>
23. </div>
24. <div class="form-group">
25. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nama
    Lengkap <span style="color:red;font-weight:bold">*</span></label>
26. <div class="col-sm-9">
27. <input type="text" id="form-field-1" name="nama_lengkap" value="<?=$dataOld
    ['nama_lengkap'];?>" placeholder="Isi Nama Lengkap" class="form-control"
    required/>
28.
29. </div>
30. </div>
31. <div class="form-group">
32. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Jenis
    Kelamin <span style="color:red;font-weight:bold">*</span></label>
33. <div class="col-sm-9">
34. <select name="jenis_kelamin" class="form-control" required>
35. <option value="L" <?=$dataOld['jenis_kelamin']=='L'?selected:'">Laki-Laki
    </option>
36. <option value="P" <?=$dataOld['jenis_kelamin']=='P'?selected:'">Perempuan
    </option>
37. </select>
38. </div>
39. </div>
40. <div class="form-group">
41. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Tempat
    Lahir <span style="color:red;font-weight:bold">*</span></label>
42. <div class="col-sm-9">
43. <input type="text" name="tempat_lahir" value="<?=$dataOld['tempat_lahir'];?>"
    placeholder="Isi Tempat Lahir" class="form-control" >
44. </div>
45. </div>
46. <div class="form-group">
47. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Tanggal
    Lahir <span style="color:red;font-weight:bold">*</span></label>
48. <div class="col-sm-9">
49. <input type="date" name="tanggal_lahir" value="<?=$dataOld['tgl_lahir'];?>"
    placeholder="Isi Tanggal Lahir" class="form-control" >
50. </div>
51. </div>
52.
53. <div class="form-group">
54. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">No KTP
    <span style="color:red;font-weight:bold">*</span></label>
55. <div class="col-sm-9">
56. <input type="number" name="no_ktp" value="<?=$dataOld['no_ktp'];?>"
    placeholder="Isi No KTP" class="form-control" >
57. </div>
58. </div>
59. <div class="form-group">
60. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">No NPWP
    <span style="color:red;font-weight:bold">*</span></label>
61. <div class="col-sm-9">

```



```

62. <input type="number" name="no_npwp" value="<?=$dataOld['no_npwp'];?>"
placeholder="Isi No NPWP" class="form-control" >
63. </div>
64. </div>
65. <div class="form-group">
66. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Alamat
Tinggal <span style="color:red;font-weight:bold">*</span></label>
67. <div class="col-sm-9">
68. <textarea name="alamat_tinggal" placeholder="Isi Alamat Tinggal" class="form-
control" required><?=$dataOld['alamat_tinggal'];?></textarea>
69. </div>
70. </div>
71. <div class="form-group">
72. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Kelurahan
<span style="color:red;font-weight:bold">*</span></label>
73. <div class="col-sm-9">
74. <input type="text" name="kelurahan" value="<?=$dataOld['kelurahan'];?>"
placeholder="Isi Kelurahan" class="form-control" >
75. </div>
76. </div>
77. <div class="form-group">
78. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">
Kecamatan <span style="color:red;font-weight:bold">*</span></label>
79. <div class="col-sm-9">
80. <input type="text" name="kecamatan" value="<?=$dataOld['kecamatan'];?>"
placeholder="Isi Kecamatan" class="form-control" >
81. </div>
82. </div>
83. <div class="form-group">
84. <label class="col-sm-3 control-label no-padding-right" for="form-field-1"> Kota/
Kabupaten <span style="color:red;font-weight:bold">*</span></label>
85. <div class="col-sm-9">
86. <input type="text" name="kota_kabupaten" value="<?=$
dataOld['kota_kabupaten'];?>" placeholder="Isi Kota/Kabupaten" class="form-
control" >
87. </div>
88. </div>
89. <div class="form-group">
90. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Provinsi
<span style="color:red;font-weight:bold">*</span></label>
91. <div class="col-sm-9">
92. <input type="text" name="provinsi" value="<?=$dataOld['provinsi'];?>" placeholder
="Isi Provinsi" class="form-control" >
93. </div>
94. </div>
95. <div class="form-group">
96. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Kodepos
<span style="color:red;font-weight:bold">*</span></label>
97. <div class="col-sm-9">
98. <input type="number" id="form-field-1" name="kodepos" value="<?=$dataOld
['kodepos'];?>" placeholder="Isi Kodepos" class="form-control" required/>
99. </div>
100. </div>
101. <div class="form-group">

```

```

102. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">No Telp
<span style="color:red;font-weight:bold">*</span></label>
103. <div class="col-sm-9">
104. <input type="number" id="form-field-1" name="no_telp" value="<?=$dataOld
['no_telp'];?>" placeholder="Isi No Telp Jika tidak ada silahkan di isi dengan '0'"
class="form-control" required/>
105. </div>
106. </div>
107. <div class="form-group">
108. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">No HP
<span style="color:red;font-weight:bold">*</span></label>
109. <div class="col-sm-9">
110. <input type="number" id="form-field-1" name="no_hp" value="<?=$dataOld
['no_hp'];?>" placeholder="Isi No HP" class="form-control" required/>
111. </div>
112. </div>
113. <div class="form-group">
114. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Email
<span style="color:red;font-weight:bold">*</span></label>
115. <div class="col-sm-9" >
116. <input type="email" id="form-field-1" name="email" value="<?=$dataOld['email'];
?>" placeholder="Isi Email" class="form-control" required/>
117. </div>
118. </div>
119. <div class="form-group">
120. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Jenjang
Pendidikan <span style="color:red;font-weight:bold">*</span></label>
121. <div class="col-sm-9">
122. <!-- <input type="text" id="form-field-1" name="jenjang_pendidikan" value="<?=$
dataOld['jenjang_pendidikan'];?>" placeholder="Isi Jenjang Pendidikan"
class="form-control" required/> -->
123. <select name="jenjang_pendidikan" class="form-control" required value="<?=$
dataOld['jenjang_pendidikan'];?>" >
124. <option> Pilih Jenjang Pendidikan</option>
125. <option value="SD">SD</option>
126. <option value="SMP">SMP</option>
127. <option value="SMA">SMA</option>
128. <option value="D3">D3</option>
129. <option value="S1">S1</option>
130. <option value="S2">S2</option>
131. <option value="S3">S3</option>
132. </select>
133. </div>
134. </div>
135. <div class="form-group">
136. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nama
Bank <span style="color:red;font-weight:bold">*</span></label>
137. <div class="col-sm-9">
138. <input type="text" id="form-field-1" name="nama_bank" value="<?=$dataOld
['nama_bank'];?>" placeholder="Isi Nama Bank" class="form-control" required/>
139. </div>
140. </div>
141. <div class="form-group">
142. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">No
Rekening <span style="color:red;font-weight:bold">*</span></label>

```

```

143. <div class="col-sm-9">
144. <input type="number" id="form-field-1" name="no_rekening" value="<?= $dataOld
    ['no_rekening'];?>" placeholder="Isi No Rekening" class="form-control" required/>
145. </div>
146. </div>
147.
148. <div class="form-group">
149. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Upload
    Ktp <span style="color:red;font-weight:bold">*</span></label>
150. <div class="col-sm-9">
151. <input type="file" id="form-field-1" name="upload_ktp" placeholder="Isi Upload Ktp"
    class="form-control" required/>
152. </div>
153. </div>
154. <div class="form-group">
155. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Upload
    NPWP <span style="color:red;font-weight:bold">*</span></label>
156. <div class="col-sm-9">
157. <input type="file" id="form-field-1" name="upload_npwp" placeholder="Isi Upload
    NPWP" class="form-control" required/>
158. </div>
159. </div>
160. <div class="form-group">
161. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Upload
    Foto <span style="color:red;font-weight:bold">*</span></label>
162. <div class="col-sm-9">
163. <input type="file" id="form-field-1" name="upload_foto" placeholder="Isi Upload
    Foto" class="form-control" required/>
164. </div>
165. </div>
166. <div class="form-group">
167. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Password
    <span style="color:red;font-weight:bold">*</span></label>
168. <div class="col-sm-9">
169. <input type="text" id="form-field-1" name="password" value="<?= $dataOld
    ['password'];?>" placeholder="Isi Password" class="form-control" required/>
170. </div>
171. </div>
172. <div class="clearfix form-actions">
173. <div class="col-md-offset-3 col-md-9">
174. <button class="btn btn-info" type="submit">
175. <i class="ace-icon fa fa-check bigger-110"></i>
176.     Selanjutnya
177. </button>
178.
179. <!-- &nbsp; &nbsp; &nbsp; &nbsp;
180. <button class="btn" type="reset"><i class="ace-icon fa fa-undo bigger-
    110"></i>Reset</button> -->
181. </div>
182. </div>
183.
184. <div class="hr hr-24"></div>
185.
186. </form>
187. </div>

```

```
188. </div>
189. </div>
190. </div>
191. <?php include 'include/scripts.php' ?>
```

```
=====
Nama berkas   : formKios.php
Lokasi berkas : localhost\gcs\application\views\front
=====
```

```
1. <?php include 'include/head.php' ?>
2. <?php include 'include/style.php' ?>
3. <?php include 'include/topnavbar.php' ?>
4. <div class="row">
5. <!-- Description -->
6. <div class="col-12">
7. <div class="card" style="width:auto;" >
8. <style>
9. #mapCanvas {
10.     width: 700px;
11.     height: 400px;
12. }
13. #infoPanel {
14.     float: left;
15.     margin-left: 10px;
16. }
17. #infoPanel div {
18.     margin-bottom: 5px;
19. }
20. </style>
21. <script src="https://maps.googleapis.com/maps/api/js? key=
AlzaSyD7Mr1SnmpnkqSqZZcFDXOPK0LVGJ1aqV4"></script>
22. <div class="card-body">
23. <div class="page-header">
24.     <h3> Mengisi Data Kios </h3>
25. </div>
26. </br>
27. <form class="form-horizontal" method="post" action="<?php echo base_url().'front/
dashboard/doAddKios/'. $this->uri->segment(4)?>" role="form" enctype="multipart/
form-data">
28. <?php
29. $dataOld = $this->session->flashdata('oldPost');
30. echo $this->session->flashdata('msgbox');?>
31. <!-- #section:elements.form -->
32. <div class="form-group">
33. <div class="col-sm-2" style="border-bottom: 2px solid #6EBACC;">
34.     Harap isi isian di bawah ini:
35. </div>
36. </div>
37. <div class="form-group">
38. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nama
Kios <span style="color:red;font-weight:bold">*</span></label>
39. <div class="col-sm-9">
40. <input type="text" id="form-field-1" name="nama_kios" value="<?= $dataOld
['nama_kios'];?>" placeholder="Isi Nama Kios" class="form-control" required/>
41. </div>
```

```
42. </div>
43. <!-- <div class="form-group">
44. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Alamat
    Kios <span style="color:red;font-weight:bold">*</span></label>
45. <div class="col-sm-9">
46. <textarea name="lokasi_kios" class="form-control" required placeholder="Isi
    Alamat Kios" rows="5"><?= $dataOld['lokasi_kios'];?></textarea>
47. </div>
48. </div -->
49.
50. <div class="form-group">
51. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nomor
    Siup <span style="color:red;font-weight:bold">*</span></label>
52. <div class="col-sm-9">
53. <input type="text" id="form-field-1" name="nomor_siup" value="<?= $dataOld
    ['nomor_siup'];?>" placeholder="Isi Nomor Siup" class="form-control" required/>
54. </div>
55. </div>
56. <div class="form-group">
57. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nomor
    TDP <span style="color:red;font-weight:bold">*</span></label>
58. <div class="col-sm-9">
59. <input type="text" id="form-field-1" name="nomor_tdp" value="<?= $dataOld
    ['nomor_tdp'];?>" placeholder="Isi Nomor TDP" class="form-control" required/>
60. </div>
61. </div>
62. <div class="form-group">
63. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nomor
    NPWP <span style="color:red;font-weight:bold">*</span></label>
64. <div class="col-sm-9">
65. <input type="number" id="form-field-1" name="nomor_npwp" value="<?= $dataOld
    ['nomor_npwp'];?>" placeholder="Isi Nomor NPWP" class="form-control" required/>
66. </div>
67. </div>
68. <div class="form-group">
69. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Upload
    Siup <span style="color:red;font-weight:bold">*</span></label>
70. <div class="col-sm-9">
71. <input type="file" id="form-field-1" name="upload_siup" placeholder="Isi Upload
    Siup" class="form-control" required/>
72. </div>
73. </div>
74. <div class="form-group">
75. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Upload
    TDP <span style="color:red;font-weight:bold">*</span></label>
76. <div class="col-sm-9">
77. <input type="file" id="form-field-1" name="upload_tdp" placeholder="Isi Upload
    Siup" class="form-control" required/>
78. </div>
79. </div>
80. <div class="form-group">
81. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Upload
    NPWP <span style="color:red;font-weight:bold">*</span></label>
82. <div class="col-sm-9">
```



```
131. <br>
132.
133. <div class="hr hr-24"></div>
134.
135. </form>
136. </div>
137. </div>
138. </div>
139. </div>
140. <script type="text/javascript">
141. $(document).ready(function() {
142.     okmap();
143.     $("#findbutton").trigger('click');
144. });
145. function okmap(){
146.     var geocoder = new google.maps.Geocoder();
147.     var marker = null;
148.     var map = null;
149.     initialize();
150.     $('#findbutton').click(function (e) {
151.     var address = $("#Postcode").val();
152.     if(address == ""){
153.     address = "Bandar Lampung";
154.     }
155.     geocoder.geocode({ 'address': address }, function (results, status) {
156.     if (status == google.maps.GeocoderStatus.OK) {
157.     map.setCenter(results[0].geometry.location);
158.     marker.setPosition(results[0].geometry.location);
159.     $(latitude).val(marker.getPosition().lat());
160.     $(longitude).val(marker.getPosition().lng());
161.     } else {
162.     alert("There no such place.");
163.     }
164.     });
165.     e.preventDefault();
166.     });
167.
168.     function initialize() {
169.     var $latitude = document.getElementById('latitude');
170.     var $longitude = document.getElementById('longitude');
171.     var latitude = "";
172.     var longitude = "";
173.     var zoom = 17;
174.
175.     var LatLng = new google.maps.LatLng(latitude, longitude);
176.
177.     var mapOptions = {
178.     zoom: zoom,
179.     center: LatLng,
180.     panControl: false,
181.     zoomControl: false,
182.     scaleControl: true,
183.     mapTypeId: google.maps.MapTypeId.ROADMAP
184.     }
185.
```

```

186. map = new google.maps.Map(document.getElementById('map'), mapOptions);
187. if (marker && marker.getMap) marker.setMap(map);
188.     marker = new google.maps.Marker({
189.         position: LatLng,
190.         map: map,
191.         title: 'Drag Me!',
192.         draggable: true
193.     });
194.
195. google.maps.event.addListener(marker, 'dragend', function(marker) {
196.     var latLng = marker.latLng;
197.     $latitude.value = latLng.lat();
198.     $longitude.value = latLng.lng();
199.     });
200.     }
201. }
202. </script>
203. <?php include 'include/scripts.php' ?>

```

```

=====
Nama berkas   : formReferensi.php
Lokasi berkas : localhost\gcs\application\views\front
=====

```

```

1. <?php include 'include/head.php' ?>
2. <?php include 'include/style.php' ?>
3. <?php include 'include/topnavbar.php' ?>
4.
5. <div class="row">
6. <!-- Description -->
7. <div class="col-12">
8. <div class="card" style="width:auto;" >
9.
10. <div class="card-body">
11. <div class="page-header">
12. <h3> Mengisi Data Referensi </h3>
13. </div>
14. </br>
15. <form class="form-horizontal" method="post" action="<?= base_url().'front/
    dashboard/doAddReferensi/'. $this->uri->segment(4).'.'. $this->uri->segment(5)?>"
    role="form" enctype="multipart/form-data">
16. <?php
17. $dataOld = $this->session->flashdata('oldPost');
18. echo $this->session->flashdata('msgbox');?>
19. <!-- #section:elements.form -->
20. <div class="form-group">
21. <div class="col-sm-2" style="border-bottom: 2px solid #6EBACC;">
22.     Harap isi isian di bawah ini:
23. </div>
24. </div>
25. <div class="form-group" >
26. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Nama
    Lengkap <span style="color:red;font-weight:bold">*</span></label>
27. <div class="col-sm-9">

```



```

28. <input type="text" id="form-field-1" name="nama_lengkap" value="<?=$dataOld
[ 'nama_lengkap'];?>" placeholder="Isi Nama Lengkap" class="form-control"
required/>
29.
30. </div>
31. </div>
32. <div class="form-group">
33. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Jenis
Kelamin <span style="color:red;font-weight:bold">*</span></label>
34. <div class="col-sm-9">
35. <select name="jenis_kelamin" class="form-control" required>
36. <option <?=$dataOld['jenis_kelamin']=='L'?selected:'">Laki-Laki</option>
37. <option <?=$dataOld['jenis_kelamin']=='P'?selected:'">Perempuan</option>
38. </select>
39. </div>
40. </div>
41. <div class="form-group">
42. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Alamat
Tinggal<span style="color:red;font-weight:bold">*</span></label>
43. <div class="col-sm-9">
44. <textarea class="form-control" name="alamat_tinggal"> </textarea>
45. </div>
46. </div>
47. <div class="form-group">
48. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Kelurahan
<span style="color:red;font-weight:bold">*</span></label>
49. <div class="col-sm-9">
50. <input type="text" name="kelurahan" value="<?=$dataOld['kelurahan'];?>"
placeholder="Isi Kelurahan" class="form-control" >
51. </div>
52. </div>
53.
54. <div class="form-group">
55. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">
Kecamatan <span style="color:red;font-weight:bold">*</span></label>
56. <div class="col-sm-9">
57. <input type="text" name="kecamatan" value="<?=$dataOld['kecamatan'];?>"
placeholder="Isi Kecamatan" class="form-control" >
58. </div>
59. </div>
60. <div class="form-group">
61. <label class="col-sm-3 control-label no-padding-right" for="form-field-1"> Kota/
Kabupaten <span style="color:red;font-weight:bold">*</span></label>
62. <div class="col-sm-9">
63. <input type="text" name="kota_kabupaten" value="<?=$dataOld['kota_kabupaten']
;?>" placeholder="Isi Kota/Kabupaten" class="form-control" >
64. </div>
65. </div>
66. <div class="form-group">
67. <label class="col-sm-3 control-label no-padding-right" for="form-field-1">Provinsi
<span style="color:red;font-weight:bold">*</span></label>
68. <div class="col-sm-9">
69. <input type="text" name="provinsi" value="<?=$dataOld['provinsi'];?>"
placeholder="Isi Provinsi" class="form-control" >
70. </div>

```



115. </div>
116. </div>
- 117.
118. <?php include 'include/scripts.php' ?>

```
=====
Nama berkas   : formAjukan.php
Lokasi berkas : localhost\gcs\application\views\front
=====
```

1. <?php include 'include/head.php' ?>
2. <?php include 'include/style.php' ?>
3. <?php include 'include/topnavbar.php' ?>
4. <div class="card" style="width:auto;height:500px;" >
5. <div class="row center" align="">
6. <!-- Description -->
7. <div class="col-12">
8. <div class="card border-light mb-3">
9. <div class="card-body">
10. <form action="<?= base\_url('front/dashboard/doAddAjukan/'. \$this->uri->segment(4).'/'. \$this->uri->segment(5).'/'. \$this->uri->segment(6))?>" method="post" >
11. <div class="form-group">
- 12.
13. </div>
14. <br>
15. <br>
16. <div class="form-group">
17. <label class="col-sm-12 control-label no-padding-right" for="form-field-1">Klik Ajukan Untuk Melanjutkan </label>
- 18.
19. </div>
20. <div class="clearfix form-actions">
21. <div class="col-md-offset-3 col-md-9">
22. <button class="btn btn-primary" type="submit">
23. <i class="ace-icon fa fa-check bigger-110"></i>
24. Ajukan
25. </button>
26. </div>
27. </div>
28. <!-- </form> -->
29. </div>
30. </div>
31. </div>
32. </div>
33. </div>
34. <?php include 'include/scripts.php' ?>

```
=====
Nama berkas   : layout.php
Lokasi berkas : localhost\gcs\application\views\front
=====
```

1. <!DOCTYPE html>
2. <html class="no-js">
3. <head>
4. <?php \$this->load->view('fronts/include/head') ?>

```

5. </head>
6. <!--Start of Tawk.to Script-->
7. <script type="text/javascript">
8.   var Tawk_API=Tawk_API||{}, Tawk_LoadStart=new Date();
9.   (function(){
10.    var s1=document.createElement("script"),s0=document.getElementsByTagName(
        "script")[0];
11.    s1.async=true;
12.    s1.src='https://embed.tawk.to/5d82ee009f6b7a4457e26f7d/default';
13.    s1.charset='UTF-8';
14.    s1.setAttribute('crossorigin','*');
15.    s0.parentNode.insertBefore(s1,s0);
16.  })();
17. </script>
18. <!--End of Tawk.to Script-->
19. <body>
20. <?php $this->load->view('fronts/include/topnavbar') ?>
21.
22. <?php $this->load->view($v_content) ?>
23.
24. <?php $this->load->view('fronts/include/footer') ?>
25. <?php include 'include/scripts.php' ?>
26. </body>
27. </html>
28. <!-- <script type="text/javascript">
29.   $(document).on('click', 'a[href*="#"', function (event) {
30.     event.preventDefault();
31.     $('html, body').animate({
32.       scrollTop: $($.attr(this, 'href')).offset().top
33.     }, 500);
34.   });
35. </script -->
36.

```

```

=====
Nama berkas   : head.php
Lokasi berkas : localhost\gcs\application\views\front\include
=====

```

```

1. <meta charset="utf-8">
2. <meta http-equiv="X-UA-Compatible" content="IE=edge">
3. <title>GCS DISTRO</title>
4. <meta name="viewport" content="width=device-width, initial-scale=1">
5. <meta name="description" content="Free HTML5 Website Template by
   freehtml5.co" />
6. <meta name="keywords" content="free website templates, free html5, free
   template, free bootstrap, free website template, html5, css3, mobile first,
   responsive" />
7. <meta name="author" content="freehtml5.co" />
8.
9. <meta property="og:title" content="" />
10. <meta property="og:image" content="" />
11. <meta property="og:url" content="" />
12. <meta property="og:site_name" content="" />
13. <meta property="og:description" content="" />
14. <meta name="twitter:title" content="" />

```

```

15. <meta name="twitter:image" content="" />
16. <meta name="twitter:url" content="" />
17. <meta name="twitter:card" content="" />
18.
19. <!-- <link ref="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,
600,700" rel="stylesheet"> -->
20. <!-- <link href="https://fonts.googleapis.com/css?family=Roboto+Slab:300,400"
rel="stylesheet"> -->
21.
22. <!-- Animate.css -->
23. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/animate.css">
24. <!-- Icomoon Icon Fonts-->
25. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/icomoon.css">
26. <!-- Bootstrap -->
27. <!-- <link rel="stylesheet" href="<?php echo
base_url('asset/')?>css/bootstrap.css"> -->
28.
29. <!-- Magnific Popup -->
30. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/magnific-
popup.css">
31.
32. <!-- Owl Carousel -->
33. <link rel="stylesheet" href="<?php echo
base_url('asset/')?>css/owl.carousel.min.css ">
34. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/owl.theme.default.
min.css">
35.
36. <!-- Flexslider -->
37. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/flexslider.css">
38.
39. <!-- Pricing -->
40. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/pricing.css">
41.
42. <!-- Theme style -->
43. <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/style.css">
44.
45. <!-- Modernizr JS -->
46. <script src="<?php echo base_url('asset/')?>js/modernizr-2.6.2.min.js"></script>
47. <!-- <link rel="stylesheet" href="<?php echo base_url('asset/')?>css/bootstrap.min.css"> -->
48. <!-- FOR IE9 below -->
49. <!--[if lt IE 9]>
50. <script src="js/respond.min.js"></script>
51. <![endif]-->
52. <!-- <link href="//maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
rel="stylesheet" id="bootstrap-css"> -->
53. <!-- <script
src="//maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script> -->
54. <!-- <script
src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script> -->
55. <!------- Include the above in your HEAD tag ----->
56.
57. <!--<link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-

```

```
wvfXppqZZVQGK6TAh5PVIGOfQNHSO2xbE+QkPxCAFINEevoEH3SI0sibVcOQ  
VnN" crossorigin="anonymous"> -->
```

- 58.
59. <meta charset="utf-8">
60. <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
- 61.
62. <!-- awesome fonts css-->
63. <link href="<?= base\_url('asset\_front/') ?>css/font-awesome.css" rel="stylesheet" type="text/css">
64. <!-- owl carousel css-->
65. <link rel="stylesheet" href="<?= base\_url('asset\_front/') ?>owl-carousel/assets/owl.carousel.min.css" type="text/css">
66. <!-- Bootstrap CSS -->
67. <link rel="stylesheet" href="<?= base\_url('asset\_front/') ?>css/bootstrap.min.css">
68. <!-- <link rel="stylesheet" href="<?= base\_url('asset\_front/') ?>css/bootstrap.css">
69. <!-- custom CSS -->
70. <link rel="stylesheet" href="<?= base\_url('asset\_front/') ?>css/style.css">
71. <link href="//maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" rel="stylesheet" id="bootstrap-css">
72. <script src="//maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
73. <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
74. <!------- Include the above in your HEAD tag ----->
- 75.
76. <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet" integrity="sha384-wvfXppqZZVQGK6TAh5PVIGOfQNHSO2xbE+QkPxCAFINEevoEH3SI0sibVcOQ VnN" crossorigin="anonymous">
- 77.

```
=====  
Nama berkas : footer.php  
Lokasi berkas : localhost\gcs\application\views\front\include  
=====
```

1. <footer class="container-fluid" id="gtco-footer">
2. <div class="container">
3. <div class="row">
4. <div class="col-12">
5. <p>&copy; 2019. All Rights Reserved.</p>
6. </div>
7. </div>
8. </div>
9. </div>
10. </div>
11. </footer>

```
=====  
Nama berkas : topnavbar.php  
Lokasi berkas : localhost\gcs\application\views\front\include  
=====
```

1. <div id="page">
2. <nav class="navbar navbar-expand-lg navbar-light bg-light bg-transparent" style="height:90px;" id="gtco-main-nav">
3. <div class="container"><a class="navbar-brand">GCSDistro</a>

```

4. <!-- <button class="navbar-toggler" data-target="#my-nav"
onlick="myFunction(this)" data-toggle="collapse"><span class="bar1"></span>
<span class="bar2"></span> <span class="bar3"></span></button> -->
5. <div id="my-nav" class="collapse navbar-collapse menu-1">
6. <ul class="navbar-nav mr-auto">
7. <li class="nav-item"><a class="nav-link" href="<?= base_url('depan');?>">Home
</a></li>
8. <li class="nav-item"><a class="nav-link" href="<?= base_url('front/dashboard');?>"
>Prosedur Pengajuan</a></li>
9. <li class="nav-item"><a class="nav-link" href="<?= base_url('front/dashboard/
webgis');?>">WebGIS</a></li>
10. <li class="nav-item"><a class="nav-link" href="<?= base_url('front/dashboard/
tentang');?>">Tentang Layanan</a></li>
11. <li class="nav-item"><a class="nav-link" href="<?= base_url('login/admin');?>">
Login</a></li>
12.
13. </ul>
14. <!--<form class="form-inline my-2 my-lg-0">-->
15. <!-- <a href="<?= base_url('login/admin') ?>" class="btn btn-outline-dark my-2
my-sm-0 mr-3 text-uppercase">login</a> -->
16.
17. <!--</form>-->
18. </div>
19. </div>
20. </nav>
21.

```

```

=====
Nama berkas : scripts.php
Lokasi berkas : localhost\gcs\application\views\front\include
=====

```

```

1. <!-- jQuery -->
2. <script src="<?php echo base_url('asset')?>js/jquery.min.js"></script>
3. <!-- jQuery Easing -->
4. <script src="<?php echo base_url('asset')?>js/jquery.easing.1.3.js"></script>
5. <!-- Bootstrap -->
6. <script src="<?php echo base_url('asset')?>js/bootstrap.min.js"></script>
7. <!-- Waypoints -->
8. <script src="<?php echo base_url('asset')?>js/jquery.waypoints.min.js"></script>
9. <!-- Stellar Parallax -->
10. <script src="<?php echo base_url('asset')?>js/jquery.stellar.min.js"></script>
11. <!-- Carousel -->
12. <script src="<?php echo base_url('asset')?>js/owl.carousel.min.js"></script>
13. <!-- Flexslider -->
14. <script src="<?php echo base_url('asset')?>js/jquery.flexslider-min.js"></script>
15. <!-- countTo -->
16. <script src="<?php echo base_url('asset')?>js/jquery.countTo.js"></script>
17. <!-- Magnific Popup -->
18. <script src="<?php echo base_url('asset')?>js/jquery.magnific-popup.min.js">
</script>
19. <script src="<?php echo base_url('asset')?>js/magnific-popup-options.js">
</script>
20. <!-- Count Down -->
21. <script src="<?php echo base_url('asset')?>js/simplyCountdown.js"></script>
22. <!-- Main -->

```

```
23. <script src="<?php echo base_url('asset/')?>js/main.js"></script>
24. <script>
25.   var d = new Date(new Date().getTime() + 1000 * 120 * 120 * 2000);
26.
27.   // default example
28.   simplyCountdown('.simply-countdown-one', {
29.     year: d.getFullYear(),
30.     month: d.getMonth() + 1,
31.     day: d.getDate()
32.   });
33.
34.   //jQuery example
35.   $('#simply-countdown-losange').simplyCountdown({
36.     year: d.getFullYear(),
37.     month: d.getMonth() + 1,
38.     day: d.getDate(),
39.     enableUtc: false
40.   });
41. </script>
```

=====



