

LAMPIRAN

Lampiran 1

Index.php

```
<?php
if(!isset($_SESSION)){
    session_start();
}
$title = 'Dashboard';
$urpath = explode('?', $_SERVER['REQUEST_URI']);
$xhpath = explode('/', $urpath[0]);
$domain = $_SERVER['REQUEST_SCHEME']. '://' .
$_SERVER['HTTP_HOST'] . substr($urpath[0], 0, strlen($urpath[0]) -
strlen($xhpath[count($xhpath) - 1]));

$device = 'desktop';
if(isset($_GET['error'])){
    $incl = 404;
    if($_GET['error'] === 'db'){
        $incl = 'db';
        $title = 'Config Database';
    }elseif($_GET['error'] === 'menu'){
        $title = 'Config System';
        $incl = 'menu';
    }
}
}else{
    include_once(__DIR__ . '/PHP/ind.php');
    $ino = new ind();
    $title = $ino->title;
    $device = $ino->device();
}
```

```

$login = false;
$debug = false;
$minify = '202002-10';

$scripts = [
    //'Lib/Animate/animate.min.css',
    'Lib/FontAwesome/fontawesome.min.css',
    'Lib/Jquery/jquery.min.js',
    'Lib/Jquery/jquery-ui.min.js',
    'Lib/Jquery/jquery-ui.min.css',
    'Lib/Jquery/jquery.cookie.min.js',
    'Lib/Jquery/jquery.ui.touch-punch.min.js',
];
if(@$ino->su && isset($debug) && isset($minify) && $debug){
    $scripts[] = 'Plugins/Core/core.js';
    $scripts[] = 'Plugins/Core/core.css';
    $scripts[] = 'Plugins/Core/alt.css';
    $scripts[] = 'Plugins/Core/design.css';
    $scripts[] = 'Plugins/Modal/modal.js';
    $scripts[] = 'Plugins/Modal/modal.css';
    $scripts[] = 'Plugins/Form/form.js';
    $scripts[] = 'Plugins/Form/form.css';
    $scripts[] = 'Plugins/Alert/alert.js';
    $scripts[] = 'Plugins/Alert/alert.css';
    $scripts[] = 'Plugins/Dropdown/dropdown.js';
    $scripts[] = 'Plugins/Dropdown/dropdown.css';
}else{
    $scripts[] = 'Plugins/Min/'.$minify.'/core.'.$minify.'.min.css';
    $scripts[] = 'Plugins/Min/'.$minify.'/core.'.$minify.'.min.js';
}

```

```

if(isset($device) && $device === 'mobile'){
    $scripts[] = 'Lib/Jquery/jquery.ui.touch-punch.min.js';
}

if(isset($ino)){
    $scripts[] = 'Pages/System/Login/pass.js';
    if(@$ino->su && isset($debug) && isset($minify)){
        if($debug){
            $scripts[] = 'Lib/CodeMirror/lib/codemirror.css';
            $scripts[] = 'Lib/CodeMirror/addon/fold/foldgutter.css';
            $scripts[] = 'Lib/CodeMirror/addon/dialog/dialog.css';
            $scripts[] = 'Lib/CodeMirror/addon/hint/show-hint.css';
            $scripts[] = 'Lib/CodeMirror/theme/monokai.css';

            $scripts[] = 'Pages/System/data.js';
            $scripts[] = 'Pages/System/Menu/data.js';
            $scripts[] = 'Pages/System/Files/data.js';
            $scripts[] = 'Pages/System/Login/data.js';
            $scripts[] = 'Pages/System/Database/data.js';
            $scripts[] = 'Pages/System/Database/field.js';
            $scripts[] = 'Pages/System/Language/data.js';
            $scripts[] = 'Pages/System/System/data.js';
        }else{
            $scripts[] =
'Plugins/Min/.$minify./codemirror.$minify.min.css';
            $scripts[] = 'Plugins/Min/.$minify./sys.$minify.min.js';
        }
    }
    $scripts[] = 'Pages/System/data.css';

    if(isset($ino->page['scriptMenu']) && !empty($ino->page['scriptMenu'])){

```

```

        $sincs = @json_decode($sino->page['scriptMenu']);
        if(count($sincs) > 0){
            foreach ($sincs as $key => $value) {
                $scripts[] = $value;
            }
        }
    }
}
$scripts[] = 'require.js';
$scripts[] = 'Pages/eka/design.js';
$scripts[] = 'Pages/eka/design.css';
?>
<!DOCTYPE html>
<html>
<head>
    <title><?php echo $title; ?></title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0,
maximum-scale=1.0, user-scalable=no" />
    <link rel="shortcut icon" type="image/png" href="Images/favicon.png">
    <?php foreach ($scripts as $key => $script) {
        $path_info = pathinfo($script);
        $fileatime = @fileatime($script);
        if($fileatime && $path_info['extension'] === 'css'){
            echo "\n\t".<link rel="stylesheet" type="text/css"
href="".$domain.$script."?_=". $fileatime.">';
        }
    } ?>
    <?php foreach ($scripts as $key => $script) {
        $path_info = pathinfo($script);
        $fileatime = @fileatime($script);
        if($fileatime && $path_info['extension'] === 'js'){

```

```

        echo "\n\t".<script type="text/javascript"
src="".$domain.$script.'?_='.$fileatime.'"></script>;
    }
}
if(isset($ino) && $ino->user){
    $login = true;?>
    <script type="text/javascript">
        _page_id = '<?php echo $ino->page['idMenu']; ?>';
        _version = '<?php echo $ino->config['req']['version']; ?>';
        _rsDropdown.hello = {
            data: {
                '<?php echo str_replace(' ', '_ ', $ino-
>user['nameUsers']); ?>': {},
                Change_Password: {
                    class: 'fa fa-key',
                    onclick: '_newPass();'
                },
                Sign_out: {
                    class: 'fa fa-power-off',
                    onclick: "rsFormSend({id: 'sesi', url:
'Pages/System/clean_session.php'});"
            }
        }
    }
}
</script>
<?php } ?>
<style type="text/css">
    @font-face {
        font-family: MF;
        src: url('<?php echo $domain;
?>Plugins/Core/Font/default.ttf');

```

```

    }
    @font-face {
        font-family: RBT;
        src: url('<?php echo $domain;
?>Plugins/Core/Font/inconsolata.ttf');
    }
    @font-face {
        font-family: FA;
        src: url('<?php echo $domain;
?>Lib/FontAwesome/fontawesome-webfont.ttf');
    }
</style>
<script type="text/javascript">
    $(window).on('load', () => {
        $('body').removeClass('loading');
        _domain = '<?php echo $domain; ?>';
        _date = '<?php echo date('Y-m-d'); ?>';
    });
</script>
</head>
<body class="loading <?php echo $device . ($login ? " : ' form_login'); ?>" rs-
loading="Loading">
<?php if(isset($incl)){
    echo '<div class="box shadow">';
    @include('Pages/Error/'.$incl.'.php');
    echo '</div>';
?>
<?php }else{
    if(isset($ino)){
        if(!$ino->run){
            @include('Pages/System/Login/data.php');

```

```

        }else{ ?>
        <div id="rsmain" class="rsmain loading">
        <div class="header">
            <div class="left">
                <i class="fa fa-th"
onclick="$('#rsmain').toggleClass('toggle_menu');$(this).toggleClass('fa-rotate-
180');"></i>
            </div>
            <div class="right">
                <i rs-dropdown="hello">Hi, <?php echo
substr($ino->user['nameUsers'], 0, 5); ?></i>
                <i class="fa fa-refresh"
onclick="window.location.reload();"></i>
                <?php if(@$ino->su){
                    echo '<i rs-dropdown="panel_admin">Panel
Admin</i>';
                }; ?>
            </div>
        </div>
        <ul id="menu" class="menu shadow" rs-title="INOSYS
V3"></ul>
        <div class="navigation"></div>
        <div class="content" id="content"></div>
        <div class="none" id="sesi">
            <input type="hidden" id="nama" class="input"
value="<?php echo $ino->user['nameUsers']; ?>">
        </div>
    </div>
    <script type="text/javascript">
        $('body').disableSelection();
        $(window).on('load', _getMenulist);
    </script>

```



```

function _getMenulist(){
    rsJson({
        url: 'Pages/System/Menu/Data/data.php',
        notive: false,
        done: _a
    });

    function _a(json){
        var out = "";
        var apd = {};
        $.each(json.data, (a, b) => {
            if(b.sub > 0){
                if(typeof apd[b.sub] ===
'undefined'){
                    apd[b.sub] = "";
                }
                apd[b.sub] += '<li
onclick="_.go2(\''+b.id+'\');"><i class="fa fa-'+b.fa+'"'> + b.nama +
                '</i></li>';
            }else{
                if(typeof b.total === 'object'){
                    out += '<li
id="menuid_'+b.id+'"'><i
onclick="$(this).closest(\'li\').find(\'ul\').toggleClass(\'show\');" class="fa fa-
'+b.fa+'"'> + b.nama +
                    '</i><ul></ul></li>';
                }else{
                    out += '<li
onclick="_.go2(\''+b.id+'\');"><i class="fa fa-'+b.fa+'"'> + b.nama +
                    '</i></li>';
                }
            }
        });
    }
}

```

```

        }
    }
})
$('#menu').html(out + '<li class="block"
onclick="$(&#rsmain&#x27;).toggleClass(&#x27;toggle_menu&#x27;);></li>');
$.each(apd, (a, b) => {
    $('#menuid_' + a + ' ul').html(b);
});
if(typeof _menu === 'undefined'){
    _menu = 0;
    _afterMenulist();
}
}
}

function _afterMenulist(){
    function renderApp(){
        <?php if(!empty($ino->page['renderMenu'])){
            $render = explode(' ', $ino-
>page['renderMenu']);

            echo "/* ".$ino->page['renderMenu']." */
            if(typeof ".$render[0]. " !== 'function'){
                rsNotive('No found ".$render[0]. "
script');
            }else{
                ".$ino-
>page['renderMenu']. (count($render) > 1 ? " : '()'");
            }";

            if(count($ino->db_corrupt) > 0){

```

```

        echo "rsNotive('Table not found
        ("implode(',', $ino->db_corrupt)."));";
        }
    } ?>
}
rsTranlate(renderApp);
}
</script>
<?php }
}
} ?>
</body>
</html>

```

data.php

```

<?php if(!isset($_SESSION)){
    session_start();
}

$path = '/../../..';
include_once('ans.php');
include_once(__DIR__ . $path . 'PHP/ino.php');
$data = new ino();
$data->table['from'] = 'rs_siswa';
$data->list = [
    "nmrurutSiswa" => "id",
    "nisSiswa" => "nis",
    "namaSiswa" => "nama",
    "jkSiswa" => "jk",
    "tglahSiswa" => "tglah",
    "tmplahSiswa" => "tmplah",

```

```

"kelasSiswa" => "kelas",
"jurusanSiswa" => "jurusan",
"akaSiswa" => "aka",
"nonakaSiswa" => "nonaka",
"rankSiswa" => "rank",
"rataSiswa" => "rata",
"tesSiswa" => "tes",
"classSiswa" => "class"
];
$idUsers = $data->getUser();
if(isset($_GET['tes'])){
    $nilai = 0;
    $plus = 100 / count($answer);
    foreach ($answer as $key => $value) {
        $i = $key + 1;
        $nm = 'jb_' . $i;
        if(isset($_POST[$nm]) && strtoupper($_POST[$nm]) ===
strtoupper($value)){
            $nilai += $plus;
        }
    }
    $_POST['tes'] = $nilai;
    $data->list = [
        "nmrurutSiswa" => "id",
        "tesSiswa" => "tes",
    ];
}elseif(isset($_GET['valid'])){
    $data->list = [
        "nmrurutSiswa" => "id",
        "tesSiswa" => "tes",
        "classSiswa" => "class"
    ];
}

```

```

];
}elseif(isset($_GET['lapor'])){
    $data->list['serSiswa'] = 'ser';
}

if($data->chxcud()){
    $opsi = [];
    if(isset($_GET['ref'])){
        $opsi['refSiswa'] = $idUsers;
        unset($data->list['tesSiswa']);
        unset($data->list['classSiswa']);
    }
    $data->cud([
        "id" => "nmrurutSiswa",
        'opsi' => $opsi
    ]);
}else{
    $data->list['tahunSiswa'] = 'tahun';
    if(isset($_GET['id']) && $_GET['id'] > 0){
        $data->cudwhere("nmrurutSiswa = " . $_GET['id'] . "");
    }
    if(isset($_GET['ref'])){
        $data->cudwhere("refSiswa = " . $idUsers . "");
    }elseif(isset($_GET['testing'])){
        $data->cudwhere("refSiswa != 0");
    }else{
        $data->cudwhere("refSiswa = 0");
    }
    $data->json();
    if(isset($_GET['hasil'])){

```

```

    $data->setPrint('show_hasil', (strtotime(date('Y-m-d')) >= strtotime($release) ?
'yes' : 'no'));
    $data->setPrint('release', $release);
}
}
$data->shutdown(); ?>

```

user.php

```

<?php
if(!isset($_SESSION)){
    session_start();
}
include_once(__DIR__ . '/../../../PHP/ino.php');
$data = new ino();
$data->table['from'] = 'rs_users';
$data->crudwhere('accessUsers != 1');
$data->list = [
    'idUsers' => 'id',
    'nameUsers' => 'nama',
    'mailUsers' => 'mail',
    'accessUsers' => 'access',
    'blockUsers' => 'block'
];

if($data->chxcud()){
    $data->crud([
        'id' => 'idUsers'
    ]);
    if($_POST['mail'] > 0){
        $schx = $data->db->query("SELECT * from rs_karyawan WHERE
nikKaryawan = '".$_POST['mail']."'");

```

```

        if($chx->num_rows === 0){
            $data->db->query("INSERT INTO rs_karyawan
(nikKaryawan,namaKaryawan) VALUES
('".$_POST['mail']."','".$_POST['nama']."");
        }
    }
}else{
    if(!isset($_GET['min'])){
        $data->table['from'] .= ' LEFT JOIN rs_access ON idAccess =
accessUsers';
        if(isset($_GET['access']) && $_GET['access'] > 0){
            $data->cudwhere('accessUsers = ' . $_GET['access']);
        }
        if(isset($_GET['id']) && $_GET['id'] > 0){
            $data->cudwhere('idUsers = ' . $_GET['id']);
            $data->list['authUsers'] = 'auth';
        }
        $data->list['namaAccess'] = 'accessName';
    }else{
        $data->cudwhere('blockUsers > 0');
        $data->list = [
            'idUsers' => 'id',
            'nameUsers' => 'nama'
        ];
    }
}
$data->json();
}
$data->shutdown();
?>

```