

LAMPIRAN

```
<?php

namespace App\Http\Controllers;

use Maatwebsite\Excel\Facades\Excel;
use Illuminate\Http\Request; use
Illuminate\Support\Facades\DB; use
App\Mail\Kirimemail; use
Illuminate\Support\Facades\Mail; use
Illuminate\Bus\Queueable; use
Illuminate\Mail\Mailable; use PDF;
use File; use Storage; use App\Users;
use App\User; use App\Surat; use
App\Divisi; use App\Infokirim;

class MemoController extends Controller
{
    public function inbox($id_divisi)
    {
        if($id_divisi == '1234567') {

            $data=DB::select("select * from surat where status='y'
order by id asc");

        }else{

            $data=DB::select("select * from surat where
status='y' and div_tujuan like '%$id_divisi%' order by id
asc");
        }

        return view('admin.inbox',['data' => $data]);
    }

    public function searchi(request $request)
    {

        $i = $request->id;
        $awal = $request->awal;
        $akhir = $request->akhir;
```

```

        $data=DB::select("select * from surat where status='y' and
div_tujuan like '%$i%' and tgl_acc between '$awal' and
'$akhir' order by id asc");
        return view('admin.inbox',['data' => $data]);

    }

    // public function inboxdetail($id)
    // {
    //     $data=DB::select("select * from surat where
id='$id'");

    //     return view('admin.inboxdetail',['data' => $data]);
    // }
    public function bukasurat(request $request)
    {

        $i = $request->id;
        $iddiv = $request->id_div;
        $idd=DB::select("select id from infokirim where
id_surat='$i'");
        $di=DB::select("select nama_divisi from divisi where
id='$iddiv'");

        foreach ($di as $dii) {
            $div = $dii->nama_divisi;

        }

        foreach ($idd as $iddd) {
            $id = $iddd->id;

        }

        $data = \App\Infokirim::find($id);

        $tgl = $request->buka;
        $sts = "R";
        $ket = $sts.$tgl;

        if($div == 'Kepegawaian') {
            DB::table('infokirim')->where('id',$data->id)->update(
            [
                'kepegawaian' => $ket
            ]);
        }elseif($div == 'Umum') {

```

```

DB::table('infokirim')->where('id',$data->id)->update(
[
    'umum' => $ket
]);

}elseif($div == 'Pembangunan') {
DB::table('infokirim')->where('id',$data->id)->update(
[
    'pembangunan' => $ket
]);
}elseif($div == 'Pemeliharaan') {
DB::table('infokirim')->where('id',$data->id)->update(
[
    'pemeliharaan' => $ket
]);
}elseif($div == 'Bina Program') {
DB::table('infokirim')->where('id',$data->id)->update(
[
    'prog' => $ket
]);
}elseif($div == 'Jasa Konstruksi') {
DB::table('infokirim')->where('id',$data->id)->update(
[
    'jasa' => $ket
]);
}else{
DB::table('infokirim')->where('id',$data->id)->update(
[
    'keuangan' => $ket
]);
}

}

$data2=DB::select("select * from surat where id='$i'");

$kt=DB::select("select * from infokirim where
id_surat='$i'");
$div5=DB::select("select div_sumber from surat where
id='$i'");
foreach ($div5 as $divv) {
$diiv5 = $divv->div_sumber;
}
$nm=DB::select("select nama_divisi from divisi where
id='$diiv5'");
$pim=DB::select("select name,nip from users where
id_divisi='$diiv5' and role='pimpinan' ");

return view('admin.inboxdetail',['data2' =>
$data2,'ket' => $ket,'pim' => $pim,'nm' => $nm]);

}

```

```

public function compose()
{
    return view('admin.compose');
}
public function send(request $request)
{
    // dd($request);

    // $this->validate($request,[
    //     'div_sumber' => 'required',
    //     'nomor' => 'required',
    //     'hal' => 'required',
    //     'pembuka' => 'required',
    //     'isi1' => 'required',
    //     'penutup' => 'required',
    // ]);

    $status = "m";
    $tempat = "Bandar Lampung, ";
    $waktu = $request->tgl;
    $tgl = $tempat.$waktu;

    $satu = $request->kepegawaian;
    $dua = $request->umum;
    $tiga = $request->pembangunan;
    $empat = $request->pemeliharaan;
    $lima = $request->prog;
    $enam = $request->jasa;
    $tujuh = $request->keuangan;

    $tujuan = $satu.$dua.$tiga.$empat.$lima.$enam.$tujuh;

    $row1 = "1";
    $row2 = "2";
    $row3 = "3";

    $send = new Surat();
    $send->div_sumber = $request['div_sumber'];
    $send->div_tujuan = $tujuan;
    $send->status = $status;
    $send->tgl = $tgl;
    $send->nomor = $request['nomor'];
    $send->lampiran = $request['lampiran'];
    $send->hal = $request['hal'];
    $send->isi = $request['isi'];
    $send->tembusan = $request['tembusan'];

    if($request->hasFile('file')){

```

```

        $data1 = $request->file('file');
        $nama_data1 = $row1.$data1-
>getClientOriginalName();
        $request->file('file')-
>move('lampiran/', $nama_data1);
        $send->file = $nama_data1;

    }

    if($request->hasFile('file2')){

        $data2 = $request->file('file2');
        $nama_data2 =
$row2.$data2>getClientOriginalName();
        $request->file('file2')-
>move('lampiran/', $nama_data2);
        $send->file2 = $nama_data2;

    }

    if($request->hasFile('file3')){

        $data3 = $request->file('file3');
        $nama_data3 = $row3.$data3-
>getClientOriginalName();
        $request->file('file3')-
>move('lampiran/', $nama_data3);
        $send->file3 = $nama_data3;

    }
    $send->save();

    return redirect ('compose')->with('sukses','Surat baru
telah dibuat');
}

public function menunggu($id_divisi)
{
    if($id_divisi == '1234567') {

        $data=DB::select("select * from surat where
status='m' order by id asc");
    }else{

        $data=DB::select("select * from surat where
status='m' and div_sumber='$id_divisi' order by id asc");

    }

    return view('admin.menunggu',['data' => $data]);
}

```

```

    }

    public function searchm(request $request)
    {

        $i = $request->id;
        $nomor = $request->nomor;

        if($i == '1234567') {

            $data=DB::select("select * from surat where status='m'
and nomor like '%$nomor%' order by id asc");

        }else{

            $data=DB::select("select * from surat where status='m'
and div_sumber='$i' and nomor like '%$nomor%' order by id
asc");

        }

        return view('admin.menunggu',['data' => $data]);

    }

    public function menunggudetail($id)
    {
        $data=DB::select("select * from surat where id='$id'");
        $ket=DB::select("select * from infokirim where
id_surat='$id'");
        $div=DB::select("select div_sumber from surat where
id='$id'");
        foreach ($div as $divv) {
            $diiv = $divv->div_sumber;
        }
        $nm=DB::select("select nama_divisi from divisi where
id='$diiv'");
        $pim=DB::select("select name,nip from users where
id_divisi='$diiv' and role='pimpinan' ");

        return view('admin.menunggudetail',['data' =>
$data,'ket' => $ket,'pim' => $pim,'nm' => $nm]);

    }

    public function validasi($id_divisi)
    {

```

```

        if($id_divisi == '1234567') {

            $data=DB::select("select * from surat where status='m'
order by id asc");

        }
    else{
        $data=DB::select("select * from surat where
status='m' and div_sumber='$id_divisi' order by id asc");

        }

        return view('admin.validasi',['data' => $data]);
    }

    public function searchv(request $request)
    {

        $i = $request->id;
        $nomor = $request->nomor;

        if($i == '1234567') {

            $data=DB::select("select * from surat where status='m'
and nomor like '%$nomor%' order by id asc");

        }else{

            $data=DB::select("select * from surat where status='m'
and div_sumber='$i' and nomor like '%$nomor%' order by id
asc");

        }

        return view('admin.validasi',['data' => $data]);

    }

    public function validasidetil($id)
    {
        $data=DB::select("select * from surat where
id='$id'");
        $ket=DB::select("select * from infokirim where
id_surat='$id'");
        $div=DB::select("select div_sumber from surat where
id='$id'");
        foreach ($div as $divv) {

```

```

        $diiv = $divv->div_sumber;
    }
    $nm=DB::select("select nama_divisi from divisi where
id='$diiv'");
    $pim=DB::select("select name,nip from users where
id_divisi='$diiv' and role='pimpinan' ");

    return view('admin.validasidetail',['data' =>
$data,'ket' => $ket,'pim' => $pim,'nm' => $nm]);

}

public function postvalidasi(request $request)
{

$id = $request->id;
$l=DB::select("select div_tujuan from surat where id='$id'");
foreach ($l as $r3) {
    $lihat = $r3->div_tujuan;
}
$tgl = $request->tgl_acc;
$sts = "D";
$ket = $sts.$tgl;

$data = \App\Surat::find($id);

// dd($data);
if($request->status == 'y'){

    DB::table('surat')->where('id',$data->id)->update(
[
'status' => $request->status,
'tgl_acc' => $request->tgl_acc,
'alasan_tolak' => $request->alasan_tolak
]);

    $info = new Infokirim();
    $info->id_surat = $id;

    if(strpos($lihat, '1') !== false){
        $info->kepegawaian = $ket;
    }
    if(strpos($lihat, '2') !== false){
        $info->umum = $ket;
    }
    if(strpos($lihat, '3') !== false){
        $info->pembangunan = $ket;
    }
    if(strpos($lihat, '4') !== false){
        $info->pemeliharaan = $ket;
    }
}
}

```

```

        if(strpos($lihat, '5') !== false){
            $info->prog = $ket;
        }
        if(strpos($lihat, '6') !== false){
            $info->jasa = $ket;
        }
        if(strpos($lihat, '7') !== false){
            $info->keuangan = $ket;
        }
        $info->save();

        $e=DB::select("select div_tujuan from surat where
id='$id'"); foreach ($e as $r) {
            $lihat = $r->div_tujuan;
        }
        if(strpos($lihat, '1') !== false){

            $email=DB::select("select email from users where
id_divisi='1' and role='admin'"); foreach ($email as $m) {
                $em = $m->email;
            }

            \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

                $message->to($em);
                $message->subject('Terdapat surat baru dari DINAS
BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
                $message->from('donotreply@kiddy.com', 'dinaslpg');
            });
        }
        if(strpos($lihat, '2') !== false){

            $email=DB::select("select email from users where
id_divisi='2' and role='admin'"); foreach ($email as $m) {
                $em = $m->email;
            }

            \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

                $message->to($em);
                $message->subject('Terdapat surat baru dari DINAS
BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
                $message->from('donotreply@kiddy.com', 'dinaslpg');
            });
        }
    }
}

```

```

    }
    if(strpos($lihave, '3') !== false){

        $email=DB::select("select email from users where
id_divisi='3' and role='admin'"); foreach ($email as $m) {
            $em = $m->email;
        }

        \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

            $message->to($em);
            $message->subject('Terdapat surat baru dari DINAS
BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
            $message->from('donotreply@kiddy.com', 'dinaslpg');
        });
    }
    if(strpos($lihave, '4') !== false){
        $email=DB::select("select email from users where id_divisi='4'
and role='admin'"); foreach ($email as $m) {
            $em = $m->email;
        }

        \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

            $message->to($em);
            $message->subject('Terdapat surat baru dari DINAS
BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
            $message->from('donotreply@kiddy.com', 'dinaslpg');
        });
    }
    if(strpos($lihave, '5') !== false){

        $email=DB::select("select email from users where
id_divisi='5' and role='admin'"); foreach ($email as $m) {
            $em = $m->email;
        }

        \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

            $message->to($em);
            $message->subject('Terdapat surat baru dari DINAS

```

```

BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
    $message->from('donotreply@kiddy.com', 'dinaslpg');
    });
    }
    if(strpos($lihave, '6') !== false){

        $email=DB::select("select email from users where
id_divisi='6' and role='admin'"); foreach ($email as $m) {
            $em = $m->email;
        }

        \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

            $message->to($em);
            $message->subject('Terdapat surat baru dari DINAS
BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
            $message->from('donotreply@kiddy.com', 'dinaslpg');
            });
        }
        if(strpos($lihave, '7') !== false){

            $email=DB::select("select email from users where
id_divisi='7' and role='admin'"); foreach ($email as $m) {
                $em = $m->email;
            }

            \Mail::raw('DINAS BINA MARGA DAN BINA KONSTRUKSI',
function ($message) use($em) {

                $message->to($em);
                $message->subject('Terdapat surat baru dari DINAS
BINA MARGA DAN BINA KONSTRUKSI - BANDAR LAMPUNG
http://dinaslpg.site');
                $message->from('donotreply@kiddy.com', 'dinaslpg');
                });

            }

        }else{

            DB::table('surat')->where('id',$data->id)->update(
            [
                'status' => $request->status,
                'alasan_tolak' => $request->alasan_tolak
            ]
        );
    }
}

```

```

    });

    }

    $id_divisi = $request->user;

    $snunggu=DB::select("select count(id) as jn from surat
where div_sumber='$id_divisi' and status='m'");
    $skirim=DB::select("select count(id) as jk from surat where
div_sumber='$id_divisi' and status='y'");
    $stlk=DB::select("select count(id) as jt from surat where
div_sumber='$id_divisi' and status='n'");
    $masuk=DB::select("select count(id) as jm from surat where
div_tujuan like '%$id_divisi%' and status='y'");

    $snunggu=DB::select("select count(id) as jn from surat
where status='m'");
    $skirim=DB::select("select count(id) as jk from surat where
status='y'");
    $stlk=DB::select("select count(id) as jt from surat where
status='n'");
    $masuk=DB::select("select count(id) as jm from surat where
status='y'");

    return view('admin/homeadmin',['nunggu' =>
$snunggu,'kirim' => $skirim,'tlk' => $stlk,'masuk' =>
$masuk,'snunggu' => $snunggu,'skirim' => $skirim,'stlk' =>
$stlk,'masuk' => $masuk])->with('sukses','Surat berhasil
divalidasi');

}

public function tolak($id_divisi)
{

    if ($id_divisi == '1234567') {

        $data=DB::select("select * from surat where status='n'
order by id asc");

    }else{
        $data=DB::select("select * from surat where status='n'
and div_sumber='$id_divisi' order by id asc");
    }

    return view('admin/tolak',['data' => $data]);

}

public function searcht(request $request)
{

```

```

    $i = $request->id;
    $nomor = $request->nomor;

    if($i == '1234567') {

        $data=DB::select("select * from surat where status='n'
and nomor like '%$nomor%' order by id asc");

    }else{

        $data=DB::select("select * from surat where status='n'
and div_sumber='$i' and nomor like '%$nomor%' order by id
asc");
    }

    return view('admin/tolak',['data' => $data]);
}

public function hapussurat($id)
{

    // $hapusfile =DB::table('surat')->where('id',$id)-
>first();
    // $file = $hapusfile->file;
    // unlink('lampiran/'.$file);
    // $file2 = $hapusfile->file2;
    // unlink('lampiran/'.$file3);
    // $file3 = $hapusfile->file3;
    // unlink('lampiran/'.$file3);
    $id_divis=DB::select("select div_sumber from surat where
id='$id'");

    foreach ($id_divis as $a) {
        $id_divisi = $a->div_sumber;
    }
    $delete=DB::delete("delete from surat where id='$id'");
    $nunggu=DB::select("select count(id) as jn from surat
where div_sumber='$id_divisi' and status='m'");
    $kirim=DB::select("select count(id) as jk from surat where
div_sumber='$id_divisi' and status='y'");
    $tlk=DB::select("select count(id) as jt from surat where
div_sumber='$id_divisi' and status='n'");
    $masuk=DB::select("select count(id) as jm from surat where
div_tujuan like '%$id_divisi%' and status='y'");

    $snunggu=DB::select("select count(id) as jn from surat
where status='m'");

```

```

        $skirim=DB::select("select count(id) as jk from surat where
status='y'");
        $stlk=DB::select("select count(id) as jt from surat where
status='n'");
        $smasuk=DB::select("select count(id) as jm from surat where
status='y'");

```

```

        return view('admin/homeadmin',['nunggu' =>
$nunggu,'kirim' => $skirim,'tlk' => $tlk,'masuk' =>
$masuk,'snunggu' => $snunggu,'skirim' => $skirim,'stlk' =>
$stlk,'smasuk' => $smasuk])->with('sukses','Surat berhasil
divalidasi');

```

```

    }

```

```

    public function revisi($id)
    {

        $data=DB::select("select * from surat where id='$id'");
        $ket=DB::select("select * from infokirim where
id_surat='$id'");
        $div=DB::select("select div_sumber from surat where
id='$id'");
        foreach ($div as $divv) {
            $diiv = $divv->div_sumber;
        }
        $nm=DB::select("select nama_divisi from divisi where
id='$diiv'");
        $pim=DB::select("select name,nip from users where
id_divisi='$diiv' and role='pimpinan' ");

        return view('admin.revisi',['data' => $data,'ket' =>
$ket,'pim' => $pim,'nm' => $nm]);
    }

```

```

    public function revisidetail($id)
    {
        $data=DB::select("select * from surat where
id='$id'");
        return view('admin.revisidetail',['data' => $data]);
    }

```

```

    public function resend(request $request, $id)
    {
        $data = \App\Surat::find($id);

        $status = "m";
        $tempat = "Bandar Lampung, ";
        $waktu = $request->tgl;
        $tgl = $tempat.$waktu;
    }

```

```

        $satu = $request->kepegawaian;
$dua = $request->umum;
        $tiga = $request->pembangunan;
        $empat = $request->pemeliharaan;
        $lima = $request->prog;
        $enam = $request->jasa;
        $tujuh = $request->keuangan;

        $tujuan = $satu.$dua.$tiga.$empat.$lima.$enam.$tujuh;

        $row1 = "u1";
        $row2 = "u2";
        $row3 = "u3";

        if($request->hasFile('file')){

            $data1 = $request->file('file');
            $nama_data1 = $row1.$data1-
>getClientOriginalName();
            $request->file('file')-
>move('lampiran/', $nama_data1);

        }else{
            $nama_data1 = $request->file0;
        }

        if($request->hasFile('file2')){

            $data2 = $request->file('file2');
            $nama_data2 = $row2.$data2-
>getClientOriginalName();
            $request->file('file2')-
>move('lampiran/', $nama_data2);

        }else{
            $nama_data2 = $request->file02;
        }

        if($request->hasFile('file3')){

            $data3 = $request->file('file3');
            $nama_data3 = $row3.$data3-
>getClientOriginalName();
            $request->file('file3')-
>move('lampiran/', $nama_data3);

        }else{
            $nama_data3 = $request->file03;
        }

```

```

DB::table('surat')->where('id',$data->id)->update(
[
    'div_tujuan' => $tujuan,
    'status' => $status,
    'tgl' => $tgl,
    'nomor' => $request->nomor,
    'lampiran' => $request->lampiran,
    'hal' => $request->hal,
    'isi' => $request->isi,
    'tembusan' => $request->tembusan,
    'file' => $nama_data1,
    'file2' => $nama_data2,
    'file3' => $nama_data3

]);
$id_divisi = $request->user;

    $nunggu=DB::select("select count(id) as jn from surat
where div_sumber='$id_divisi' and status='m'");
    $kirim=DB::select("select count(id) as jk from surat where
div_sumber='$id_divisi' and status='y'");
    $tlk=DB::select("select count(id) as jt from surat where
div_sumber='$id_divisi' and status='n'");
    $masuk=DB::select("select count(id) as jm from surat where
div_tujuan like '%$id_divisi%' and status='y'");

    $snunggu=DB::select("select count(id) as jn from surat
where status='m'");
    $skirim=DB::select("select count(id) as jk from surat where
status='y'");
    $stlk=DB::select("select count(id) as jt from surat where
status='n'");
    $smasuk=DB::select("select count(id) as jm from surat where
status='y'");

    return view('admin/homeadmin',['nunggu' =>
    $nunggu,'kirim' => $kirim,'tlk' => $tlk,'masuk' =>
    $masuk,'snunggu' => $snunggu,'skirim' => $skirim,'stlk' =>
    $stlk,'smasuk' => $smasuk])->with('revisi','Surat berhasil
diajukan ulang');

}

public function terkirim($id_divisi)
{

    if($id_divisi == '1234567') {

```

```

        $data=DB::select("select * from surat where status='y'
order by id asc");

    }else{

        $data=DB::select("select * from surat where status='y'
and div_sumber='$id_divisi' order by id asc");

    }

    return view('admin.terkirim',['data' => $data]);
}

public function searchk(request $request)
{

    $i = $request->id;
    $nomor = $request->nomor;

    if($i == '1234567') {

        $data=DB::select("select * from surat where status='y'
and nomor like '%$nomor%' order by id asc");

    }else{

        $data=DB::select("select * from surat where status='y'
and div_sumber='$i' and nomor like '%$nomor%' order by id
asc");

    }

    return view('admin.terkirim',['data' => $data]);
}

public function terkirimdetail($id)
{
    $data=DB::select("select * from surat where id='$id'");
    $ket=DB::select("select * from infokirim where
id_surat='$id'");
    $div=DB::select("select div_sumber from surat where
id='$id'");
    foreach ($div as $divv) {
        $diiv = $divv->div_sumber;
    }
    $nm=DB::select("select nama_divisi from divisi where
id='$diiv'");

```

```

        $pim=DB::select("select name,nip from users where
id_divisi='$diiv' and role='pimpinan' ");

        return view('admin.terkirimdetail',['data' =>
$data,'ket' => $ket,'pim' => $pim,'nm' => $nm]);
    }

    public function export($id)
    {
        $data=DB::select("select * from surat where id='$id'");
        $ket=DB::select("select * from infokirim where
id_surat='$id'");
        $div=DB::select("select div_sumber from surat where
id='$id'");
        foreach ($div as $divv) {
            $diiv = $divv->div_sumber;
        }
        $nm=DB::select("select nama_divisi from divisi where
id='$diiv'");
        $pim=DB::select("select name,nip from users where
id_divisi='$diiv' and role='pimpinan' ");

        $pdf = PDF::loadView('export.exportpdf',['data' =>
$data,'ket' => $ket,'pim' => $pim,'nm' => $nm])-
>setPaper('a4');
        return $pdf->stream('Surat.pdf');
    }
}

```