

# Lampiran

## Lampiran

### Listing Program

```
<script language="JavaScript">

    function konfirmasi(id_kapal) {

        tanya = confirm('Anda yakin ingin menghapus data ini.?');

        if (tanya == true) return true;

        else return false;

    }

</script>
```

```
<script type="text/javascript">

$(document).ready(function(){

    $("#id_penyerahan").change(function(){

        var id_penyerahan = $("#id_penyerahan").val();

        $.ajax({

            url: "no_penyerahan.php",

            data: "id_penyerahan=" + id_penyerahan,

            success: function(data){

                $("#no_penyerahan").val(data);

            }

        })

    })

})
```

```
    });  
});  
});  
</script>  
  
<script type="text/javascript">  
$(document).ready(function(){  
    $("#id_penyerahan").change(function(){  
        var id_penyerahan = $("#id_penyerahan").val();  
        $.ajax({  
            url: "nama_anak.php",  
            data: "id_penyerahan=" + id_penyerahan,  
            success: function(data){  
                $("#nama_anak").val(data);  
            }  
        });  
    });  
});  
</script>  
  
<script language=Javascript>  
function isNumberKey(evt)  
{  
    var charCode = (evt.which) ? evt.which : event.keyCode
```

```
if (charCode > 31 && (charCode < 48 || charCode > 57))
return false;

return true;

}

function csubtotal(gaji){
var hitung1 = eval(document.getElementById('tunjangan').value);
var hitung2 = eval(document.getElementById('gapok').value);
    document.forms.form1.gaji.value = hitung1 + hitung2;
}

</script>
```

```
<script language="javascript">

function validasi(form1){
    if (form1.nik.value == ""){
        alert("Mohon lengkapi data input.");
        form1.nik.focus();
        return (false);
    }

    if (form1.nama_baptis.value == ""){
        alert("Mohon lengkapi Data.");
        form1.nama_baptis.focus();
        return (false);
    }
}
```

```
if (form1.tmp_lahir.value == ""){  
    alert("Mohon lengkapi Data.");  
    form1.tmp_lahir.focus();  
    return (false);  
}
```

```
if (form1.tgl_lahir.value == ""){  
    alert("Mohon lengkapi Data.");  
    form1.tgl_lahir.focus();  
    return (false);  
}
```

```
if (form1.alamat.value == ""){  
    alert("Mohon lengkapi Data.");  
    form1.alamat.focus();  
    return (false);  
}
```

```
if (form1.telp.value == ""){  
    alert("Mohon lengkapi Data.");  
    form1.telp.focus();  
    return (false);  
}
```

```
if (form1.tunjangan.value == ""){  
    alert("Mohon lengkapi Data.");  
    form1.id_kegiatan.focus();  
}
```

```
    return (false);
}
if (form1.gapok.value == ""){
    alert("Mohon lengkapi Data.");
    form1.gapok.focus();
    return (false);
}
if (form1.mulai_kerja.value == ""){
    alert("Mohon lengkapi Data.");
    form1.mulai_kerja.focus();
    return (false);
}
return (true);
}
</script>

<?php
session_start();

if (empty($_SESSION['username']) AND empty($_SESSION['passuser']))){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
}
```

```

else{
$aksi="modul/baptis/aksi_baptis.php";
switch($_GET[aksi]){
default:
echo "<div class='content'>
    <div class='breadLine'>
        <ul class='breadcrumb'>
            <li><a href='?p=home'>Dashboard</a> <span class='divider'>></span></li>
            <li class='active'> &copy; 2020</li>
        </ul>
    </div>

    <div class='workplace'>
        <a href='?p=baptis&aksi=tambah' role='button' class='btn'>TAMBAH DATA
BARU</a>
    </div>
    <div class='row-fluid'>
        <div class='span12'>
            <div class='head clearfix'>

<div class='isw-grid'></div><h1>TABEL BAPTIS</h1>
            </div>

            <div class='block-fluid table-sorting clearfix'>

```

```
<table cellpadding='0' cellspacing='0' width='100%' class='table' id='tSortable'>
```

```
<thead>
```

```
<tr>
```

```
<th width='2%'>No.</th>
```

```
<th width='15%'>Tgl
```

```
Baptis</th>
```

```
<th width='15%'>Nama Anak</th>
```

```
<th width='15%'>Pastor Bertugas</th>
```

```
<th width='2%'>Action</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>";
```

```
$no=1;
```

```
$tp=mysqli_query($connect,"SELECT *
```

```
FROM tbl_baptis ORDER BY id_baptis ASC");
```

```
while($r=mysqli_fetch_
```

```
echo"
```

```
<tr>
```

```
<td>$no</td>
```

```
<td>$r[tgl]</td>
```

```
<td>$r[nama_anak]</td>
```

```
<td>${r[pastor]}</td>
```

```
<td>
```

```
<a href='$aksi?act=hapus&id=${r[id_baptis]}' class='icon-trash tip' title='Hapus'  
onclick=\"return konfirmasi('${r[id_baptis]}')\"> </a>
```

```
</td>
```

```
</tr>";
```

```
    $no++;
```

```
  }
```

```
    echo"</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class='dr'><span></span></div>
```

```
</div>
```

```
</div>";
```

```
break;
```

```

case "tambah":

$tgl=date('Y-m-d');

$edit = mysqli_query($connect,"SELECT * FROM tbl_baptis ORDER BY id_baptis DESC");

$r  = mysqli_fetch_array($edit);

$kode=$r['id_baptis']+1;

echo "<div class='content'>";

echo "<form method='post' name='form1' action='modul/baptis/aksi_baptis.php?act=input'
enctype='multipart/form-data' onSubmit=\"return validasi(this)\">

<div class='breadLine'>

    <ul class='breadcrumb'>

        <li><a href='?p=home'>Dashboard</a> <span class='divider'>></span></li>

        <li class='active'>Sistem Informasi Pelayanan Gereja &copy; 2020/li>

    </ul>

</div>

<div class='workplace'>

    <div class='row-fluid'>

        <div class='span8'>

            <div class='block-fluid'>

                <div class='head clearfix'>

```

```
<h1>Form Baptis </h1>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>No baptis</div>
```

```
<div class='span6'><input
```

```
type='hidden' name='id_baptis' id='id_baptis' value='$kode' />
```

```
<input type='text' name='no_baptis'
```

```
id='no_baptis' value='BPT/GRD/00$kode' readonly='readonly'/>
```

```
</div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Tanggal Baptis</div>
```

```
<div class='span2'>
```

```
<script language='JavaScript'>
```

```
new tcal ({
```

```
    'formname': 'form1',
```

```
    'controlname': 'tgl'
```

```
});
```

```
</script>
```

```
<input type='text' name='tgl'/>
```

```
</div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>No Penyerahan</div>
```

```
<div class='span6'>
```

```
<select name='id_penyerahan'
```

```
id='id_penyerahan' style='width: 100%;' required=">">
```

```
$stampil=mysqli_query($connect,"SELECT * FROM tbl_penyerahan order by no_penyerahan  
ASC");
```

```
echo "<option value=" selected>..."
```

```
pilih no penyerahan ...</option>";
```

```
while($w=mysqli_fetch_array($stampil)){
```

```
if
```

```
($r[id_penyerahan]==$w[id_penyerahan]){
```

```
echo "<option
```

```
value='$w[id_penyerahan]'>$w[no_penyerahan] </option>";
```

```
}
```

```
else{
```

```
                                echo "<option
value='$w[id_penyerahan]'>$w[no_penyerahan] </option>";
                                }
                                }
echo"</select><input type='hidden' name='no_penyerahan' id='no_penyerahan'/>
                                </div>
</div>
```

```
                                <div class='row-form clearfix'>
                                <div class='span3'>Nama Anak</div>
                                <div class='span4'><input type='text' name='nama_anak'
id='nama_anak'/></div>
                                </div>
```

```
                                <div class='row-form clearfix'>
                                <div class='span3'>Pastor Yang Bertugas</div>
                                <div class='span6'><input type='text' name='pastor' id='pastor'/></div>
                                </div>
```

```

        </div>

    </div>

</div>

        <input type='submit' class='btn' value='Simpan'>

        <a href='?p=baptis' role='button' class='btn'>Batal</a>

    </form>

<div class='dr'><span></span></div>

</div>";

echo "";

break;

case "edit":

    $edit = mysql_query("SELECT * FROM tbl_baptis WHERE id_baptis=$_GET[id]");

    $r = mysql_fetch_array($edit);

echo "<div class='content'>";

echo "<form method='post' name='form1' action='modul/baptis/aksi_baptis.php?act=update'

enctype='multipart/form-data' onSubmit=\"return validasi(this)\">

<div class='breadLine'>

    <ul class='breadcrumb'>

        <li><a href='?p=home'>Dashboard</a> <span class='divider'></span></li>

        <li class='active'>Sistem Informasi baptis &copy; 2020</li>

```

```
</ul>
```

```
</div>
```

```
<div class='workplace'>
```

```
<div class='row-fluid'>
```

```
<div class='span10'>
```

```
<div class='block-fluid'>
```

```
<div class='head clearfix'>
```

```
<h1>Form Edit baptis </h1>
```

```
</div>
```

```
<input type='hidden' name='id' value='${r[id_baptis]}>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>NIP</div>
```

```
<div class='span2'><input type='text' name='nip' id='nip'
```

```
value='${r[nip]}'/></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Nama baptis</div>
```

```
<div class='span4'><input type='text' name='nama_baptis' id='nama_baptis'
```

```
value='${r[nama_baptis]}'/></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Tempat Lahir</div>
```

```
<div class='span4'><input type='text' name='tmp_lahir' id='  
value='${tmp_lahir}'/></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Tanggal Lahir</div>
```

```
<div class='span2'>
```

```
<script language='JavaScript'>
```

```
new tcal ({
```

```
    'formname': 'form1',
```

```
    'controlname': 'tgl_lahir'
```

```
});
```

```
</script>
```

```
<input type='text' name='tgl_lahir'
```

```
value='${tgl_lahir}'/>
```

```
</div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Status Pernikahan</div>
```

```
<div class='span2'>
```

```
<select name='status'>
```

```
<option value='- ' selected>-</option>
```

```
<option value='SINGLE' >SINGLE</option>
```

```
<option value='MENIKAH'>MENIKAH</option>
<option value='JANDA' >JANDA</option>
<option value='DUDA'>DUDA</option>

</select>

</div>

</div>

                <div class='row-form clearfix'>

<div class='span3'>Agama</div>

<div class='span2'>

<select name='agama'>

<option value='-' selected>-</option>

<option value='ISLAM'>ISLAM</option>

<option value='PROTESTAN'>PROTESTAN</option>

<option value='KATOLIK'>KATOLIK</option>

<option value='HINDU'>HINDU</option>

<option value='BUDHA'>BUDHA</option>

</select>

</div>

</div>

                <div class='row-form clearfix'>
```

```

        <div class='span3'>Alamat</div>

        <div class='span8'><input type='text' name='alamat' id='alamat'
value='${alamat}'/></div>

    </div>

        <div class='row-form clearfix'>

            <div class='span3'>Telp/ Handphone</div>

            <div class='span2'><input type='text' name='telp' id='telp' value='${telp}'
onkeypress='return isNumberKey(event)'/></div>

        </div>

    </div>

    </div>

        <div class='row-form clearfix'>

            <div class='span3'>kegiatan</div>

            <div class='span6'>

                <select name='id_kegiatan' id='id_kegiatan'
style='width: 50%;>";

                    $stampil=mysql_query("SELECT *
FROM tbl_kegiatan ");

                    if (${id_kegiatan}==0){

```

```

        echo "<option value=0
selected>Belum ada data</option>";
    }

    while($w=mysql_fetch_array($stampil)){
        if
($r[id_kegiatan]==$w[id_kegiatan]){
            echo "<option
value=$w[id_kegiatan] selected>$w[kegiatan]</option>";
        }
        else{
            echo "<option
value=$w[id_kegiatan]>$w[kegiatan]</option>";
        }
    }

    echo "</select>
<input type='hidden' name='kegiatan' id='kegiatan'
value='{$r[kegiatan]}'/>

</div>

</div>

```

```

        <div class='row-form clearfix'>

            <div class='span3'>Jenis kegiatan</div>

            <div class='span4'><input type='text' name='jenis_kegiatan' id='tunjangan'
value='\$r[jenis_kegiatan]' readonly='readonly'/></div>

        </div>

        <div class='row-form clearfix'>

            <div class='span3'>Jabatan</div>

            <div class='span2'><input type='text' name='jabatan' id='jabatan'
value='\$r[jabatan]'/></div>

        </div>

    </div>

    <input type='submit' class='btn' value='Edit Data'>

    <a href='?p=baptis' role='button' class='btn'>Batal</a>

</form>

<div class='dr'><span></span></div>

</div>";

echo "";

break;

}

}

```

```
?>
```

```
</body>
```

```
</html>
```

```
<script language="JavaScript">
```

```
function konfirmasi(id_kapal) {
```

```
    tanya = confirm('Anda yakin ingin menghapus data ini.?');
```

```
    if (tanya == true) return true;
```

```
    else return false;
```

```
}
```

```
</script>
```

```
<script type="text/javascript">
```

```
$(document).ready(function(){
```

```
    $("#id_kegiatan").change(function(){
```

```
        var id_kegiatan = $("#id_kegiatan").val();
```

```
        $.ajax({
```

```
            url: "yasir1.php",
```

```
            data: "id_kegiatan=" + id_kegiatan,
```

```
            success: function(data){
```

```
        $("#kegiatan").val(data);
    }
});

});

});

</script>

<script type="text/javascript">

$(document).ready(function(){

    $("#id_kegiatan").change(function(){

        var id_kegiatan = $("#id_kegiatan").val();

        $.ajax({

            url: "yasir2.php",

            data: "id_kegiatan=" + id_kegiatan,

            success: function(data){

                $("#jenis_kegiatan").val(data);

            }

        });

    });

});

});

</script>

<script language=Javascript>

function isNumberKey(evt)
```

```
{  
var charCode = (evt.which) ? evt.which : event.keyCode  
if (charCode > 31 && (charCode < 48 || charCode > 57))  
return false;  
return true;  
}  
  
function csubtotal(gaji){  
var hitung1 = eval(document.getElementById('tunjangan').value);  
var hitung2 = eval(document.getElementById('gapok').value);  
    document.forms.form1.gaji.value = hitung1 + hitung2;  
}  
  
</script>
```

```
<script language="javascript">  
function validasi(form1){  
    if (form1.nik.value == ""){  
        alert("Mohon lengkapi data input.");  
        form1.nik.focus();  
        return (false);  
    }  
  
    if (form1.nama_jadwal.value == ""){  
        alert("Mohon lengkapi Data.");  
        form1.nama_jadwal.focus();  
    }  
}
```

```
    return (false);
}
if (form1.tmp_lahir.value == ""){
    alert("Mohon lengkapi Data.");
    form1.tmp_lahir.focus();
    return (false);
}
if (form1.tgl_lahir.value == ""){
    alert("Mohon lengkapi Data.");
    form1.tgl_lahir.focus();
    return (false);
}
if (form1.alamat.value == ""){
    alert("Mohon lengkapi Data.");
    form1.alamat.focus();
    return (false);
}
if (form1.telp.value == ""){
    alert("Mohon lengkapi Data.");
    form1.telp.focus();
    return (false);
}
if (form1.tunjangan.value == ""){
```

```
    alert("Mohon lengkapi Data.");
    form1.id_kegiatan.focus();
    return (false);
}
if (form1.gapok.value == ""){
    alert("Mohon lengkapi Data.");
    form1.gapok.focus();
    return (false);
}
if (form1.mulai_kerja.value == ""){
    alert("Mohon lengkapi Data.");
    form1.mulai_kerja.focus();
    return (false);
}
return (true);
}
</script>

<?php
session_start();

if (empty($_SESSION['username']) AND empty($_SESSION['passuser']))){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
```

```

echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/jadwal/aksi_jadwal.php";
switch($_GET[aksi]){
default:
echo "<div class='content'>
    <div class='breadLine'>
        <ul class='breadcrumb'>
            <li><a href='?p=home'>Dashboard</a> <span class='divider'>></span></li>
            <li class='active'> &copy; 2020</li>
        </ul>
    </div>

    <div class='workplace'>
        <a href='?p=jadwal&aksi=tambah' role='button' class='btn'>TAMBAH DATA
BARU</a>

    <div class='row-fluid'>
        <div class='span12'>
            <div class='head clearfix'>

<div class='isw-grid'></div><h1>TABEL JADWAL KEGIATAN</h1>

    </div>

```

```
<div class='block-fluid table-sorting clearfix'>
```

```
<table cellpadding='0' cellspacing='0' width='100%' class='table' id='tSortable'>
```

```
<thead>
```

```
<tr>
```

```
<th width='2%'>No.</th>
```

```
<th width='15%'>Tgl</th>
```

```
<th width='20%'>Kegiatan</th>
```

```
<th width='15%'>Jam</th>
```

```
<th width='15%'>Pastor</th>
```

```
<th width='15%'>Bacaan</th>
```

```
<th width='15%'>Lektor</th>
```

```
<th
```

```
width='15%'>Mazmur</th>
```

```
<th width='2%'>Action</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>";
```

```
$no=1;
```

```
$tp=mysqli_query($connect,"SELECT *
```

```
FROM tbl_jadwal ORDER BY id_jadwal ASC");
```

```
while($r=mysqli_fetch_array($tp)){
```

```
echo"
```

```
<tr>
```

```
<td>${no}</td>
```

```
<td>${tgl}</td>
```

```
<td>${kegiatan}</td>
```

```
<td>${jam}</td>
```

```
<td>${pastor}</td>
```

```
<td>${bacaan}</td>
```

```
<td>${lektor}</td>
```

```
<td>${mazmur}</td>
```

```
<td>
```

```
<a href='${aksi}?act=hapus&id=${id_jadwal}' class='icon-trash tip' title='Hapus'
```

```
onclick=\"return konfirmasi(\".${id_jadwal}.\")\"> </a>
```

```
</td>
```

```
</tr>";
```

```
    $no++;
```

```
}
```

```

        echo"</tbody>

        </table>

        </div>

        </div>

        </div>

        <div class='dr'><span></span></div>

        </div>

        </div>";

break;

case "tambah":

$tgl=date('Y-m-d');

$edit = mysqli_query($connect,"SELECT * FROM tbl_jadwal ORDER BY id_jadwal DESC");

$r = mysqli_fetch_array($edit);

$kode=$r['id_jadwal']+1;

echo "<div class='content'>";

echo "<form method='post' name='form1' action='modul/jadwal/aksi_jadwal.php?act=input'

enctype='multipart/form-data' onSubmit=\"return validasi(this)\">

```

```
<div class='breadLine'>
```

```
  <ul class='breadcrumb'>
```

```
    <li><a href='?p=home'>Dashboard</a> <span class='divider'>></span></li>
```

```
    <li class='active'>Sistem Informasi Pelayanan Gereja &copy; 2020</li>
```

```
  </ul>
```

```
</div>
```

```
<div class='workplace'>
```

```
  <div class='row-fluid'>
```

```
    <div class='span8'>
```

```
      <div class='block-fluid'>
```

```
        <div class='head clearfix'>
```

```
          <h1>Form Jadwal Kegiatan</h1>
```

```
        </div>
```

```
      <div class='row-form clearfix'>
```

```
        <div class='span3'>No Jadwal</div>
```

```
        <div class='span6'><input
```

```
type='hidden' name='id_jadwal' id='id_jadwal' value='$kode' />
```

```
        <input type='text' name='no_jadwal'
```

```
id='no_jadwal' value='JDW-0/$kode' readonly='readonly' />
```

```
      </div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Tanggal Kegiatan</div>
```

```
<div class='span2'>
```

```
<script language='JavaScript'>
```

```
new tcal ({  
    'formname': 'form1',  
    'controlname': 'tgl'  
});
```

```
</script>
```

```
<input type='text' name='tgl' />
```

```
</div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>kegiatan</div>
```

```
<div class='span6'>
```

```
<select name='id_kegiatan' id='id_kegiatan'
```

```
style='width: 100%;' required='>';
```

```
$stampil=mysqli_query($connect,"SELECT * FROM tbl_kegiatan order by kegiatan ASC");
```

```

echo "<option value=" selected>...

pilih kegiatan ...</option>";

        while($w=mysqli_fetch_array($stampil)){

            if

($r[id_kegiatan]==$w[id_kegiatan]){

                echo '

value='$w[id_kegiatan]','$w[kegiatan] </option>";

                }

            else{

                echo "<option

value='$w[id_kegiatan]','$w[kegiatan] </option>";

                }

            }

        }

        echo"</select><input type='hidden' name='kegiatan' id='kegiatan' />

        </div>

</div>

```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Jam</div>
```

```
<div class='span4'><input type='text' name='jam' id='jam' /></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Pastor</div>
```

```
<div class='span4'><input type='text' name='pastor' /></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Bacaan</div>
```

```
<div class='span9'><input type='text' name='bacaan' id='bacaan' /></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Lektor</div>
```

```
<div class='span9'><input type='text' name='lektor' id='lektor' /></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Mazmur</div>
```

```
<div class='span9'><input type='text' name='mazmur' id='mazmur' /></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<input type='submit' class='btn' value='Simpan'>
```

```
<a href='?p=jadwal' role='button' class='btn'>Batal</a>
```

```
</form>
```

```
<div class='dr'><span></span></div>
```

```
</div>";
```

```
echo "";
```

```
break;
```

```
case "edit":
```

```
    $edit = mysql_query("SELECT * FROM tbl_jadwal WHERE id_jadwal='$_GET[id]'");
```

```
    $r = mysql_fetch_array($edit);
```

```
echo "<div class='content'>";
```

```
echo "<form method='post' name='form1' action='modul/jadwal/aksi_jadwal.php?act=update'
```

```
enctype='multipart/form-data' onSubmit=\"return validasi(this)\">
```

```
<div class='breadLine'>
```

```
    <ul class='breadcrumb'>
```

```
<li><a href='?p=home'>Dashboard</a> <span class='divider'>><
<li class='active'>Sistem Informasi jadwal &copy; 2020</li>
</ul>
</div>
<div class='workplace'>
  <div class='row-fluid'>
    <div class='span10'>
      <div class='block-fluid'>
        <div class='head clearfix'>
          <h1>Form Edit jadwal </h1>
        </div>
          <input type='hidden' name='id' value='${r[id_jadwal]}>
          <div class='row-form clearfix'>
            <div class='span3'>NIP</div>
            <div class='span2'><input type='text' name='nip' id='nip'
value='${r[nip]}'/></div>
          </div>
          <div class='row-form clearfix'>
            <div class='span3'>Nama jadwal</div>
            <div class='span4'><input type='text' name='nama_jadwal' id='nama_jadwal'
value='${r[nama_jadwal]}'/></div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
        <div class='row-form clearfix'>
            <div class='span3'>Tempat Lahir</div>
            <div class='span4'><input type='text' name='tmp_lahir' id='tmp_lahir'
value='${r[tmp_lahir]}'></div>
        </div>
```

```
        <div class='row-form clearfix'>
            <div class='span3'>Tanggal Lahir</div>
            <div class='span2'>
                <script language='JavaScript'>
                    new tcal ({
                        'formname': 'form1',
                        'controlname': 'tgl_lahir'
                    });
                </script>
                <input type='text' name='tgl_lahir'
value='${r[tgl_lahir]}'>
            </div>
        </div>
```

```
        <div class='row-form clearfix'>
            <div class='span3'>Status Pernikahan</div>
            <div class='span2'>
                <select name='status'>
```

```
                <option value='- ' selected>-</option>

<option value='SINGLE' >SINGLE</option>

<option value='MENIKAH'>MENIKAH</option>

<option value='JANDA' >JANDA</option>

<option value='DUDA'>DUDA</option>

</select>

</div>

</div>
```

```
                <div class='row-form clearfix'>

<div class='span3'>Agama</div>

<div class='span2'>

<select name='agama'>

<option value='- ' selected>-</option>

<option value='ISLAM'>ISLAM</option>

<option value='PROTESTAN'>PROTESTAN</option>

<option value='KATOLIK'>KATOLIK</option>

<option value='HINDU'>HINDU</option>

<option value='BUDHA'>BUDHA</option>

</select>

</div>

</div>
```

```
<div class='row-form clearfix'>

  <div class='span3'>Alamat</div>

  <div class='span8'><input type='text' name='alamat' id='alamat'
value='${r[alamat]}'/></div>

</div>

  <div class='row-form clearfix'>

  <div class='span3'>Telp/ Handphone</div>

  <div class='span2'><input type='text' name='telp' id='telp' value='${r[telp]'
onkeypress='return isNumberKey(event)}'/></div>

</div>

</div>

</div>

  <div class='row-form clearfix'>

  <div class='span3'>kegiatan</div>

  <div class='span6'>

  <select name='id_kegiatan' id='id_kegiatan'
style='width: 50%;>";
```

```

FROM tbl_kegiatan ");

$stampil=mysql_query("SELECT *

if ($r[id_kegiatan]==0){
    echo "<option value=0
selected>Belum ada data</option>";
}

while($w=mysql_fetch_array($stampil)){
    if
($r[id_kegiatan]==$w[id_kegiatan]){
        echo "<option
value=$w[id_kegiatan] selected>$w[kegiatan]</option>";
    }
    else{
        echo "<option
value=$w[id_kegiatan]>$w[kegiatan]</option>";
    }
}

echo"</select>

<input type='hidden' name='kegiatan' id='kegiatan'
value='$r[kegiatan]'/>

</div>

```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Jenis kegiatan</div>
```

```
<div class='span4'><input type='text' name='jenis_kegiatan' id='tunjangan'  
value='{$r[jenis_kegiatan]}' readonly='readonly'/></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
```

```
<div class='span3'>Jabatan</div>
```

```
<div class='span2'><input type='text' name='jabatan' id='jabatan'  
value='{$r[jabatan]}'/></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<input type='submit' class='btn' value='Edit I
```

```
<a href='?p=jadwal' role='button' class='btn'>Batal</
```

```
</form>
```

```
<div class='dr'><span></span></div>
```

```
</div>";
```

```
echo "";
```

```
break;
```

```
}
```

```
}
```

```
?>
```

```
</body>
```

```
</html>
```