

LAMPIRAN

[illegible]

[illegible]

Lampiran 2. Hasil Olah Data dengan SPSS

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	.885 ^a	.784	.772	1.650	.784	66.454	3	55	.000

a. Predictors: (Constant), X3_Tot, X1_Total, X2_Tot

b. Dependent Variable: Y_Tot

ANOVA^a

Model	Sum of Squares	df	Mean Square	F	Sig.
1 Regression	542.503	3	180.834	66.454	.000 ^b
Residual	149.667	55	2.721		
Total	692.169	58			

a. Dependent Variable: Y_Tot

b. Predictors: (Constant), X3_Tot, X1_Total, X2_Tot

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	4.492	2.966		1.515	.136		
	X1_Total	-.033	.072	-.042	-.456	.650	.469	2.131
	X2_Tot	.188	.118	.174	1.584	.119	.326	3.069
	X3_Tot	.744	.101	.771	7.342	.000	.356	2.805

a. Dependent Variable: Y_Tot

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	33.03	44.50	41.12	3.058	59
Std. Predicted Value	-2.643	1.107	.000	1.000	59
Standard Error of Predicted Value	.246	.779	.416	.108	59
Adjusted Predicted Value	33.22	44.48	41.13	3.049	59
Residual	-4.227	6.385	.000	1.606	59
Std. Residual	-2.562	3.871	.000	.974	59
Stud. Residual	-2.624	4.003	-.002	1.009	59
Deleted Residual	-4.431	6.830	-.008	1.725	59
Stud. Deleted Residual	-2.779	4.712	.006	1.073	59
Mahal. Distance	.304	11.955	2.949	2.191	59
Cook's Distance	.000	.279	.019	.045	59
Centered Leverage Value	.005	.206	.051	.038	59

a. Dependent Variable: Y_Tot

