Model Detecting Learning Styles With Artificial Neural Network

by Muhammad Said Hasibuan

Submission date: 04-Jun-2018 06:43PM (UTC-0700)

Submission ID: 972429754

File name: i-cite2018_said_ok.pdf (862.57K)

Word count: 4492

Character count: 23436

Model Detecting Learning Styles With Artificial Neural Network

MS Hasibuan^{1,2}, LE Nugroho¹, PI Santosa¹

¹ Dept of Electrical Engineering and Information Technology , University Gadjah Yogyakarta Indapesia,

Magister Technology Information, Institute Business and Informatics Darmajaya said.s3te15@mail.ugm.ac.id, lukito@ugm.ac.id, insap@ugm.ac.id

ABSTRACT

Currently the detection of learning styles from the external aspect has not produced optimal results. This research tries to solve the problem by using an internal approach. The internal approach is one that derives from the personality of the learner. One of the personality traits that each learner postsess is prior knowledge. This research starts with the prior nowledge generation process using the Latent Semantic Indexing (LSI) method. LSI is a technique using Singular Value Decomposition (SVD) to find meaning in a sentence. LSI works to generate the prior knowledge of each learner. After the prior knowledge raised, then one can predict learning style using the artificial neural network (ANN) method. The results of this study are more accurate than the results of detection conducted with an external approach.

Keywords: Detection Learning Style, Latent Semantic Indexing, Artificial Neural Network.

1.Introduction

Current learning models have undergor 19 hanges from conventional learning to online learning models; these models are also known as e-learning, online learning, distance learning or web-based tutorials(Santosa, n.d.). E-learning is used not only as a complement to learning but can also enrich conventional learning (Nugroho, 2013). In its application e-learning requires a personalization method, because the interaction between learners and teachers is very minimal. The various learning environments and background knowledge of each learner are also different.

One of the personalization methods that developed to be studied is detecting learners' learning style. In online learning, detection of learning style is very helpful. This is in line with Graff's opinion that learning style detection at the beginning of learning can help the learner to follow the learning more easily and improve the motivation to 12 n (Graf, Kinshuk, & Liu, 2008) (Hasibuan & Nugroho, n.d.). Among the learning styles involved are Kolb's Learning Style, Honey and Mumford, Felder-Silverman Learning Style Model and Visual, Aural, Read and Kinesthetic (VARK) (Kolb, 1984)(Sangvigit, 2012).

Currently there are two approaches to learning style detection: these are conventional and automatic (Feldman, Monteserin, & Amandi, 2015). Detection of conventional learning styles uses a questionnaire to detect learning styles. Each learning style has it 18 wn questionnaire that is able to represent the learning style. This is different from the automatic learning style detection model. The automatic learning style 4 etection model works by way of learner interaction with the system. Current detection of automatic learning styles is divided into two approaches: data-driven and literature-based approach (Hasibuan, Nugroho, Santosa, & Kusumawardani, 2016) (Nam, 2013).

The data-driven approach of learning style detection uses an artificial intelligence method to represent the questionnaire. Both approaches are based on the interaction of learners with the system, such as interaction with teaching materials, following discussion forums, online quizzes and online chats (Rita, Graf, Informatica, & Politecnica, 2002) (Nam, 2013)(Hamtini, 2015)(Hasibuan et al., 2016). The approach can be classified as an external approach because the process involves learner interaction with the system. An external approach requires an online learning environment that has features capable of accommodating the learner's requirements. These include a wealth of learning management features, access speed and user friendly interface.

The second approach is the internal approach, an approach derived from the personality and attitude of learners (Swinke, 2012). Approaching personality and attitude, according to Swinke, is something inherent in self-learners, such as memory (intelligent) and attitude of learners (attitude).

Intelligent dimensions are closely related to the ability of learners who can record, store and recall previous teaching materials. Meanwhile, the attitude dimension shows the attitude of learners who seek to have knowledge. Learner attitude can be divided into two categories, namely, able to increase motivation or demotivation. Both of the above dimensions relate to the prior knowledge of the learner.

This research builds a learning style detection model using an internal approach, i.e. prior knowledge. So far there are three methods to generate prior knowledge: these are brainstorming technique, cognitive map and Know-Want To Know-Learned (KWL) chart. These three methods have limitations such as inefficient use of time, accuracy of improper detection results and insufficient subjectivity. The solution to the generation problem is that this research uses Latent Semantic Indexing (LSI) to generate prior knowledge, and the result of this generation will predict learning style. Learning style prediction is done by using the Artificial Neural Network (ANN) method.

2. Related Literature and Study

Learning Style Model Detection

The learning style detection process can be divided into conventional and automatic forms(Hasibuan et al., 2016). Detection of conventional learning styles uses the questionnaire provided by each learning style. Questionnaires include Learning Style Instrument (LSI) for 22 lb's learning style, Learning Style Questionnaire (LSQ) for Honey and Mumford style of learning, Index of Learning Style (ILS) for the Felder-Silverman learning style model and questionnaire for Visual, Aural, Read and Kinesthetic (VARK) learning style (Kolb, 1984) (Honey, 1992) (Fleming, Fleming, & Mills, 1992)(Felder & Silverman, 1988).

The detection of automatic learning style can be divided into two, namely data-driven and literature-based. Data-driven is the imitation of a questionnaire that leads to one of the artificial intelligence methods. Some research has been done with artificial intelligence i.e. Bayesian Network, Decision Tree and Neural Network, NB Tree algorithm, Hidden Markov and Genetic Algorithm (Özpolat & Akar, 2009)(García, Amandi, Schiaffino, & Campo, 2005) (Cha et al., 2006)(Yannibelli, Godoy, & Amandi, 2006).

Patricio detected the learning style of Felder-Silverman Learning Style Model (FSLSM) using Bayesian Network performed by Patricio (García et al., 2005). The process of detection is only done to the three dimensions that have FSLSM learning style, that is, perception, processing and understanding. The results of the detection of learning styles performed by Patricio have a level of accuracy below 77%.

The same thing was done by Ozpolat to detect the learning style of FSLSM by using NB Tree Classification(Özpolat & Akar, 2009). But in the study by Ozpolat, the FSLSM learning style detection process used four dimensions: perception, processing, understanding and input. The results of the Ozpolat study have an accuracy of below 73.3%.

Furthermore, a study by Cha et al., det 8 ed the FSLSM learning style using the Decision Tree and Hidden Markov approaches (Cha et al., 2006). Cha et al. used Decision Tree and Hidden Markov to detect FSLSM learning styles with four dimensions, namely, perception, processing, understanding and input. The results of Cha et al. showed detection accuracy below 83%, a value which is better than the studies by Ozpolat and Garcia.

Detection of the next learning style is Literature-Based; this work is based on learner visits to teaching materials. The learning system will retrieve the log data of the learner's visit to the teaching materials to determine the learning style (Rita et al., 2002) (Nam, 2013)(Popescu, Badica, & Trigano, 2008). The data taken includes the length of visits to teaching materials and the pattern of visits.

Subsequent research by Hamtini has successfully detected the Visual Aural Kin 10 estic (VAK) learning style (Hamtini, 2015). This study captures learners' visits to learning materials (contents, case studies, examples, exercises and assessments) and assesses learner, visit and answers behaviours. The results of this VAK learning style detection yielded 52.78% accuracy.

Research by Ahmad et al. detected FSLSM learning style using a literature-based technique (Ahmad, Tasir, Kasim, & Sahat, 2013). The dimensions of learning styles studied were the Active and Reactive dimensions. Both Active and Reactive dimensions work with Threshold and timing. The results of this study have an accuracy of 79.63%.

Another study was conducted by Graf et al., who detected FSLSM learning styles using a literature-based method (Graf, Viola, & Kinshuk, 2007). This study uses the pattern of interaction of learners when accessing content, outline and examples. When a learner visits content, outline and example, this study measures the time and number of visits. The result of FSLSM learning style detection conducted by Graf et al. yielded 79.33% detection accuracy.

A study by Liyanage also detects FSLSM learning styles with a literature-based approach. Liyanage uses two methods: questionnaire and rule-based(Pitigala Liyanage, Gunawardena, & Hirakawa, 2013). This

 study is similar to other literature-based research that uses interaction results of learners to outlines, contents, examples, self-assessments and exercises. The results of the use of an approach based on questionnaires and rules showed 77.5% accuracy.

A similar study to Liyanage's, that focused on detecting learning styles with the Learning Management System, was done by Abdullah (Abdullah, Alqahtani, Aljabri, Altowirgi, & Fallatah, 2015). Abdullah detected all learning styles of FSLSM with an accuracy of up to 90% but only for processing dimensions.

Research on other literature-based learning style detection was done by Dung et al (Dung & Florea, 2012). Their research detects FSLSM learning style by constructing LMS POLCA. LMS POLCA provides learning materials accessible to learners. LMS POLCA provides a variety of teaching materials that every learner can access. Learning interaction process of this learning material will determine learning style of learners.

LMS POLCA will calculate the time the system provides compared with the actual time accessed by the learner. The results of this comparison will be the basis of decision making on learning styles. This study claims to have produced learning style detection accuracy up to 79.54%.

From the results of previous studies one can see some gaps that exist, as shown in Table 2.1

Article Error 🧰

Table 2.1 Comparison of Previous Research

				*** -00					
	Ozpola	Patrici	Ahma	21 ng	Graf	Cha et	Hamti	Liyana	Abdull
	t et al.	o et al.	d et al.	et al.	et	al.	ni et	ge et	ah et
	Missing	"," E TS	rag. 🙉	F	aal. 🙉	Frag.	al.	al.	al.
					8				Frag.
Year	2009	2007	2013	2012	200	2006	2015	2015	2015
					7				
				12					
Sample	25	27	20	44	127	600	18	80	35
	studen	studen	studen	stude	stud	studen	stude	studen	Studen
	ts	ts	ts	nts	ents		stude		
		2				ts	nts	ts	ts
Approa	Data	Data	Literat	Litera	Liter	Data	Litera	Data	Literat
ch	Driven	Driven	ure	ture	atur	Driven	ture	Driven	ure
		J	Based	Based	е	J	Based	J	Based
			Duscu	Duscu	Base		Duscu		Duscu
	~(Q)				d				
1					u				
Method	NB	Bayesi	Behavi	Behav	Beh	Decisio	Behav	Data	Behavi
	Tree	an	ours	iour	avio	n Tree	ior	Mining	our
	Classifi		Patter		urs	dan			
	-cation		n		Patt	Hidden		J 48	
					ern	Marko			
						v			
Target	Engi-	Al	Intera	AII	Obje	Multi	Pilot	Higher	Data
Study	neerin		ctive		ct	media	Elearn	educat	Struct
	g		Multi		Orie		ing	ion	ure
				1	1		_	1	

	ion		media		Mod		nmen		
					ellin		t		
					g				
Assessm	Learni	BN	Behavi	Learni		Behavi	Behav		Behavi
ent	ng	Model	or : ILS	ng		our ILS	iour		our
Method	Model	: ILS		Objec			ILS		
	: ILS			t:ILS					:ILS
Precisio	67.7%	52%	75%-			Error	52.78	77.27	76%
n			83%			rate	%	%	~
						<30%		×	0.
						\30%		-2	, I
Dimensi								110	
on							< .	9.	
	70%	77%	75%	72.73	79.3		V	70.89	
Ac/Ref	73.33	63%		%	3%		Α	%	
Sen/Int	%	03/0		70.15		~		84.38	
Jen, me	/*	58%		%		10	К	%	
Glo/Sec	73.33			/*		70,		/*	
\". A.	%	-		79.54	9			91.25	
Vis/Ver	F20/			%	6			%	
	53%			CE 04	0.,			02.50	
				65.91				82.50	
				%				%	

Latent Semantic Indexing

Latent Semantic Indexing (LSI) is a search method that works based on the similarity or meaning of a document. The document in question can be a sentence or text that has a hidden meaning (Retrieval, n.d.). This research works by making the learner's answer as input to be processed using LSI in order to gain meaning from the learner's answer. LSI is very effective to find the meaning of a document. In addition to the processing of documents that have a large capacity, LSI can provide accurate information.

Previous research has used LSI to find some traditions. Some of the traditions contained in a book can be found in search keywords with query-based searches. In this research, the search for the meaning of the hadith can be found as desired by the user(Nur, Tuan, & Rahim, 2016).

Artificial Neural Network

Artificial Neural Network (ANN) is an artificial intelligence method that uses the concept of biological neural system. As for the workings of the biological nervous system, it starts with the nervous system receiving input or input from outside the system, then each nerve is connected with other nerves. Each nerve has a weight value. Input process that has the weights will be processed on the hidden layer and finally produce the appropriate output. Related research with ANN successfully predicted stock with 96% detection success.

 Another prediction done by using ANN is to predict Iran's presidential election with 91% success. This research uses LSI to generate prior knowledge. The result of the assessment of prior knowledge will be used to predict learning styles.

3. Methodology Research

The Methodology Research used in this study is shown in Figure 3.1






Figure 3.1 Methodology Research

The first step done in this research is the process of generating prior knowledge. Priority of prior knowledge generation process uses only three methods. The three methods are Brainstorming, Know-Want To Know-Learned (KWL) Chart and Cognitive Map (Thi Thanh Dieu, 2015)(Gouveia, 1974)(MS Hasibuan, LE Nugroho, 2017). The constraints faced in previous prior knowledge generation process are that it is less effective, and very subjective because there is interaction and the process takes a long time. This study improves the previous constraint by using Latent Semantic Indexing (LSI) method. The architecture of the use of LSI method can be seen in Figure 3.2.




Figure 3.2 Prior Science Knowledge Architecture (MS Hasibuan, LE Nugroho, 2017)

In Figure 3.2 it can be seen that the learner will be given an assessment before starting the learning process. This assessment process is done to get the level of knowledge that has been owned by each learner. The level of prior knowledge or Prior Knowledge Level (PKL) can be divided into four levels: Knowledge of Fact (KOF), Knowledge of Meaning (KOM), Integration of Knowledge (IOK) and Application of Knowledge (AOK).

Knowledge of Fact is the knowledge that learners have with the lowest level. This level is characterized by the learner having only basic capacity such as being able to name, identify, name and encode. This learner only remembers something new usually with visualization. The second level, Knowledge of Meaning, is characterized by learners who already have the ability to explain, categorize, exemplify, explain, describe and present.

The Integration of Knowledge level is characterized by learners who have the ability to modify, produce, process, simulate and perform. Learners at this level already have skills and not just knowledge. The last level is the highest level, Application of Knowledge, which is characterized by the ability to break down, summarize, interpret, test and create. Figure 3.3 below is a representation of prior knowledge.

Recognising, enumerating, recalling, remembering

Defining, reproducing, understanding the meaning of the concept

Understanding concepts and their interpolation of knowledge, producing, classifying, comparing

Understanding concepts and their interpolation of knowledge, producing, implementing comparing

Figure 3.3 Representation of Prior Knowledge

The second step is profiling learners by using ANN to predict VARK learning style. The profiling process is done by taking the assessment value obtained from the application of the Latent Semantic Indexing algorithm. The system architecture of LSI and ANN used for profiling learners can be seen in Figure 3.4.




Figure 3.4 Architecture Neural Network For E-Learning

In Figure 3.4 it can be seen that the assessment process is done at the beginning of the learning to generate prior knowledge of the learner. The method used to generate prior knowledge uses Latent Semantic Indexing (LSI). Assessment results are then used to predict learning style with ANN method.

4.Implementation Model

This research gathers prior knowledge on database subjects. Priority generation process uses LSI method. Some steps in using the LSI method can be seen in Figure 4.2Article Error



Figure 4.2 Step Method LSI

The application of LSI method can be seen in Figure 4.2. The first step of the system is that each learner is given four questions. These four questions illustrate the level of prior knowledge of the learner. Any questions will be answered using the essay technique. The second step with the LSI method is to compose the answer from the sentence form into a form of words in the form of matrix A


The next step after the LSI result 14 aken by converting the LSI value to the weight value to be used in the ANN method. The conversion can be seen in Table 1 below.

Table 1 converts the value of prior knowledge

4	No	Variabel Prior Knowledge	Range nilai	Bobot
	1	Knowledge of Fact (KOF)	0.8-0.9 0.6-0.7 0.4-0.5 0.2-0.3 -0.1-0.1	5 4 3 2 1
	2	Knowledge of Meaning (KOM)	0.8-0.9 0.6-0.7 0.4-0.5 0.2-0.3 -0.1-0.1	5 4 3 2 1
	3	Integration of Knowledge (IOK)	0.8-0.9 0.6-0.7 0.4-0.5 0.2-0.3 -0.1-0.1	5 4 3 2 1
	4	Application of Knowledge (AOK)	0.8-0.9 0.6-0.7 0.4-0.5 0.2-0.3 -0.1-0.1	5 4 3 2 1

In Table 1 above it can be seen that there are four levels of prior knowledge. Each level of prior knowledge is grouped into five value ranges and five weighted values. The result of converting the value to prior knowlege (y1, y2, y3 ... yn) is what will be used on the artificial network to get the learning style learner profile prediction. The ANN architecture used can be seen in Figure 4.4.

Article Error



236 Figure 4.4 Artificial Neural Network For E-learning (ANNFE)

237238

239

240

241

235

In Figure 4.4 above is the Architecture of Artificial Neural Network For E-learning which is a model used to get the profile of a learner. The result of the converted LSI value being the value of y1, y2, y3 ... yn being the input value.

The provisions of the use of artificial neural network:

```
242 Input = y1,y2,y3,y4
```

243 Bobot = w /weight

Number of all Input (pi) multiplied by weight (wi)

245 Output $n = \sum p_i \cdot w_i$

Proper Noun (FIS)

Where Output / Output Neuron a = f (n) f = function

The division of learner levels into four parts as in Table 2 below are:

248 Table 2 Level Prior Knowledge

249

	2
Id	Level Prior Knowledge
X1	Knowledge of Fact
X2	Knowledge of Meaning
Х3	Integration of Knowledge
X4	Application of Knowledge

250

In Table 2 above one can see that 5 out X1 is a representation of Knowledge of Fact. X2 is Knowledge of Meaning, X3 is a representation of Integration of Knowledge and X4 is Application of Knowledge.

253 **5.Conclusion**

This research has succeeded in developing a model of learning style detection by using a prior knowledge approach. The prior knowledge generation process uses the Latent

256 257 258 259 260 261 262	learners' learning styles more accurately than previous detection n ₂₃ els. After the process of generating learning styles with LSI is completed, the next step is to predict learning style by using Artificial Neural Network. Further research is expected to develop a detection and prediction system that is integrated either with the Learning Management System or e-learning system.
263	6.Declaration of Conflicting Interests
264 265	The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.
266267	7.Funding
268 269	The research was support by the Ministry of Research, Technology and Higher Education of the Republic Indonesia through Research Doctoral Dissertation Program.
270 271 272	8. References
273274275276	Abdullah, M., Alqahtani, A., Aljabri, J., Altowirgi, R., & Fallatah, R. (2015). Learning Style Classification Based on Student's Behavior in Moodle Learning Management System on Machine Learning and Artificial Intelligence, 3(1). http://doi.org/10.14738/tmlai.31.868
277 278 279	Ahmad, N., Tasir, Z., Kasim, J., & Sahat, H. (2013). Automatic Detection of Learning Styles in Learning Management Systems by Using Literature-based Method. <i>Procedia - Social and Behavioral Sciences</i> , 103, 181–189. http://doi.org/10.1016/j.sbspro.2013.10.324
280 281 282 283 284	Cha, H. J., Kim, Y. S., Park, S. H., Yoon, T. B., Jung, Y. M., & Lee, J. H. (2006). Learning styles diagnosis based on user interface behaviors for the customization of learning interfaces in an intelligent tutoring system. <i>Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)</i> , 4053 LNCS, 513–524. http://doi.org/10.1007/11774303_51
285 286 287	Dung, P. Q., & Florea, A. M. (2012). An approach for detecting learning styles in learning management systems based on learners ' behaviours. 2012 International Conference on Education and Management Innovation, 30, 171–177.
288 289	Felder, R., & Silverman, L. (1988). Learning and teaching styles in engineering education. Engineering Education, 78(June), 674–681. http://doi.org/10.1109/FIE.2008.4720326
290 291 292	Feldman, J., Monteserin, A., & Amandi, A. (2015). Automatic detection of learning styles: state of the art. <i>Springer Science+Business Media Dordrecht 2014</i> , (May 2014), 157–186. http://doi.org/10.1007/s10462-014-9422-6

293 294	Fleming, N. D., Fleming, N. D., & Mills, C. (1992). Not Another Inventory, Rather a Catalyst for Reflection Not Another Inventory, Rather a Catalyst for Reflection.
295 296	García, P., Amandi, A., Schiaffino, S., & Campo, M. (2005). Using Bayesian Networks to Detect Students' Learning Styles in a Web-based education system, (11), 29–30.
297	Gouveia, L. B. (1974). A brief survey on cognitive maps as humane representations.
298 299 300 301	Graf, S., Kinshuk, & Liu, T. C. (2008). Identifying learning styles in learning management systems by using indications from students' behaviour. Proceedings - The 8th IEEE International Conference on Advanced Learning Technologies, ICAET 2008, 482–486. http://doi.org/10.1109/ICALT.2008.84
302 303 304 305	Graf, S., Viola, S., & Kinshuk. (2007). Automatic student modelling for detecting learning style preferences in learning management systems. <i>IADIS International Conference on Cognition and Exploratory Learning in Digital Age</i> , (1988), 172–179. Retrieved from http://sgraf.athabascau.ca/publications/graf_viola_kinshuk_CELDA07.pdf
306 307 308	Hamtini, T. (2015). A Proposed Dynamic Technique for Detecting Learning Style Using Literature Based Approach. <i>IEEE Jordan Conference an Applied Electrical Engineering and Computing Technologies (AEECIT)</i> .
309	Hasibuan, M. S., & Nugroho, L. (n.d.). Detecting Learning Style Using Hybrid Model.
310 311 312 313 314	Hasibuan, M. S., Nugroho, L., Santosa, P. I., & Kusumawardani, S. S. (2016). A PROPOSED MODEL FOR DETECTING LEARNING STYLES BASED ON AGENT LEARNING A Proposed Model for Detecting Learning Styles Based on Agent Learning. <i>International Journal of Emerging Technologies in Learning</i> , 11(10), 65–69. http://doi.org/10.3991/ijet.v11i10.5781
315	Honey, P. (1992). Appendix 1 Learning styles questionnaire, 29–37.
316 317 318	Kolb, D. A. (1984). Experiential Learning: Experience as The Source of Learning and Development. Prentice Hall, Inc., (1984), 20–38. http://doi.org/10.1016/B978-0-7506-7223-8.50017-4
319 320	MS Hasibuan, LE Nugroho, P. S. (2017). Learning Style Model Detection Based on Prior Knowledge in E- learning System. <i>Proceeding ICIC 2017</i> , (Aptikom), 1–8.
321 322	Nam, V. (2013). a Method for Detection of Learning Styles in Learning Management Systems, 75.
323 324 325	Nugroho, L. E. (2013). Kerangka Pengembangan Pendidikan Tinggi di Indonesia, 112–113. Retrieved from http://lukito.staff.ugm.ac.id/files/2013/02/Pemanfaatan-TI-di-Perguruan-Tinggi-Final.pdf
326 327	Nur, N., Tuan, A., & Rahim, M. (2016). A Malay Hadith Translated Document Retrieval Using Parallel Latent Semantic Indexing (LSI), 118–123.
328 329	Özpolat, E., & Akar, G. B. (2009). Automatic detection of learning styles for an e-learning system. <i>Computers and Education</i> , <i>53</i> (2), 355–367.

330	http://doi.org/10.1016/j.compedu.2009.02.018
331 332 333 334	Pitigala Liyanage, M. P., Gunawardena, K. S. L., & Hirakawa, M. (2013). A framework for adaptive learning management systems using learning styles. 2013 International Conference on Advances in ICT for Emerging Regions (ICTer), (November 2015), 261–265. http://doi.org/10.1109/ICTer.2013.6761188
335 336 337 338	Popescu, E., Badica, C., & Trigano, P. (2008). Analyzing learners' interaction with an educational hypermedia system: A focus on learning styles. <i>Proceedings - 2008 International Symposium on Applications and the Internet, SAINT 2008</i> , 321–324. http://doi.org/10.1109/SAINT.2008.83
339	Retrieval, I. (n.d.). Latent Semantic Indexing (LSI) An Example, 1–4.
340 341	Rita, S., Graf, S., Informatica, I., & Politecnica, U. (2002). Detecting Learners ' Profiles based on the Index of Learning Styles Data *. <i>Learning</i> .
342 343 344 345	Sangvigit, P. (2012). Correlation of Honey & Mumford Learning Styles and Online Learning media preference. <i>International Journal of Computer Technology and Applications</i> , 3(June), 1312–1317. Retrieved from http://www.ijcta.com/documents/volumes/vol3issue3/ijcta2012030374.pdf
346 347 348	Santosa, P. I. (n.d.). PAPER STUDENT ENGAGEMENT WITH ONLINE TUTORIAL: A PERSPECTIVE ON FLOW THEORY Student Engagement with Online Tutorial: A Perspective on Flow Theory, 60–67. http://doi.org/10.3991/ijet.v10i1.4348
349 350 351	Swinke, T. (2012). A unique, culture-aware, personalized learning environment. <i>International Journal of Emerging Technologies in Learning</i> , 7(SPEC. ISSUE 2), 31–36. http://doi.org/10.3991/ijet.v7iS2.2323
352 353 354	Thi Thanh Dieu, T. (2015). Trying K-W-L Strategy on Teaching Reading Comprehension to Passive Students in Vietnam. <i>International Journal of Language and Linguistics</i> , 3(6), 481. http://doi.org/10.11648/j.ijll.20150306.33
355 356 357	Yannibelli, V., Godoy, D., & Amandi, A. (2006). A genetic algorithm approach to recognise students' learning styles. <i>Interactive Learning Environments</i> , <i>14</i> (1), 55–78. http://doi.org/10.1080/10494820600733565
358	

ORIGINALITY REPORT

10% SIMILARITY INDEX

6%

INTERNET SOURCES

7%

PUBLICATIONS

1%

STUDENT PAPERS

PRIMARY SOURCES

M S Hasibuan, L E Nugroho, I P Santosa.

"Learning style model detection based on prior knowledge in e-learning system", 2017 Second International Conference on Informatics and Computing (ICIC), 2017

Publication

2 www.doria.fi

1%

journals.sagepub.com

1%

M S Hasibuan, L E Nugroho, P I Santosa, S S Kusumawardani. "A Proposed Model for Detecting Learning Styles Based on Agent Learning", International Journal of Emerging Technologies in Learning (iJET), 2016

Publication

1%

Hailikari, T.. "EXPLORING ALTERNATIVE WAYS OF ASSESSING PRIOR KNOWLEDGE, ITS COMPONENTS AND THEIR RELATION TO STUDENT ACHIEVEMENT: A

1%

MATHEMATICS BASED CASE STUDY", Studies in Educational Evaluation, 200709

Publication

6	link.springer.com Internet Source	<1%
7	Rianto, Lukito Edi Nugroho, P. Insap Santosa. "Pattern discovery of Indonesian customers in an online shop: A case of fashion online shop", 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE), 2016 Publication	<1%
8	www.jstage.jst.go.jp Internet Source	<1%
9	cis1.unco.edu Internet Source	<1%
10	WWW.sersc.org Internet Source	<1%
11	files.eric.ed.gov Internet Source	<1%
12	tel.archives-ouvertes.fr Internet Source	<1%
13	Dadang Syarif Sihabudin Sahid, Lukito Edi Nugroho, Paulus Insap Santosa. "Modeling the flow experience for personalized context aware	<1%

e-learning", 2016 8th International Conference on Information Technology and Electrical Engineering (ICITEE), 2016

Publication

14	www.ittes2016.org Internet Source	<1%
15	M S Hasibuan, LE Nugroho. "Detecting learning style using hybrid model", 2016 IEEE Conference on e-Learning, e-Management and e-Services (IC3e), 2016 Publication	<1%
16	www.iet-c.net Internet Source	<1%
17	www.scribd.com Internet Source	<1%
18	sgraf.athabascau.ca Internet Source	<1%
19	www.writersbookmall.com Internet Source	<1%
20	www.tandfonline.com Internet Source	<1%
21	Norazlina Ahmad, Zaidatun Tasir. "Threshold Value in Automatic Learning Style Detection", Procedia - Social and Behavioral Sciences, 2013 Publication	<1%

22

ÇARDAK, Çiğdem Suzan and SELVİ, Kıymet. "The Construct Validity of Felder-Soloman Index of Learning Styles (ILS) for the Prospective Teachers", Gaziantep Üniversitesi, 2016.

<1%

Publication



"Advances in Brain Inspired Cognitive Systems", Springer Nature, 2016



Publication

Exclude quotes

On

Exclude matches

Off

Exclude bibliography

Or

Model Detecting Learning Styles With Artificial Neural Network

PAGE 1



Article Error You may need to use an article before this word. Consider using the article the



Missing "," You may need to place a comma after this word.

PAGE 2



Missing "," You may need to place a comma after this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.

PAGE 3



Article Error You may need to use an article before this word. Consider using the article the



Article Error You may need to use an article before this word.



Missing "," You may need to place a comma after this word.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Article Error You may need to remove this article.



Proofread This part of the sentence contains a grammatical error or misspelled word that mayour meaning unclear.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Article Error You may need to remove this article.

- **Article Error** You may need to remove this article. **Sentence Cap.** Remember to capitalize the first word of each sentence. **Article Error** You may need to remove this article. PAGE 4 (ETS **Prep.** You may be using the wrong preposition. Article Error You may need to use an article before this word. Consider using the article the **Article Error** You may need to use an article before this word. **Article Error** You may need to use an article before this word. Missing "," You may need to place a comma after this word. Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate. **Frag.** This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate. Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate. Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sent to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate. PAGE 5 PAGE 6 PAGE 7 P/V You have used the passive voice in this sentence. Depending upon what you wish to
 - emphasize in the sentence, you may want to revise it using the active voice.


- P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
- P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
- P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
- Proofread This part of the sentence contains a grammatical error or misspelled word that mayour meaning unclear.
- P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
- Missing "," You may need to place a comma after this word.
- Article Error You may need to use an article before this word. Consider using the article the

PAGE 8

- Hyph. You may need to add a hyphen between these two words.
- Article Error You may need to use an article before this word. Consider using the article the
- Article Error You may need to use an article before this word. Consider using the article the
- Article Error You may need to use an article before this word. Consider using the article the
- Article Error You may need to remove this article.

PAGE 9

- Article Error You may need to use an article before this word.
- Proper Noun If this word is a proper noun, you need to capitalize it.
- Article Error You may need to use an article before this word. Consider using the article the



- Article Error You may need to remove this article.
- Article Error You may need to use an article before this word.
- Article Error You may need to use an article before this word. Consider using the article the

PAGE 11

- Sentence Cap. Remember to capitalize the first word of each sentence.
- Article Error You may need to use an article before this word. Consider using the article the

PAGE 12

- Article Error You may need to use an article before this word.
- Article Error You may need to use an article before this word.