

## Syntax halaman beranda

```
<?
include "koneksi_database.php";
$carikode = mysql_query("select
id_member from tbl_member order
by id_member desc") or die
(mysql_error());
$datakode =
mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "M".str_pad($kode, 3,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "M001";
}

if($daftar){
$simpan = mysql_query("insert into
tbl_member
values('$hasilkode','$no_plat','$nama'
,'$jenis','$no_hp','$password')");
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_member order by id_member
asc");
?>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#header {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 69%;
padding : 1%;
}
#sectionleft {
width : 60%;
color : #002873;
font-family : verdana;
float : left;
font-size : 200%;
padding : 0%;
}
#sectionright {
width : 40%;
float : right;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
#footerleft {
width : 60%;
float : left;
}
a:link {
color : #002873;
}
</style>
```

## Syntax halaman *booking service*

```
<?
//simpan & kode otomatis

include "koneksi_database.php";
$carikode = mysql_query("select
no_booking from tbl_booking order
by no_booking desc") or die
(mysql_error());
$datakode =
mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "B".str_pad($kode, 3,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "B001";
}

if($simpan){
$save = mysql_query("insert into
tbl_booking
values('$hasilkode','$tgl','$jam','$kete
rangan','$id_member')");
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_booking order by no_booking
asc");
?>

<script>
function ubahTanggal($tgl){
$pisah = explode('/', $tgl);
$array =
array($pisah[2], $pisah[0], $pisah[1]);
$satunya = implode('-', $array);
return $satunya;
$tg = ubahTanggal($tgl);
}
</script>
```

```
<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#header {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 69%;
padding : 1%;
}
#sectionleft {
width : 60%;
color : #002873;
font-family : verdana;
float : left;
font-size : 200%;
padding : 0%;
}
#sectionright {
width : 40%;
float : right;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
</style>
```

## Syntax halaman mekanik

```
<?
include "koneksi_database.php";
if($simpan){
    $save = mysql_query("insert into
tbl_mekanik
values('$nik','$nama','$jenkel','$temp
at_lhr','$tanggal_lhr','$alamat','$pend
idikan','$tahun_lulus)");
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_mekanik order by nik asc");
?>

<script>
function ubahTanggal($tanggal_lhr){
    $pisah = explode('/', $tgl);
    $array = array($pisah[2], $pisah[0], $pisah[1]);
    $satukan = implode('-', $array);
    return $satukan;
    $tg = ubahTanggal($tanggal_lhr);
}
</script>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#headers {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 44%;
padding : 1%;
}
#sectionleft {
width : 33%;
float : left;
padding : 0%;
}
#sectionright {
width : 37%;
float : right;
padding : 1%;
}
#sectionmid {
width : 30%;
float : left;
padding : 1%;
}
#sectionbottom {
height : 25%;
padding : 1%;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
#footerleft {
width : 60%;
float : left;
}
</style>
```

## Syntax halaman member

```
<?
include "koneksi_database.php";
$carikode = mysql_query("select
right(id_member,3)      from
tbl_member order by id_member
desc") or die (mysql_error());
$datakode =
mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "M".str_pad($kode, 3,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "M001";
}
?>

<?
include "koneksi_database.php";
if($simpan){
$save = mysql_query("insert into
tbl_member
values('$id_member','$no_plat','$na
ma','$jenis','$no_hp','$password')");
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_member order by id_member
asc");
?>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#headers {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 44%;
padding : 1%;
}
#sectionleft {
width : 35%;
float : left;
padding : 0%;
}
#sectionright {
width : 65%;
float : right;
padding : 2%;
}
#sectionbottom {
height : 25%;
padding : 1%;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
#footerleft {
width : 60%;
float : left;
}
a:link {
color : #002873;
}
#wadah-mengetik{
font-size: 22px;
width: 740px;}
</style>
```

## Syntax halaman merk

```
<?
include "koneksi_database.php";
if($simpan){
$save = mysql_query("insert into
tbl_merk
values('$kd_merk','$jenis','$warna','$
harga','$stock')");
}
?>

<?
//kode otomatis

include "koneksi_database.php";
$carikode = mysql_query("select
right(kd_merk,3) from tbl_merk
order by kd_merk desc") or die
(mysql_error());
$datakode =
mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "ME".str_pad($kode, 3,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "ME001";
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_merk order by kd_merk asc");
?>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#headers {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 44%;
padding : 1%;
}
#sectionleft {
width : 35%;
float : left;
padding : 0%;
}
#sectionright {
width : 65%;
float : right;
padding : 2%;
}
#sectionbottom {
height : 25%;
padding : 1%;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
#footerleft {
width : 60%;
float : left;
}
a:link {
color : #002873;
}
</style>
```

## Syntax halaman penjualan

```
<?
include "koneksi_database.php";
if($simpan){
$save = mysql_query("insert into
tbl_penjualan
values('$no_surat','$tgl','$id_member'
)");
$insert = mysql_query("insert into
tbl_detailpenjualan
values('$no_surat','$kd_merk','$jml'
);
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_penjualan order by no_surat
asc");
?>

<?
//kode otomatis

include "koneksi_database.php";
$carikode = mysql_query("select
right(no_surat,3) from tbl_penjualan
order by no_surat desc") or die
(mysql_error());
$datakode =
mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "SJ".str_pad($kode, 3,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "SJ001";
}
?>

<script>
function ubahTanggal($tgl){
$pisah = explode('/', $tgl);
$array =
array($pisah[2], $pisah[0], $pisah[1]);
$satunya = implode('-', $array);
return $satunya;
$tgl = ubahTanggal($tgl);
}
</script>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#headers {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 44%;
padding : 1%;
}
#sectionleft {
width : 33%;
float : left;
padding : 0%;
}
#sectionright {
width : 37%;
float : right;
padding : 1%;
}
#sectionmid {
width : 30%;
float : left;
padding : 1%;
}
#sectionbottom {
height : 25%;
padding : 1%;}
</style>
```

## Syntax halaman servis

```
<?
include "koneksi_database.php";
if($simpan){
$save = mysql_query("insert into
tbl_servis
values('$no_servis','$no_booking','$j
enis','$biaya','$keterangan','$nik');
$insert = mysql_query("insert into
tbl_detailservis
values('$no_servis','$kd_sparepart','$
jml');");
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_servis order by no_servis asc");
?>

<?
//kode otomatis

include "koneksi_database.php";
$carikode = mysql_query("select
right(no_servis,4) from tbl_servis
order by no_servis desc") or die
(mysql_error());
$datakode = mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "S".str_pad($kode, 4,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "S0001";
}
?>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#headers {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 44%;
padding : 1%;
}
#sectionleft {
width : 33%;
float : left;
padding : 0%;
}
#sectionright {
width : 37%;
float : right;
padding : 1%;
}
#sectionmid {
width : 30%;
float : left;
padding : 1%;
}
#sectionbottom {
height : 25%;
padding : 1%;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
</style>
```

### **Syntax halaman sparepart**

```
<?
include "koneksi_database.php";
if($simpan){
$save = mysql_query("insert into
tbl_sparepart
values('$kd_sparepart','$nm_sparepar
t','$satuan','$harga','$stock')");
}
?>

<?
include "koneksi_database.php";
$result = mysql_query("select * from
tbl_sparepart order by kd_sparepart
asc");
?>

<?
//kode otomatis

include "koneksi_database.php";
$carikode = mysql_query("select
right(kd_sparepart,3)          from
tbl_sparepart order by kd_sparepart
desc") or die (mysql_error());
$datakode =
mysql_fetch_array($carikode);
if($datakode){
$nilaikode = substr($datakode[0],1);
$kode = (int) $nilaikode + 1;
$hasilkode = "SP".str_pad($kode, 3,
"0", STR_PAD_LEFT);
}else{
$hasilkode = "SP001";
}
?>

<style>
html, body {
margin-top : 0%;
margin-bottom : 0%;
margin-left : 0%;
margin-right : 0%;
}
#headers {
background : #002873;
height : 10%;
padding : 0%;
}
#navbar {
background : #f2f4f8;
height : 7%;
padding : 0%;
}
#section {
height : 44%;
padding : 1%;
}
#sectionleft {
width : 35%;
float : left;
padding : 0%;
}
#sectionright {
width : 65%;
float : right;
padding : 2%;
}
#sectionbottom {
height : 25%;
padding : 1%;
}
#footer {
background : #002873;
color : white;
height : 14%;
padding : 1%;
}
#footerright {
width : 40%;
float : right;
text-align : left;
}
#footerleft {
width : 60%;
float : left;
}
a:link {
color : #002873;
}
</style>
```



# **LAMPIRAN**