

**E-mading**

```
package com.enwif.emad.adp;
```

```
import android.support.v7.widget.RecyclerView;
```

```
import android.view.LayoutInflater;
```

```
import android.view.View;
```

```
import android.view.ViewGroup;
```

```
import android.widget.TextView;
```

```
import com.enwif.emad.R;
```

```
import com.enwif.emad.mdl.KomentarMdl;
```

```
import com.enwif.hlp.DateConv;
```

```
import java.util.List;
```

```
/**
```

```
* Created by darksky on 11/08/17.
```

```
*/
```

```
public class KomentarAdp extends
```

```
RecyclerView.Adapter<KomentarAdp.ViewHolder> {
```

```
private List<KomentarMdl> mdls;
```

```
private DateConv dateConv;

public static class ViewHolder extends RecyclerView.ViewHolder {

    private TextView tvIsi, tvNamaWhen;

    public ViewHolder(View itemView) {
        super(itemView);

        tvIsi = (TextView) itemView.findViewById(R.id.tvIsi);
        tvNamaWhen = (TextView) itemView.findViewById(R.id.tvNamaWhen);
    }

    public KomentarAdp(List<KomentarMdl> mdls) {
        this.mdls = mdls;
        dateConv = new DateConv();
    }

    @Override
    public ViewHolder onCreateViewHolder(ViewGroup parent, int viewType) {
        View view =
LayoutInflater.from(parent.getContext()).inflate(R.layout.komentar_item, parent,
false);
```

```
ViewHolder viewHolder = new ViewHolder(view);

return viewHolder;

}

@Override

public void onBindViewHolder(ViewHolder holder, int position) {

KomentarMdl mdl = mdls.get(position);

holder.tvIsi.setText(mdl.getIsi());

holder.tvNamaWhen.setText(mdl.getNama() + ", " +

dateConv.getDate8601StLc(mdl.getWhen()));

}

}
```

```
@Override

public int getItemCount() {

    return mdls.size();

}

}
```

### **Mad adv**

```
package com.enwif.emad.adp;

import android.content.Context;

import android.content.Intent;
```

```
import android.graphics.BitmapFactory;
import android.support.v7.widget.CardView;
import android.support.v7.widget.RecyclerView;
import android.util.Log;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.ImageView;
import android.widget.TextView;

import com.enwif.emad.R;
import com.enwif.emad.cnt.MadDesc;
import com.enwif.emad.mdl.MadingMdl;
import com.enwif.hlp.DateConv;
import java.util.List;

/**
 * Created by darksky on 10/08/17.
 */

public class MadAdp extends RecyclerView.Adapter<MadAdp.ViewHolder> {
```

```
private List<MadingMdl> mdls;

private DateConv dateConv;

private Context context;

public static class ViewHolder extends RecyclerView.ViewHolder {

    private CardView cv;

    private ImageView iv;

    private TextView tvJudul, tvBagian,tvTgl, tvPreText;

    private MadingMdl mdl;

    public ViewHolder(final View itemView) {
        super(itemView);

        cv = (CardView) itemView.findViewById(R.id.cv);

        iv = (ImageView) itemView.findViewById(R.id.iv);

        tvJudul = (TextView) itemView.findViewById(R.id.tvTanggal);

        tvBagian = (TextView) itemView.findViewById(R.id.tvBagian);

        tvTgl = (TextView) itemView.findViewById(R.id.tvTgl);

        tvPreText = (TextView) itemView.findViewById(R.id.tvPreText);

        cv.setOnClickListener(new View.OnClickListener() {
```

```
    @Override

    public void onClick(View v) {

        Intent intent = new Intent(itemView.getContext(), MadDesc.class);

        intent.putExtra("mad", mdl);

        itemView.getContext().startActivity(intent);

    }

});
```

```
public MadAdp(List<MadingMdl> mdls) {

    this.mdls = mdls;

    dateConv = new DateConv();

}
```

```
    @Override

    public ViewHolder onCreateViewHolder(ViewGroup parent, int viewType) {

        View view =
LayoutInflater.from(parent.getContext()).inflate(R.layout.mad_item, parent,
false);

        ViewHolder viewHolder = new ViewHolder(view);

        context = parent.getContext();

        return viewHolder;
```

```
}
```

```
@Override
```

```
public void onBindViewHolder(ViewHolder holder, int position) {  
  
    MadingMdl mdl = mdls.get(position);  
  
    holder.tvJudul.setText(mdl.getJudul());  
  
    holder.tvBagian.setText(mdl.getBagian());  
  
    holder.tvTgl.setText(mdl.getTgl());  
  
    holder.tvPreText.setText(mdl.getPretext());  
  
    if(mdl.getImg() != null) {  
  
        holder.iv.setImageBitmap(BitmapFactory.decodeByteArray(mdl.getImg(),  
0, mdl.getImg().length));  
  
    }  
  
    else {  
  
        holder.iv.setImageResource(context.getResources().getIdentifier("noimg",  
"drawable", context.getPackageName()));  
  
    }  
  
    holder.mdl = mdl;  
  
}
```

```
@Override
```

```
public int getItemCount() {  
  
    return mdls.size();
```

```
}
```

```
}
```

User mading

```
package com.enwif.emad.adp;
```

```
import android.app.ProgressDialog;
```

```
import android.content.Context;
```

```
import android.content.DialogInterface;
```

```
import android.graphics.BitmapFactory;
```

```
import android.support.design.widget.Snackbar;
```

```
import android.support.v7.app.AlertDialog;
```

```
import android.support.v7.widget.CardView;
```

```
import android.support.v7.widget.RecyclerView;
```

```
import android.util.Log;
```

```
import android.view.LayoutInflater;
```

```
import android.view.View;
```

```
import android.view.ViewGroup;
```

```
import android.widget.ImageView;
```

```
import android.widget.TextView;
```

```
import com.android.volley.AuthFailureError;
```

```
import com.android.volley.NetworkResponse;
```

```
import com.android.volley.Request;
import com.android.volley.Response;
import com.android.volley.ServerError;
import com.android.volley.VolleyError;
import com.android.volley.toolbox.HttpHeaderParser;
import com.android.volley.toolbox.StringRequest;
import com.enwif.emad.R;
import com.enwif.emad.cnn.Cnn;
import com.enwif.emad.mdl.MadingMdl;
import com.enwif.emad.rqs.RequestRqs;
import com.enwif.hlp.DateConv;

import java.io.UnsupportedEncodingException;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

/***
 * Created by darksky on 06/08/17.
 */

```

```
public class UserMadingAdp extends  
RecyclerView.Adapter<UserMadingAdp.ViewHolder> {  
  
    private List<MadingMdl> mdls;  
  
    private DateConv dateConv;  
  
    private Context context;  
  
  
  
    public static class ViewHolder extends RecyclerView.ViewHolder {  
  
        private CardView cv;  
  
        private ImageView iv;  
  
        private TextView tvJudul, tvTgl, tvPreText;  
  
  
  
        private MadingMdl mdl;  
  
        private String id;  
  
  
  
        public ViewHolder(final View itemView) {  
  
            super(itemView);  
  
  
  
            cv = (CardView) itemView.findViewById(R.id.cv);  
  
            iv = (ImageView) itemView.findViewById(R.id.iv);  
  
            tvJudul = (TextView) itemView.findViewById(R.id.tvTanggal);  
  
            tvTgl = (TextView) itemView.findViewById(R.id.tvTgl);  
  
            tvPreText = (TextView) itemView.findViewById(R.id.tvPreText);  
        }  
    }  
}
```

```
cv.setOnLongClickListener(new View.OnLongClickListener() {

    @Override

    public boolean onLongClick(View v) {

        AlertDialog.Builder builder = new
        AlertDialog.Builder(itemView.getContext());

        builder.setTitle("INFORMASI");

        builder.setMessage("Hapus data?")

        .setCancelable(true)

        .setPositiveButton("Ya", new DialogInterface.OnClickListener()

{

    @Override

    public void onClick(DialogInterface dialog, int which) {

        final ProgressDialog progressDialog =
        ProgressDialog.show(itemView.getContext(),
        itemView.getContext().getString(itemView.getContext().getResources().getIdentifier("strInfSending", "string", itemView.getContext().getPackageName())),
        itemView.getContext().getString(itemView.getContext().getResources().getIdentifier("strInfWait", "string", itemView.getContext().getPackageName())), false,
        false);

        StringRequest stringRequest = new
        StringRequest(Request.Method.POST, Cnn.url + "mading/del", new
        Response.Listener<String>() {

            @Override
```

```
        public void onResponse(String response) {  
            progressDialog.dismiss();  
        }  
  
    }, new Response.ErrorListener() {  
  
        @Override  
  
        public void onErrorResponse(VolleyError error) {  
            progressDialog.dismiss();  
  
            Log.e("setDt", error.toString());  
  
            NetworkResponse response = error.networkResponse;  
  
            if (error instanceof ServerError && response != null) {  
  
                try {  
  
                    String res = new String(response.data,  
                        HeaderParser.parseCharset(response.headers, "utf-8"));  
  
                    Log.e("setDt", res);  
  
                } catch (UnsupportedEncodingException e1) {  
  
                    e1.printStackTrace();  
  
                }  
  
            }  
  
        }  
  
    }) {  
  
        @Override
```

```
protected Map<String, String> getParams() throws  
AuthFailureError {  
  
    Map<String, String> params = new HashMap<>();  
  
    params.put("kdmading", id);  
  
    return params;  
  
}  
  
};  
  
RequestRqs.getInstance().addToRequestQueue(stringRequest);  
  
}  
  
})  
  
.setNegativeButton("Tidak", new  
DialogInterface.OnClickListener() {  
  
    @Override  
  
    public void onClick(DialogInterface dialog, int which) {  
  
        //  
  
    }  
  
});  
  
AlertDialog alertDialog = builder.create();  
  
alertDialog.show();  
  
return true;  
}
```

```
    });

}

}

public UserMadingAdp(List<MadingMdl> mdls) {

    this.mdls = mdls;

    dateConv = new DateConv();

}

@Override

public ViewHolder onCreateViewHolder(ViewGroup parent, int viewType) {

    View view =

    LayoutInflater.from(parent.getContext()).inflate(R.layout.user_mading_item,
    parent, false);

    ViewHolder viewHolder = new ViewHolder(view);

    context = parent.getContext();

    return viewHolder;

}

@Override

public void onBindViewHolder(ViewHolder holder, int position) {

    MadingMdl mdl = mdls.get(position);

    holder.tvJudul.setText(mdl.getJudul());
```

```
holder.tvTgl.setText(mdl.getTgl());

holder.tvPreText.setText(mdl.getPretext());

if(mdl.getImg() != null) {

    holder.iv.setImageBitmap(BitmapFactory.decodeByteArray(mdl.getImg(),
0, mdl.getImg().length));

}

else {

    holder.iv.setImageResource(context.getResources().getIdentifier("noimg",
"drawable", context.getPackageName()));

}

holder.mdl = mdl;

holder.id = mdl.getKdmading();

}
```

@Override

```
public int getItemCount() {

    return mdls.size();

}
```

**Lng**

```
package com.enwif.emad.cnt;
```

```
import android.app.AlertDialog;
```

```
import android.content.Context;  
  
import android.content.SharedPreferences;  
  
import android.util.Log;  
  
  
  
import com.android.volley.AuthFailureError;  
  
import com.android.volley.NetworkResponse;  
  
import com.android.volley.Request;  
  
import com.android.volley.Response;  
  
import com.android.volley.ServerError;  
  
import com.android.volley.VolleyError;  
  
import com.android.volley.toolbox.HttpHeaderParser;  
  
import com.android.volley.toolbox.StringRequest;  
  
import com.enwif.emad.cnn.Cnn;  
  
import com.enwif.emad.rqs.RequestRqs;  
  
import com.enwif.lc.Lc;  
  
  
  
import org.json.JSONArray;  
  
import org.json.JSONException;  
  
import org.json.JSONObject;  
  
  
  
import java.io.UnsupportedEncodingException;  
  
import java.util.HashMap;
```

```
import java.util.Map;

/*
 * Created by darksky on 09/08/17.
 */

public class Lgn {

    private Context context;
    private SharedPreferences sharedpreferences;
    private Lc lc;

    public Lgn(Context context) {
        this.context = context;
        sharedpreferences = context.getSharedPreferences("lgn",
                context.MODE_PRIVATE);
        lc = new Lc();
    }

    public String checkLogin() {
        if(sharedpreferences.getString("kduser", null) != null) {
            return sharedpreferences.getString("kduser", null);
        } else {

```

```
        return "";
    }

}

public void login(final String username, final String password) {

    final ProgressDialog progressDialog = ProgressDialog.show(context,
context.getString(context.getResources().getIdentifier("strInfSending", "string",
context.getPackageName())),
context.getString(context.getResources().getIdentifier("strInfWait", "string",
context.getPackageName())), false, false);

StringRequest stringRequest = new StringRequest(Request.Method.POST,
Cnn.url + "user/some", new Response.Listener<String>() {

    @Override

    public void onResponse(String response) {

        if(lc.cekLc()) {

            try {

                if(!response.equals("0")) {

                    JSONArray jsonArray = new JSONArray(response);

                    for (int i = 0; i < jsonArray.length(); i++) {

                        JSONObject jsonObject = jsonArray.getJSONObject(i);

                        SharedPreferences.Editor editor = sharedPreferences.edit();


```

```
        editor.putString("kduser", jsonObject.getString("kduser"));

        editor.putString("username",
jsonObject.getString("username"));

        editor.putString("lastlogin",
jsonObject.getString("lastlogin"));

        editor.putString("bagian_kdbagian",
jsonObject.getString("bagian_kdbagian"));

        editor.putString("bagian", jsonObject.getString("bagian"));

        editor.apply();

    }

}

progressDialog.dismiss();

} catch (JSONException e) {

    e.printStackTrace();

}

}, new Response.ErrorListener() {

    @Override

    public void onErrorResponse(VolleyError error) {

        progressDialog.dismiss();

    }
}
```

```
        Log.e("setDt", error.toString());  
  
        NetworkResponse response = error.networkResponse;  
  
        if (error instanceof ServerError && response != null) {  
  
            try {  
  
                String res = new String(response.data,  
HttpHeaderParser.parseCharset(response.headers, "utf-8"));  
  
                Log.e("setDt", res);  
  
            } catch (UnsupportedEncodingException e1) {  
  
                e1.printStackTrace();  
  
            }  
  
        }  
  
    }) {  
  
    @Override  
  
    protected Map<String, String> getParams() throws AuthFailureError {  
  
        Map<String, String> params = new HashMap<>();  
  
        params.put("username", username);  
  
        params.put("password", password);  
  
        return params;  
  
    }  
  
};
```

```
RequestRqs.getInstance().addToRequestQueue(stringRequest);

}

public void logout() {

    SharedPreferences.Editor editor = sharedPreferences.edit();

    editor.clear();

    editor.apply();

}

}
```