

KODING PROGRAM

```
<!DOCTYPE html>

<html lang="en">

<head>

<!-- Head -->

<?php require 'head.php' ?>

<!-- /Head -->

</head>

<body class="home">

<div class="gtco-loader"></div>

<div id="page">

<!-- Menu -->

<?php require 'menu.php' ?>

<!-- /Menu -->

<!-- Header -->

<?php require 'header.php' ?>

<!-- /Header -->

<div class="gtco-section">

<div class="gtco-container">

<div class="row">

<div class="col-md-8 col-md-offset-2 text-center gtco-heading">

<h2 class="cursive-font primary-color">BAKSO SONY</h2>

</div>

</div>

</div>

</div>
```

```
</div>
```

```
<div class="gototop js-top">
```

```
<a href="#" class="js-gotop"><i class="icon-arrow-up"></i></a>
```

```
</div>
```

```
<!-- Footer -->
```

```
<?php require 'footer.php' ?>
```

```
<!-- /Footer -->
```

```
<!-- Foot -->
```

```
<?php require 'foot.php' ?>
```

```
<!-- /Foot -->
```

```
</body>
```

```
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<!-- Head -->
<?php require 'head.php' ?>
<!-- /Head -->
<body class="home">
<div class="gtco-loader"></div>
<div id="page">
<!-- container -->
<div class="container">
<div class="row">
<!-- Article main content -->
<article class="col-xs-12 maincontent">
<header class="page-header"></header>
<div class="col-md-6 col-md-offset-3 col-sm-8 col-sm-offset-2">
<div class="panel panel-default">
<div class="panel-body">
<h3 class="thin text-center">Login</h3>
<hr>
<!-- Message -->
<?php require 'message.php' ?>
<!-- /Message -->
<form id="form1" role="form" action="<?php echo base_url($action); ?>" method="post">
<input type="hidden" name="id" id="id1" value="">
<fieldset>
<div class="form-group">
<div class="top-margin">
```

```
<div class="control-group">
<label class="control-label">Username <span class="text-danger">*</span></label>
<input class="form-control" type="text" name="username" value="<?php if(!empty($data-
>username)) echo $data->username; ?>" placeholder="Username">
</div>
<div class="control-group">
<label class="control-label">Password <span class="text-danger">*</span></label>
<input class="form-control" type="password" name="password" value="<?php
if(!empty($data->password)) echo $data->password; ?>" placeholder="*****">
</div>
</div>
</div>
<hr>
<div class="row">
<div class="col-lg-8"></div>
<div class="col-lg-4 text-right">
<button type="button" class="btn btn-primary" id="btn-submit">Login</button>
</div>
</div>
</fieldset>
</form>
</div>
</div>
</div>
</article>
<!-- /Article -->
</div>
</div>
```

```

<!-- /container -->

</div>

<!-- Foot -->

<?php require 'foot.php' ?>

<!-- /Foot -->

<script>

document.getElementById("btn-submit").onclick = function() {

$("#form1").submit();

};

</script>

</body>

</html>

<nav class="gtco-nav" role="navigation">

<div class="gtco-container">

<div class="row">

<div class="col-sm-4 col-xs-12">

<div id="gtco-logo"><a href="<?php echo base_url() ?>admin/home">Bakso</a></div>

</div>

<div class="col-xs-8 text-right menu-1">

<ul>

<li class="active"><a href="<?php echo base_url() ?>admin/home">Home</a></li>

<li><a href="<?php echo base_url() ?>admin/dish">Menu</a></li>

<li class="has-dropdown">

<a href="#">Validasi</a>

<ul class="dropdown">

<li><a href="<?php echo base_url() ?>admin/validasi/status/belum">Belum
Divalidasi</a></li>

```

<a href="<?php echo base_url() ?>admin/validasi/status/sudah">Sudah
Divalidasi

<li class="has-dropdown">

Delivery

<ul class="dropdown">

<a href="<?php echo base_url() ?>admin/delivery/status/belum">Belum
Diproses

<a href="<?php echo base_url() ?>admin/delivery/status/dikirim">Dikirim

<a href="<?php echo base_url() ?>admin/delivery/status/terkirim">Terkirim

<a href="<?php echo base_url() ?>admin/delivery/status/gagal">Gagal

<a href="<?php echo base_url() ?>admin/delivery/status/semua">Semua

<a href="<?php echo base_url() ?>admin/outlet">Lokasi Outlet

<a href="<?php echo base_url() ?>admin/ganti">Ganti Password

<a href="<?php echo base_url() ?>admin/login/logout">Logout

</div>

</div>

</div>

</nav>

```
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Head -->
<?php require 'head.php' ?>
<!-- /Head -->
</head>
<body class="home">
<div class="gtco-loader"></div>
<div id="page">
<!-- Menu -->
<?php require 'menu.php' ?>
<!-- /Menu -->
<!-- Header -->
<?php require 'header.php' ?>
<!-- /Header -->
<div class="gtco-section">
<div class="gtco-container">
<div class="row">
<div class="col-md-12">
<div class="col-md-12 animate-box">
<h3>Delivery</h3>
<!-- Message -->
<?php require 'message.php' ?>
<!-- /Message -->
<form id="form1" role="form" action="<?php echo base_url($action); ?>" method="post"
enctype="multipart/form-data">
```

```
<input type="hidden" name="id" id="id1" value="">
<input type="hidden" name="statuspemesanan" id="statuspemesanan" value="">
<input type="hidden" name="status" value="<?php echo $status ?>">
<div class="row form-group">
  <div class="col-md-4">
    <label>Nama</label>
    <input type="text" name="nama" class="form-control" value="<?php if(!empty($data-
    >nama)) echo $data->nama; ?>" readonly="true" placeholder="Nama">
  </div>
</div>
<div class="row form-group">
  <div class="col-md-3">
    <label>Alamat</label>
    <input type="text" name="alamat" class="form-control" value="<?php if(!empty($data-
    >alamat)) echo $data->alamat; ?>" readonly="true" placeholder="Alamat">
  </div>
</div>
<div class="row form-group">
  <div class="col-md-4">
    <label>No Telp</label>
    <input type="text" name="notelp" class="form-control" value="<?php if(!empty($data-
    >notelp)) echo $data->notelp; ?>" readonly="true" placeholder="No Telp">
  </div>
</div>
<div class="row form-group">
  <div class="col-md-4">
    <label>Total Harga</label>
```



```
<input type="text" name="totalharga" class="form-control" value="<?php if(!empty($data->totalharga)) echo $data->totalharga; ?>" readonly="true" placeholder="Total Harga">
```

```
</div>
```

```
</div>
```

```
<hr>
```

```
<h3>Pesan :</h3>
```

```
<?php if (!empty($datadetail) && is_array($datadetail)) { ?>
```

```
<?php foreach($datadetail as $row) { ?>
```

```
<div class="row form-group">
```

```
<div class="col-md-12">
```

```
<div class="col-md-4">
```

```
<label>Jenis</label>
```

```
<input type="text" name="dtljenis" class="form-control" value="<?php if(!empty($row->jenis)) echo $row->jenis; ?>" readonly="true" placeholder="Jenis">
```

```
</div>
```

```
<div class="col-md-4">
```

```
<label>Nama</label>
```

```
<input type="text" name="dtlnama" class="form-control" value="<?php if(!empty($row->nama)) echo $row->nama; ?>" readonly="true" placeholder="Nama">
```

```
</div>
```

```
<div class="col-md-4">
```

```
<label>Jumlah</label>
```

```
<input type="text" name="dtljumlah" class="form-control" value="<?php if(!empty($row->jumlah)) echo $row->jumlah; ?>" readonly="true" placeholder="Jumlah">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php } ?>
```

```
<?php } ?>
<hr>
<div class="form-group">
<button type="button" class="btn btn-primary" id="btn-simpan">Dikirim</button>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="gototop js-top">
<a href="#" class="js-gotop"><i class="icon-arrow-up"></i></a>
</div>
<!-- Footer -->
<?php require 'footer.php' ?>
<!-- /Footer -->
<!-- Foot -->
<?php require 'foot.php' ?>
<!-- /Foot -->
<script>
<?php
if(!empty($data->id)) {
?>
$("#id1").val(<?php echo $data->id ?>);
<?php
```

```
}
?>
<?php
if(!empty($data->idpemesanan)) {
?>
$("#id1").val(<?php echo $data->idpemesanan ?>);
<?php
}
?>
document.getElementById("btn-simpan").onclick = function() {confirmDialog()};
function confirmDialog() {
$.confirm({
title: false,
content: 'Simpan Data?',
confirmButton: 'Simpan',
cancelButton: 'Batal',
confirmButtonClass: 'btn-info',
cancelButtonClass: 'btn-danger',
confirm: function(){
$("#statuspemesanan").val('Dikirim');
$("#form1").submit();
}
});
}
</script>
</body>
</html>
```

```
<!DOCTYPE html>

<html lang="en">

<head>

<!-- Head -->

<?php require 'head.php' ?>

<!-- /Head -->

</head>

<body class="home">

<div class="gtco-loader"></div>

<div id="page">

<!-- Menu -->

<?php require 'menu.php' ?>

<!-- /Menu -->

<!-- Header -->

<?php require 'header.php' ?>

<!-- /Header -->

<style>

#myImg {

border-radius: 5px;

cursor: pointer;

transition: 0.3s;

}

#myImg:hover {opacity: 0.7;}

/* The Modal (background) */

.modal {

display: none; /* Hidden by default */

position: fixed; /* Stay in place */
```

```
z-index: 1; /* Sit on top */  
padding-top: 100px; /* Location of the box */  
left: 0;  
top: 0;  
width: 100%; /* Full width */  
height: 100%; /* Full height */  
overflow: auto; /* Enable scroll if needed */  
background-color: rgb(0,0,0); /* Fallback color */  
background-color: rgba(0,0,0,0.9); /* Black w/ opacity */  
}
```

```
/* Modal Content (image) */
```

```
.modal-content {
```

```
margin: auto;
```

```
display: block;
```

```
width: 80%;
```

```
max-width: 700px;
```

```
}
```

```
/* Caption of Modal Image */
```

```
#caption {
```

```
margin: auto;
```

```
display: block;
```

```
width: 80%;
```

```
max-width: 700px;
```

```
text-align: center;
```

```
color: #ccc;
```

```
padding: 10px 0;
```

```
height: 150px;
```

```
}

/* Add Animation */

.modal-content, #caption {

-webkit-animation-name: zoom;

-webkit-animation-duration: 0.6s;

animation-name: zoom;

animation-duration: 0.6s;

}

@-webkit-keyframes zoom {

from {-webkit-transform:scale(0)}

to {-webkit-transform:scale(1)}

}

@keyframes zoom {

from {transform:scale(0)}

to {transform:scale(1)}

}

/* The Close Button */

.close {

margin: auto;

display: block;

width: 100%;

text-align: center;

color: #ffffff;

height: 150px;

}

.close:hover,

.close:focus {
```

```
color: #ffffff;
text-decoration: none;
cursor: pointer;
}
/* 100% Image Width on Smaller Screens */
@media only screen and (max-width: 700px){
.modal-content {
width: 100%;
}
}
</style>
<div class="gtco-section">
<div class="gtco-container">
<div class="row">
<div class="col-md-12">
<div class="col-md-12 animate-box">
<h3>Validasi Pembayaran</h3>
<!-- Message -->
<?php require 'message.php' ?>
<!-- /Message -->
<?php if (!empty($data) && is_array($data)) { ?>
<div>
<table class="table">
<thead>
<tr>
<th>NO</th>
<th>TANGGAL</th>
```

```
<th>BAYAR</th>
<th>ATAS NAMA(Bank)</th>
<th>ID PESANAN</th>
<th>TOTAL HARGA</th>
<th>NAMA</th>
<th>STRUK</th>
<th></th>
</tr>
</thead>
<tbody>
<?php $no = 0; ?>
<?php foreach($data as $row) { ?>
<?php $no++; ?>
<tr>
<td>
<?php echo $no ?>
</td>
<td>
<?php echo date_to_id($row->tanggal) ?>
</td>
<td>
<?php echo $row->bayar ?>
</td>
<td>
<?php echo $row->atasnama ?>
</td>
<td>
```



```

<?php echo $row->pemesanan_idpemesanan ?>
</td>
<td>
<?php echo $row->totalharga ?>
</td>
<td>
<?php echo $row->nama ?>
</td>
<td>
idvalidasi ?>.jpg" alt="<?php echo
$row->idvalidasi ?>" width="50" height="50">
</td>
<td width="250px">
<a class="btn btn-primary btn-xs" role="button" onclick="confirmDialog('cek', '<?php echo $row-
>idpemesanan ?>', '<?php echo $status ?>')">Cek</a>
<a class="btn btn-danger btn-xs" role="button" onclick="confirmDialog('hapus', '<?php echo $row-
>idpemesanan ?>', '<?php echo $status ?>')">Hapus</a>
</td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
<?php } else { ?>
<!-- Message Empty -->
<?php require 'msgempty.php' ?>
<!-- /Message Empty -->
<?php } ?>
</div>

```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="gototop js-top">
```

```
<a href="#" class="js-gotop"><i class="icon-arrow-up"></i></a>
```

```
</div>
```

```
<!-- Footer -->
```

```
<?php require 'footer.php' ?>
```

```
<!-- /Footer -->
```

```
<!-- Foot -->
```

```
<?php require 'foot.php' ?>
```

```
<!-- /Foot -->
```

```
<!-- The Modal -->
```

```
<div id="myModal" class="modal">
```

```
<img class="modal-content" id="img01">
```

```
<div><span class="close">&times;</span></div>
```

```
</div>
```

```
<script>
```

```
function confirmDialog(st, s, status) {
```

```
if(st == 'cek') {
```

```
$.confirm({
```

```
title: false
```

```
content: 'Cek Pembayaran?',
```

```
confirmButton: 'Cek',
```

```
cancelButton: 'Batal',
```

```

confirmButtonClass: 'btn-primary',
cancelButtonClass: 'btn-danger',
confirm: function(){
window.location.href = "<?php echo base_url('admin/validasi/cek/'); ?>"+"/"+"s+"/"+"status;
}
});
} else if(st == 'hapus') {
$.confirm({
title: false,
content: 'Hapus?',
confirmButton: 'Hapus',
cancelButton: 'Batal',
confirmButtonClass: 'btn-info',
cancelButtonClass: 'btn-danger',
confirm: function(){
window.location.href = "<?php echo base_url('admin/validasi/hapus/'); ?>"+"/"+"s+"/"+"status;
}
});
}
}

// Get the modal
var modal = document.getElementById('myModal');

// Get the image and insert it inside the modal - use its "alt" text as a caption
var img = document.getElementById('myImg');
var modalImg = document.getElementById("img01");
var captionText = document.getElementById("caption");

img.onclick = function(){

```

```
modal.style.display = "block";
modallmg.src = this.src;
captionText.innerHTML = this.alt;
}
// Get the <span> element that closes the modal
var span = document.getElementsByClassName("close")[0];
// When the user clicks on <span> (x), close the modal
span.onclick = function() {
modal.style.display = "none";
}
</script>
</body>
</html>
```