

LAMPIRAN


```

<?php
$matpel = $_POST ['matpel'];
?>
<form class="form-horizontal" name="form1" method="POST"
enctype="multipart/form-data" action="" >

        <div class="form-group">
            <label for="inputPassword3" class="col-sm-2 control-
label">Mata Pelajaran</label>
            <div class="col-sm-4">
                <select class="form-control" name="matpel">
                    <option value="<?php echo $matpel ?>"><?php echo
$matpel ?></option>
                    <?php
                    $sqlmatpel = mysql_query("SELECT * from minat
order by nama_minat asc ");

                    while ($datamatpel = mysql_fetch_array($sqlmatpel)){
                        ?>
                        <option value="<?php echo $datamatpel['nama_minat']
?>"><?php echo $datamatpel['nama_minat'] ?></option>
                    <?php } ?>
                </select>
            </div>
        </div>
        <div class="form-group m-b-0">
            <div class="col-sm-offset-2 col-sm-9">
                <button type="submit" class="btn btn-info"><i
class="fa fa-search"></i> Cari</button>
                <a href="cetak/cetak_hasil.php?matpel=<?php echo
$matpel ?>" target="_blank">

```

```

                <button type="button" class="btn btn-info"><i
class="fa fa-print"></i> Cetak</button>
                </a>

                </div>
            </div>
        </form>
    <div class="page-breadcrumb">
        <div class="row">
            <div class="col-12 d-flex no-block align-items-center">
                <h4 class="page-title">Penilaian</h4>
                <div class="ml-auto text-right">
                    <nav aria-label="breadcrumb">
                        <ol class="breadcrumb">
                            <li class="breadcrumb-item"><a
href="home.php">Home</a></li>
                            <li class="breadcrumb-item active" aria-
current="page">siswa</li>
                        </ol>
                    </nav>
                </div>
            </div>
        </div>
    </div>
</div>
<!--
=====
==== -->
<!-- End Bread crumb and right sidebar toggle -->
<!--
=====
==== -->

```



```

        <th scope="col">Nama siswa</th>
        <?php
        $sqlnilai = mysql_query("select * from minat order by
kd_minat asc");
        while ($dtnilai = mysql_fetch_array($sqlnilai)){
            ?>
            <th scope="col"><?php echo $dtnilai['nama_minat']
?></th>

            <?php
            }
            ?>
        </tr>
    </thead>
    <tbody>

    <?php
        $sql = mysql_query("SELECT * FROM
siswa order by nis asc");
        $no = 1;
        while($data = mysql_fetch_array($sql)){
            $nis = $data['nis'];

            ?>
            <tr>
                <td><?php echo $no++ ?></td>
                <td><?php echo $data['nis'] ?></td>
                <td><?php echo $data['nama_siswa'] ?></td>
            <?php
                $sqlnilai = mysql_query("select * from minat
order by kd_minat asc");

```

```

        while ($dtnilai =
mysql_fetch_array($sqlnilai)){
            $kodeminat = $dtnilai ['kd_minat'];
            $sql = mysql_query("select * from
penilaian where kd_minat='$kodeminat' and nis = '$nis'");
            $ddd = mysql_fetch_array($sql);
            ?>

            <th scope="col"><?php echo $ddd['nilai']
?></th>

            <?php
            }
            ?>
        </tr>
    <?php } ?>        </tbody>
</table>

<div class="card-body">
    <h5 class="card-title m-b-0">Tabel GAP</h5>
</div>
<table class="table">
    <thead>
        <tr>
            <th scope="col">No</th>
            <th scope="col">NIS</th>
            <th scope="col">Nama siswa</th>
            <?php
            $sqlnilai = mysql_query("select * from minat order by
kd_minat asc");
            while ($dtnilai = mysql_fetch_array($sqlnilai)){

```

```

        ?>
        <th scope="col"><?php echo $dtnilai['nama_minat']
?></th>

        <?php
        }
        ?>
    </tr>
</thead>
<tbody>

<?php
        $sql = mysql_query("SELECT * FROM
siswa order by nis asc");

        $no = 1;
        while($data = mysql_fetch_array($sql)){
            $nis = $data['nis'];

        ?>
        <tr>
            <td><?php echo $no++ ?></td>
            <td><?php echo $data['nis'] ?></td>
            <td><?php echo $data['nama_siswa'] ?></td>
        <?php
            $sqlnilai = mysql_query("select * from minat
order by kd_minat asc");

            while ($dtnilai =
mysql_fetch_array($sqlnilai)){
                $kodeminat = $dtnilai ['kd_minat'];
                $sqll = mysql_query("select * from
penilaian where kd_minat='$kodeminat' and nis = '$nis'");
                $ddd = mysql_fetch_array($sqll);

```



```

        $nilai = $ddd['nilai'] - 3 ;
    ?>

    <th scope="col"><?php echo $nilai ?></th>

    <?php
    }
    ?>
</tr>
<?php } ?>                </tbody>
</table>

```

```

<div class="card-body">
    <h5 class="card-title m-b-0">Tabel Pembobotan GAP</h5>
</div>
<table class="table">
    <thead>
    <tr>
        <th scope="col">No</th>
        <th scope="col">NIS</th>
        <th scope="col">Nama siswa</th>
    <?php
    $sqlnilai = mysql_query("select * from minat order by
kd_minat asc");
    while ($dtnilai = mysql_fetch_array($sqlnilai)){
        ?>
        <th scope="col"><?php echo $dtnilai['nama_minat']
?></th>

    <?php

```

```

        }
        ?>
    </tr>
</thead>
<tbody>
<?php
        $sql = mysql_query("SELECT * FROM
siswa order by nis asc");
        $no = 1;
        while($data = mysql_fetch_array($sql)){
            $nis = $data['nis'];

        ?>
    <tr>
        <td><?php echo $no++ ?></td>
        <td><?php echo $data['nis'] ?></td>
        <td><?php echo $data['nama_siswa'] ?></td>
    <?php
        $sqlnilai = mysql_query("select * from minat
order by kd_minat asc");
        while ($dtnilai =
mysql_fetch_array($sqlnilai)){
            $kodeminat = $dtnilai ['kd_minat'];
            $sql1 = mysql_query("select * from
penilaian where kd_minat='$kodeminat' and nis = '$nis'");
            $ddd = mysql_fetch_array($sql1);
            $nilai = $ddd['nilai'] - 3 ;
            if ($nilai == 0 ){
                $bobot = 5.0 ;
            }else if($nilai == 1){
                $bobot = 4.5 ;
            }
        }
    }
}
?>

```

```

    }else if($nilai == -1){
        $bobot = 4.0 ;
    }else if($nilai == 2){
        $bobot = 3.5 ;
    }else if($nilai == -2){
        $bobot = 3.0 ;
    }else if($nilai == 3){
        $bobot = 2.5 ;
    }else if($nilai == -3){
        $bobot = 2.0 ;
    }else if($nilai == 4){
        $bobot = 1.5 ;
    }else if($bobot == -4){
        $bobot = 1.0 ;
    }
    ?>

```

```

<th scope="col"><?php echo $bobot ?></th>

```

```

<?php
}
?>

```

```

</tr>

```

```

<?php } ?>

```

```

</tbody>

```

```

</table>

```

```

<div class="card-body">

```

```

    <h5 class="card-title m-b-0">Tabel SF dan CF</h5>

```

```

</div>

```

```

<table class="table">

```

```

    <thead>

```

```

<tr>
<th scope="col" rowspan="2">No</th>
<th scope="col" rowspan="2">NIS</th>
<th scope="col" rowspan="2">Nama siswa</th>
<th scope="col" colspan="2"
align="center">Kriteria</th>

</tr>
<tr>
<th scope="col">NCF</th>
<th scope="col">NSF</th>

</tr>
</thead>
<tbody>
<?php
        $sql = mysql_query("SELECT * FROM
siswa inner join penilaian on siswa.nis = penilaian.nis group by penilaian.nis ");
        $no = 1;
        mysql_query("delete from pembobotan");
        while($data = mysql_fetch_array($sql)){
            $nis2 = $data['nis'];

            //k1 CF M01
            $kcf1 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M01'");
            $dkcf1 = mysql_fetch_array($kcf1);
            $nkcf1 = $dkcf1 ['nilai'] - 3;
            if ($nkcf1 == 0 ){

```

```
$bkcf1 = 5.0 ;
}else if($nkcf1 == 1){
    $bkcf1 = 4.5 ;
}else if($nkcf1 == -1){
    $bkcf1 = 4.0 ;
}else if($nkcf1 == 2){
    $bkcf1 = 3.5 ;
}else if($nkcf1 == -2){
    $bkcf1 = 3.0 ;
}else if($nkcf1 == 3){
    $bkcf1 = 2.5 ;
}else if($nkcf1 == -3){
    $bkcf1 = 2.0 ;
}else if($nkcf1 == 4){
    $bkcf1 = 1.5 ;
}else if($nkcf1 == -4){
    $bkcf1 = 1.0 ;
}
}
```

```
//k1 CF M02
```

```
$kcf2 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M02'");
```

```
$dkcf2 = mysql_fetch_array($kcf2);
$nkcf2 = $dkcf2 ['nilai'] - 3;
if ($nkcf2 == 0 ){
    $bkcf2 = 5.0 ;
}else if($nkcf2 == 1){
    $bkcf2 = 4.5 ;
}else if($nkcf2 == -1){
    $bkcf2 = 4.0 ;
}else if($nkcf2 == 2){
```

```

        $bkcf2 = 3.5 ;
    }else if($nkcf2 == -2){
        $bkcf2 = 3.0 ;
    }else if($nkcf2 == 3){
        $bkcf2 = 2.5 ;
    }else if($nkcf2 == -3){
        $bkcf2 = 2.0 ;
    }else if($nkcf2 == 4){
        $bkcf2 = 1.5 ;
    }else if($nkcf2 == -4){
        $bkcf2 = 1.0 ;
    }

//k1 CF M06
$skcf3 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M06'");
$dkcf3 = mysql_fetch_array($skcf3);
$nkcf3 = $dkcf3 ['nilai'] - 3;
if ($nkcf3 == 0 ){
    $bkcf3 = 5.0 ;
}
else if($nkcf3 == 1){
    $bkcf3 = 4.5 ;
}
else if($nkcf3 == -1){
    $bkcf3 = 4.0 ;
}
else if($nkcf3 == 2){
    $bkcf3 = 3.5 ;
}
else if($nkcf3 == -2){
    $bkcf3 = 3.0 ;
}
else if($nkcf3 == 3){
    $bkcf3 = 2.5 ;
}
else if($nkcf3 == -3){

```

```
$bkcf3 = 2.0 ;
}else if($nkcf3 == 4){
    $bkcf3 = 1.5 ;
}else if($nkcf3 == -4){
    $bkcf3 = 1.0 ;
}
```

```
//k1 CF M07
```

```
$kcf4 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M07'");
```

```
$dkcf4 = mysql_fetch_array($kcf4);
$nkcf4 = $dkcf4 ['nilai'] - 3;
if ($nkcf4 == 0){
    $bkcf4 = 5.0 ;
}else if($nkcf4 == 1){
    $bkcf4 = 4.5 ;
}else if($nkcf4 == -1){
    $bkcf4 = 4.0 ;
}else if($nkcf4 == 2){
    $bkcf4 = 3.5 ;
}else if($nkcf4 == -2){
    $bkcf4 = 3.0 ;
}else if($nkcf4 == 3){
    $bkcf4 = 2.5 ;
}else if($nkcf4 == -3){
    $bkcf4 = 2.0 ;
}else if($nkcf4 == 4){
    $bkcf4 = 1.5 ;
}else if($nkcf4 == -4){
```

```

        $bkcf4 = 1.0 ;
    }

//k2 CF M08
    $kcf8 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M08'");
    $dkcf8 = mysql_fetch_array($kcf8);
    $nkcf8 = $dkcf8 ['nilai'] - 3;
    if ($nkcf8 == 0 ){
        $bkcf8 = 5.0 ;
    }else if($nkcf8 == 1){
        $bkcf8 = 4.5 ;
    }else if($nkcf8 == -1){
        $bkcf8 = 4.0 ;
    }else if($nkcf8 == 2){
        $bkcf8 = 3.5 ;
    }else if($nkcf8 == -2){
        $bkcf8 = 3.0 ;
    }else if($nkcf8 == 3){
        $bkcf8 = 2.5 ;
    }else if($nkcf8 == -3){
        $bkcf8 = 2.0 ;
    }else if($nkcf8 == 4){
        $bkcf8 = 1.5 ;
    }else if($nkcf8 == -4){
        $bkcf8 = 1.0 ;
    }

//k2 CF M09
    $kcf9 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M09'");

```



```
$dkcf9 = mysql_fetch_array($kcf9);
$nkcf9 = $dkcf9 ['nilai'] - 3;
if ($nkcf9 == 0 ){
    $bkcf9 = 5.0 ;
}else if($nkcf9 == 1){
    $bkcf9 = 4.5 ;
}else if($nkcf9 == -1){
    $bkcf9 = 4.0 ;
}else if($nkcf9 == 2){
    $bkcf9 = 3.5 ;
}else if($nkcf9 == -2){
    $bkcf9 = 3.0 ;
}else if($nkcf9 == 3){
    $bkcf9 = 2.5 ;
}else if($nkcf9 == -3){
    $bkcf9 = 2.0 ;
}else if($nkcf9 == 4){
    $bkcf9 = 1.5 ;
}else if($nkcf9 == -4){
    $bkcf9 = 1.0 ;
}
}
```

```
//k2 CF M12
```

```
$kcf10 = mysql_query("select * from
penilaian where nis='$nis2' and kd_minat='M12'");
```

```
$dkcf10 = mysql_fetch_array($kcf10);
$nkcf10 = $dkcf10 ['nilai'] - 3;
if ($nkcf10 == 0 ){
    $bkcf10 = 5.0 ;
}else if($nkcf10 == 1){
    $bkcf10 = 4.5 ;
```

```
}else if($nkcf10 == -1){
    $bkcf10 = 4.0 ;
}else if($nkcf10 == 2){
    $bkcf10 = 3.5 ;
}else if($nkcf10 == -2){
    $bkcf10 = 3.0 ;
}else if($nkcf10 == 3){
    $bkcf10 = 2.5 ;
}else if($nkcf10 == -3){
    $bkcf10 = 2.0 ;
}else if($nkcf10 == 4){
    $bkcf10 = 1.5 ;
}else if($nkcf10 == -4){
    $bkcf10 = 1.0 ;
}
}
```

```
//k2 CF M13
```

```
$kcf11 = mysql_query("select * from
penilaian where nis='$nis2' and kd_minat='M13'");
```

```
$dkcf11 = mysql_fetch_array($kcf11);
```

```
$nkcf11 = $dkcf11 ['nilai'] - 3;
```

```
if ($nkcf11 == 0){
```

```
    $bkcf11 = 5.0 ;
```

```
}else if($nkcf11 == 1){
```

```
    $bkcf11 = 4.5 ;
```

```
}else if($nkcf11 == -1){
```

```
    $bkcf11 = 4.0 ;
```

```
}else if($nkcf11 == 2){
```

```
    $bkcf11 = 3.5 ;
```

```
}else if($nkcf11 == -2){
```

```
    $bkcf11 = 3.0 ;
```

```
}else if($nkcf11 == 3){  
    $bkcf11 = 2.5 ;  
}else if($nkcf11 == -3){  
    $bkcf11 = 2.0 ;  
}else if($nkcf11 == 4){  
    $bkcf11 = 1.5 ;  
}else if($nkcf11 == -4){  
    $bkcf11 = 1.0 ;  
}
```

```
$k1_CF = ($bkcf1 + $bkcf2 + $bkcf3 +  
$bkcf4 + $bkcf8 + $bkcf9 + $bkcf10 + $bkcf11) / 8 ;
```

```
//k1 SF M03
```

```
$kcf5 = mysql_query("select * from penilaian  
where nis='$nis2' and kd_minat='M03'");
```

```
$dkcf5 = mysql_fetch_array($kcf5);
```

```
$nkcf5 = $dkcf5 ['nilai'] - 3;
```

```
if ($nkcf5 == 0){
```

```
    $bkcf5 = 5.0 ;
```

```
}else if($nkcf5 == 1){
```

```
    $bkcf5 = 4.5 ;
```

```
}else if($nkcf5 == -1){
```

```
    $bkcf5 = 4.0 ;
```

```
}else if($nkcf5 == 2){
```

```
    $bkcf5 = 3.5 ;
```

```
}else if($nkcf5 == -2){
```

```
    $bkcf5 = 3.0 ;
```

```
}else if($nkcf5 == 3){
```

```
    $bkcf5 = 2.5 ;
```

```
}else if($nkcf5 == -3){
    $bkcf5 = 2.0 ;
}else if($nkcf5 == 4){
    $bkcf5 = 1.5 ;
}else if($nkcf5 == -4){
    $bkcf5 = 1.0 ;
}
```

```
//k1 SF M04
```

```
$kcf6 = mysql_query("select * from penilaian
where nis='$nis2' and kd_minat='M04'");
```

```
$dkcf6 = mysql_fetch_array($kcf6);
```

```
$nkcf6 = $dkcf6 ['nilai'] - 3;
```

```
if ($nkcf6 == 0){
```

```
    $bkcf6 = 5.0 ;
```

```
}else if($nkcf6 == 1){
```

```
    $bkcf6 = 4.5 ;
```

```
}else if($nkcf6 == -1){
```

```
    $bkcf6 = 4.0 ;
```

```
}else if($nkcf6 == 2){
```

```
    $bkcf6 = 3.5 ;
```

```
}else if($nkcf6 == -2){
```

```
    $bkcf6 = 3.0 ;
```

```
}else if($nkcf6 == 3){
```

```
    $bkcf6 = 2.5 ;
```

```
}else if($nkcf6 == -3){
```

```
    $bkcf6 = 2.0 ;
```

```
}else if($nkcf6 == 4){
```

```
    $bkcf6 = 1.5 ;
```

```
}else if($nkcf6 == -4){
```

```
    $bkcf6 = 1.0 ;
```

```

?>
<tr>
<td><?php echo $no++ ?></td>
<td><?php echo $data['nis'] ?></td>
<td><?php echo $data['nama_siswa'] ?></td>
<?php
    $sqlnilai = mysql_query("select * from minat
where nama_minat='$matpel' order by kd_minat asc");
    while ($dtnilai =
mysql_fetch_array($sqlnilai)){
        $kodeminat = $dtnilai ['kd_minat'];
        $sqll = mysql_query("select * from
penilaian where kd_minat='$kodeminat' and nis = '$nis'");
        $ddd = mysql_fetch_array($sqll);
        $nilai = $ddd['nilai'] - 3 ;
    ?>

<th scope="col"><?php echo $nilai ?></th>

<?php
}
$sqldetail = mysql_query("SELECT * from
detailpenilaian where nis='$nis'");
$dtdetail = mysql_fetch_array($sqldetail);
$performe = $dtdetail['performance'] - 3 ;
$absensi = $dtdetail['absensi'] - 3 ;
$atitude = $dtdetail['atitude']-3 ;
?>
<td><?php echo $performe ?></td>
<td><?php echo $absensi ?></td>
<td><?php echo $atitude ?></td>

```

```
        </tr>
    <?php } ?>        </tbody>
</table>
```

```
<div class="card-body">
    <h5 class="card-title m-b-0">Tabel Pembobotan GAP</h5>
</div>
```

```
<table class="table">
    <thead>
        <tr>
            <th scope="col">No</th>
            <th scope="col">NIS</th>
            <th scope="col">Nama siswa</th>
            <?php
                $sqlnilai = mysql_query("select * from minat where
nama_minat='$matpel' order by kd_minat asc");
                while ($dtnilai = mysql_fetch_array($sqlnilai)){
                    ?>
                    <th scope="col"><?php echo $dtnilai['nama_minat']
?></th>
```

```
            <?php
                }
            ?>
            <th scope="col">Performance</th>
            <th scope="col">Absensi</th>
            <th scope="col">Atitude</th>
        </tr>
    </thead>
    <tbody>
```

```

<?php
                                $sql = mysql_query("SELECT * FROM
siswa order by nis asc");
                                $no = 1;
                                while($data = mysql_fetch_array($sql)){
                                    $nis = $data['nis'];

?>
<tr>
    <td><?php echo $no++ ?></td>
    <td><?php echo $data['nis'] ?></td>
    <td><?php echo $data['nama_siswa'] ?></td>
<?php
    $sqlnilai = mysql_query("select * from minat
where nama_minat='$matpel' order by kd_minat asc");
    while ($dtnilai =
mysql_fetch_array($sqlnilai)){
        $kodeminat = $dtnilai ['kd_minat'];
        $sqll = mysql_query("select * from
penilaian where kd_minat='$kodeminat' and nis = '$nis'");
        $ddd = mysql_fetch_array($sqll);
        $nilai = $ddd['nilai'] - 3 ;
        if ($nilai == 0 ){
            $bobot = 5.0 ;
        }else if($nilai == 1){
            $bobot = 4.5 ;
        }else if($nilai == -1){
            $bobot = 4.0 ;
        }else if($nilai == 2){
            $bobot = 3.5 ;
        }else if($nilai == -2){

```

```
$bobot = 3.0 ;  
}else if($nilai == 3){  
    $bobot = 2.5 ;  
}else if($nilai == -3){  
    $bobot = 2.0 ;  
}else if($nilai == 4){  
    $bobot = 1.5 ;  
}else if($dtnilai == -4){  
    $bobot = 1.0 ;  
}  
?>
```

```
<th scope="col"><?php echo $bobot ?></th>
```