


```

<meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
<title>SMA Negeri 1 Natar</title>
<link rel="stylesheet"
href="css_login/style.default.css"
type="text/css" />
<link rel="stylesheet"
href="css/style.shinyblue.css"
type="text/css" />

<script type="text/javascript"
src="js_login/jquery-
1.9.1.min.js"></script>
<script type="text/javascript"
src="js_login/jquery-migrate-
1.1.1.min.js"></script>
<script type="text/javascript"
src="js_login/jquery-ui-
1.9.2.min.js"></script>
<script type="text/javascript"
src="js_login/modernizr.min.js"></scri
pt>
<script type="text/javascript"
src="js_login/bootstrap.min.js"></scri
pt>
<script type="text/javascript"
src="js_login/jquery.cookie.js"></scrip
t>
<script type="text/javascript"
src="js_login/custom.js"></script>

<script type="text/javascript">
    jQuery(document).ready(function(){
jQuery('#login').submit(function(){
    var u =
jQuery('#username').val();
    var p =
jQuery('#password').val();
    if(u == " && p == ") {
        jQuery('.login-
alert').fadeIn();
        return false;
    }
    });
    });
</script>
</head>

```

```

<body class="loginpage"
style="background:url(img/box-head-
active.jpg)">

<div class="loginpanel">
    <div class="loginpanelinner">
        <div class="logo animate0
bounceIn"></div><BR>
        <form id="login"
action="cek_login.php"
method="post">
            <div class="inputwrapper
login-alert">
                <div class="alert alert-
error">Username Dan Password Masih
Kosong</div>
            </div>
            <div class="inputwrapper
animate1 bounceIn">
                <input type="text"
name="username" id="username"
placeholder="Username" />
            </div>
            <div class="inputwrapper
animate2 bounceIn">
                <input type="password"
name="password" id="password"
placeholder="Password" />
            </div>
            <div class="inputwrapper
animate3 bounceIn">
                <button
name="submit">LOGIN
ADMINISTRATOR</button>
            </div>
        </form>
    </div><!--loginpanelinner-->
</div><!--loginpanel-->

<div class="loginfooter">
    <p> &copy; 2019 </p>
</div>

</body>
</html>

<!DOCTYPE html PUBLIC "-
//W3C//DTD XHTML 1.0
Transitional//EN"

```

```

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml"
">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>
<body>
<?php
if ($_GET['p']=='home')
{
include "home.php";
}
else
if ($_GET['p']=='keluar')
{
include "modul/keluar/keluar.php";
}
else
if ($_GET['p']=='member')
{
include "modul/member/member.php";
}
else
if ($_GET['p']=='pimpinan')
{
include
"modul/pimpinan/pimpinan.php";
}
else
if ($_GET['p']=='masuk')
{
include "modul/masuk/masuk.php";
}
else
if ($_GET['p']=='jadwal')
{
include "modul/jadwal/jadwal.php";
}
else
if ($_GET['p']=='disposisi')
{
include
"modul/disposisi/disposisi.php";
}
else
if ($_GET['p']=='konfirmasi2')

```

```

{
include
"modul/konfirmasi2/konfirmasi2.php";
}
else
if ($_GET['p']=='laporan1')
{
include "modul/laporan1/laporan.php";
}
else
if ($_GET['p']=='laporan2')
{
include "modul/laporan2/laporan.php";
}
else
if ($_GET['p']=='laporan')
{
include "modul/laporan/laporan.php";
}
else
if ($_GET['p']=='hasil')
{
include "modul/hasil/hasil.php";
}
else
if ($_GET['p']=='inventori')
{
include
"modul/inventori/inventori.php";
}
else
if ($_GET['p']=='profil')
{
include "modul/profil/profil.php";
}
else
{
include "not_found.php";
}
?>
</body>
</html>

<script language="JavaScript">
function konfirmasi(id) {
tanya = confirm('Anda yakin
ingin menghapus data ini.?');
if (tanya == true) return true;
else return false;
}

```

```

    }
</script>

<script language=Javascript>
function isNumberKey(evt)
{
var charCode = (evt.which) ?
evt.which : event.keyCode
if (charCode > 31 && (charCode < 48
|| charCode > 57))
return false;
return true;
}

function total(jml_pakai){
var hitung1 =
eval(document.getElementById('jml_p
akai').value);
var hitung2 =
eval(document.getElementById('tarif').
value);
    document.forms.form1.total_ba
yar.value = hitung1 * hitung2 ;
}
</script>

```

```

<script type="text/javascript">
$(document).ready(function(){
    $("#id_petugas").change(function(){
        var id_petugas =
$("#id_petugas").val();
        $.ajax({
            url: "a.php",
            data: "id_petugas=" + id_petugas,
            success: function(data){
                $("#nama_petugas").val(data);
            }
        });
    });
});
</script>

```

```

<script type="text/javascript">
$(document).ready(function(){
    $("#id_petugas").change(function(){
        var id_petugas =
$("#id_petugas").val();
        $.ajax({
            url: "b.php",

```

```

            data: "id_petugas=" + id_petugas,
            success: function(data){
                $("#NIP").val(data);
            }
        });
    });
</script>
<script type="text/javascript">
$(document).ready(function(){
    $("#id_kegiatan").change(function(){
        var id_kegiatan =
$("#id_kegiatan").val();
        $.ajax({
            url: "c.php",
            data: "id_kegiatan=" +
id_kegiatan,
            success: function(data){
                $("#jenis_kegiatan").val(data);
            }
        });
    });
</script>
<script type="text/javascript">
$(document).ready(function(){
    $("#id_tarif").change(function(){
        var id_tarif = $("#id_tarif").val();
        $.ajax({
            url: "d.php",
            data: "id_tarif=" + id_tarif,
            success: function(data){
                $("#jenis_tarif").val(data);
            }
        });
    });
</script>

```

```

<?php
session_start();
if (empty($_SESSION['username'])
AND
empty($_SESSION['password']))){
    echo "<link href='style.css'
rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul,
Anda harus login <br>";

```



```

                <td>${r[isi]} </td>

                <td>${r[nama]}</td>

                <td><img
src='../file_bukti/${r[nama_file]}
width='100'> </td>

<td>${r[rak]}</td>

                <td>${r[status]}</td>
                <td>
                <a
href='${aksi}?act=hapus&id=${r[id_masuk]}' class='icon-trash tip' title='Hapus'
onclick=\"return
konfirmasi(\".${r[id]}.\")\"> </a>
                </td>

</tr>";
    $no++;
}

    echo"</tbody>
    </table>
    </div>

    </div>
</div>
    <div
class='dr'><span></span></div>
    </div>
</div>";

break;

case "tambah":
$tgl=date('Y-m-d');
$edit =
mysql_query($connect,"SELECT *
FROM tbl_masuk ORDER BY
id_masuk DESC");
$r = mysql_fetch_array($edit);
$kode=${r['id_masuk']+1};

echo "<div class='content'>";

```

```

echo "<form method='post'
name='form1'
action='modul/masuk/aksi_masuk.php?
act=input' enctype='multipart/form-
data' onSubmit=\"return
validasi(this)\">
<div class='breadLine'>
    <ul class='breadcrumb'>
        <li><a
href='?p=home'>Dashboard</a> <span
class='divider'>></span></li>
        <li class='active'> &copy;
2020</li>
    </ul>
</div>

<div class='workplace'>
    <div class='row-fluid'>
        <div class='span10'>
            <div class='block-fluid'>
                <div class='head
clearfix'>
                    <h1>Form Surat
masuk</h1>
                </div>

<div class='row-form clearfix'>
    <div
class='span3'>Nomor Surat
Masuk</div>
        <div class='span2'>
            <input type='hidden'
name='id_masuk' id='id_masuk'
value='${kode}' />

            <input type='text'
name='no_masuk' id='no_masuk'
value='SM/SMAN1/00${kode}' />
        </div>
    </div>

<div class='row-form clearfix'>

```

```

        <div
class='span3'>Disposisi</div>

        <div
class='span2'><input type='text'
name='disposisi' id='disposisi'/></div>

</div>

```

```

<div class='row-form clearfix'>
        <div
class='span3'>Tanggal Surat
Masuk</div>
        <div class='span2'>

```

```

        <script
language='JavaScript'>
                                new tcsl
({
'formname': 'form1',
'controlname': 'tgl_masuk'
});
</script>

```

```

<input type='text' name='tgl_masuk'
id='tgl_masuk' required='/'></div>
</div>

```

```

<div class='row-form clearfix'>
        <div
class='span3'>Perihal</div>

        <div
class='span2'><input type='text'
name='perihal' id='perihal'/></div>

</div>

```

```

<div class='row-form clearfix'>
        <div
class='span3'>Pengirim</div>

```

```

        <div
class='span2'><input type='text'
name='pengirim' id='pengirim'/></div>

```

```

</div>

<div class='row-form
clearfix'>
        <div
class='span3'>Isi</div>

```

```

        <div
class='span6'><input type='text'
name='isi' id='isi'/></div>

</div>

```

```

<div class='row-form clearfix'>
        <div
class='span3'>Penerima</div>
        <div class='span3'>

```

```

        <select
name='id_petugas' id='id_petugas'
style='width: 100%;' required='>";

```

```

$stampil=mysqli_query($connect,"SEL
ECT * FROM tbl_petugas order by
nama_petugas ASC");

```

```

                                echo "<option
value=' selected>... pilih petugas
...</option>";

```

```

while($w=mysqli_fetch_array($stampil
)){

```

```

                                if
($r[id_petugas]==$w[id_petugas]){

```

```

                                echo
"<option
value='$w[id_petugas]','$w[nama_petu
gas]' </option>";

```

```

}

```

```

else{

```

```
        echo "<option
value='$w[id_petugas]','$w[nama_petu
gas]' </option>";
```

```
    }
```

```
    }
```

```
        echo "</select><input
type='hidden' name='nama_petugas'
id='nama_petugas' />
```

```
    </div>
```

```
</div>
```

```
<div class='row-form
clearfix'>
```

```
    <div
class='span3'>NIP</div>
```

```
    <div
class='span2'><input type='text'
name='NIP' id='NIP' /></div>
```

```
</div>
```

```
    <div
class='row-form clearfix'>
    <div
class='span3'>Lampiran</div>
```

```
    <div
class='span2'><input type='text'
name='lampiran' id='lampiran' /></div>
```

```
</div>
```

```
<div class='row-form
clearfix'>
```

```
    <div
class='span3'>Rak Penyimpanan</div>
```

```
    <div
class='span2'><input type='text'
name='rak' id='rak' /></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
    <div
class='span3'>Upload Dokumen</div>
```

```
    <div
class='span6'><input type='file'
name='fupload' id='fupload' /></div>
```

```
</div>
```

```
<div class='row-form clearfix'>
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
    <input
type='submit' class='btn'
value='Simpan'>
```

```
    <a
href='?p=masuk' role='button'
class='btn'>Batal</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<div class='dr'><span></span></div>
</div>";
```

```
echo "";
break;
```

```
case "tambah2":
```

```
$sql = mysqli_query($connect,"select
* from tbl_masuk_temp");
while($rx=mysqli_fetch_array($sql)){
$id_masuk = $rx['id_masuk_t'];
$no_masuk = $rx['no_masuk'];
$tgl_masuk = $rx['tgl_masuk'];
$id_customer = $rx['id_customer'];
```



```

$nama = $rx['nama'];
$no_rekening = $rx['no_rekening'];

}
echo "<div class='content'>";
echo "<form method='post'
name='form1'
action='modul/masuk/aksi_masuk.php?
act=input2' enctype='multipart/form-
data' onSubmit=\"return
validasi(this)\">
<div class='breadLine'>
    <ul class='breadcrumb'>
        <li><a
href='?p=home'>Dashboard</a> <span
class='divider'>></span></li>
        <li class='active'> &copy;
2020</li>
    </ul>
</div>

```

```

<div class='workplace'>
    <div class='row-fluid'>
        <div class='span10'>
            <div class='block-fluid'>
                <div class='head
clearfix'>
                    <h1>Form masuk </h1>
                </div>

```

```

                <input type='hidden'
name=id_masuk value=$id_masuk>

```

```

                <input type='hidden'
name=id_customer
value=$id_customer>

```

```

<div class='row-form clearfix'>
    <div
class='span3'>Nomor masuk</div>
    <div
class='span2'><input type='text'
name='no_masuk' id='no_masuk'
value='$no_masuk'
readonly='readonly'></div>
</div>

```

```

<div class='row-form clearfix'>
    <div
class='span3'>Tanggal masuk</div>
    <div
class='span2'><input type='text'
name='tgl_masuk' id='tgl_masuk'
value='$tgl_masuk'
readonly='readonly'></div>
</div>

```

```

<div class='row-form clearfix'>
    <div
class='span3'>Customer</div>
    <div
class='span6'><input type='text'
name='nama' id='nama' value='$nama'
readonly='readonly'></div>
</div>

```

```

    <div class='row-form
clearfix'>
        <div
class='span3'>No Rekening</div>
        <div
class='span2'><input type='text'
name='no_rekening' id='no_rekening'
value='$no_rekening'
readonly='readonly'></div>
    </div>

```

```

<div class='row-form clearfix'>
    <div
class='span3'>Jenis Tarif</div>
    <div class='span6'>
        <select name='id_tarif'
id='id_tarif' style='width: 100%;'
required='>'>";

```

```

$stampil=mysqli_query($connect,"SEL
ECT * FROM tbl_tarif");

```

```

echo "<option

```

```

value=" selected>... pilih jenis tarif
...</option>";

while($w=mysqli_fetch_array($stampil
)){
    if
($r[id_tarif]==$w[id_tarif]){
        echo
" <option
value='$w[id_tarif]'>$w[jenis_tarif]
</option>";
    }
    else{
        echo " <option
value='$w[id_tarif]'>$w[tarif]
</option>";
    }
    }
    echo "</select>

<input type='hidden' name='jenis_tarif'
id='jenis_tarif'/>

<input type='hidden' name='tarif'
id='tarif'/>

</div>
</div>
<div class='row-form clearfix'>
    <div
class='span3'>Bulan bayar</div>

    <div class='span4'>

        <select
name='bulan_bayar' id='bulan_bayar'
style='width: 100%;' required='>";
        echo " <option
value=" selected>---Pilih Bulan---
</option>";
        echo " <option
value='Januari'>Januari</option>";
        echo " <option
value='Februari'>Februari</option>";
        echo " <option
value='Maret'>Maret</option>";
        echo " <option
value='April'>April</option>";
        echo " <option
value='Mei'>Mei</option>";
        echo " <option
value='Juni'>Juni</option>";
        echo " <option
value='Juli'>Juli</option>";
        echo " <option
value='Agustus'>Agustus</option>";
        echo " <option
value='September'>September</option
>";
        echo " <option
value='Oktober'>Oktober</option>";
        echo
" <option
value='November'>November</option
>";

```



```

        <th
width='2%'>No.</th>
        <th
width='10%'>Jenis Tarif</th>
        <th
width='5%'>Tarif</th>
        <th
width='5%'>Bulan Bayar</th>
        <th
width='5%'>Tahun Bayar</th>
        <th
width='5%'>Jumlah Pakai</th>
        <th
width='5%'>Subtotal</th>
        <th
width='2%'>Hapus</th>
    </tr>
</thead>
<tbody>";

```

```

    $tp=mysqli_query($connect,"S
ELECT * FROM tbl_masuk_d
WHERE id_masuk=$id_masuk ");

```

```

    $no=1;

```

```

    while($rx=mysqli_fetch_array(
$tp)){

```

```

        $tarif =
number_format($rx['tarif'], 0, ',', '');

```

```

        $sub_total =
number_format($rx['sub_total'], 0,
',,');

```

```

        echo"
<tr>
<td>$no</td>

```

```

<td>$rx[jenis_tarif]</td>
<td>$tarif</td>

```

```

<td>$bulan_bayar</th>

```

```

<td>$tahun_bayar</th>

```

```

<td>$rx[jml_pakai]</td>

```

```

        <td>$sub_total</td>
<td>

```

```

<a
href='$aksi?act=hapus_aja&id=$rx[id_
masuk_d]' class='icon-trash tip'
title='Hapus' onclick="\return
konfirmasi('".$rx[id.]")\"> </a>

```

```

</td>
</tr>";
    $no++;
}

```

```

    $du =
mysqli_query($connect, "SELECT
SUM(sub_total) as totalnya FROM
tbl_masuk_d WHERE
id_masuk=$id_masuk");

```

```

    $rx =
mysqli_fetch_array($du);

```

```

    $total_biaya = $rx['totalnya'];
    $tot_rp =
number_format($rx['totalnya'], 0, ',', '');

```

```

    echo"</tbody>

```

```

<tr>
<td colspan='4'
bgcolor='#FFFF66'><div
align='right'><strong>GRAND
TOTAL : </strong></div></td>

```

```

<td
bgcolor='#FFFF66'><strong>$tot_rp</
strong></td>

```

```

        <td bgcolor='#999999'>

        <form method='post'
        action='modul/masuk/aksi_masuk.php?
        act=selesai'>

        <input type='hidden'
        name=id_masuk value='$id_masuk'>

        <input type='hidden'
        name=no_masuk value='$no_masuk'>

        <input type='hidden'
        name=tgl_masuk value='$tgl_masuk'>

        <input type='hidden'
        name=id_customer
        value='$id_customer'>

        <input type='hidden'
        name=nama value='$nama'>

        <input type='hidden'
        name=total_biaya
        value='$total_biaya'>

        <input
        type='submit' class='btn'
        value='Selesai'>

        </form>

    </td>
</tr>

</table>
</div>

</div>
break;

}
}

```

```

?>

<?php
session_start();
if (empty($_SESSION['username'])
AND
empty($_SESSION['passuser'])) {
    echo "<link href='style.css'
rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul,
Anda harus login <br>";
    echo "<a
href=../../index.php><b>LOGIN</b></
a></center>";
}
else {
    error_reporting(0);
    include
    "../../hmt_config/koneksi.php";
    include
    "../../hmt_config/fungsi_thumb.php";

    $p=$_GET[p];
    $act=$_GET[act];

    if ($act=='hapus'){
        mysqli_query($connect,"DELETE
        FROM tbl_masuk WHERE
        id_masuk='$_GET[id]'");

        header('location:../../media.php?p=mas
        uk');
    }

    if ($act=='input'){
        $lokasi_file =
        $_FILES['fupload']['tmp_name'];
        $tipe_file =
        $_FILES['fupload']['type'];
        $nama_file =
        $_FILES['fupload']['name'];
        $acak = rand(1,99);
        $nama_file_unik =
        $acak.$nama_file;

        UploadBukti($nama_file_unik);

        mysqli_query($connect,"INSERT
        INTO

```

```

tbl_masuk(no_masuk,tgl,id_petugas,nip,nama,perihal,pengirim,lampiran,isi,nama_file,rak,disposisi)
VALUES('$_POST[no_masuk]','$_POST[tgl_masuk]','$_POST[id_petugas]','$_POST[NIP]','$_POST[nama_petugas]','$_POST[perihal]','$_POST[pengirim]','$_POST[lampiran]','$_POST[isi]','$nama_file_unik','$_POST[rak]','$_POST[disposisi]');

header('location:../../media.php?p=masuk');
    }

elseif ($act=='update'){
    mysqli_query($connect,"UPDATE tbl_masuk SET nama =
    '$_POST[nama]',

                                alamat
    = '$_POST[alamat]',

                                telp =
    '$_POST[telp]',

    username = '$_POST[username]',

    password = '$pass'

    WHERE id_masuk = '$_POST[id]'");
    }

header('location:../../media.php?p=masuk');
    }

?>

```