

**PENGARUH KOMPETENSI APARATUR DESA, PRAKTEK
AKUNTABILITAS, MORALITAS INDIVIDU DAN SISTEM
PENGENDALIAN INTERNAL TERHADAP PENCEGAHAN
(*FRAUD*) PENGELOLAAN DANA DESA
(STUDI KEC. PADANG RATU KAB. LAMPUNG TENGAH)**

KUESIONER PENELITIAN



Disusun Oleh :

Agustinus Frando Suherwanto

1512120084

**PROGRAM STUDI AKUNTANSI
FAKULTAS EKONOMI DAN BISNIS
INSTITUT INFORMATIKA DAN BISNIS DARMAJAYA
BANDAR LAMPUNG**

2021

KUESIONER PENELITIAN

PENGARUH KOMPETENSI APARATUR DESA, PRAKTEK AKUNTABILITAS, MORALITAS INDIVIDU DAN SISTEM PENGENDALIAN INTERNAL TERHADAP PENCEGAHAN (FRAUD) DALAM PENGELOLAAN DANA DESA

(STUDI KEC. PADANG RATU KAB. LAMPUNG TENGAH)

Kepada Yth:

Bapak/Ibu/Saudara(i) Responden

ditempat

Dengan hormat,

Dalam rangka memenuhi tugas akhir/skripsi dalam rangka menyelesaikan studi Sarjana Ekonomi (SE) Program Studi Akuntansi, Fakultas Ekonomi dan Bisnis pada Institut Informatika dan Bisnis Darmajaya. Maka dari itu, dengan segala kerendahan hati saya memohon kepada Bapak/Ibu/Saudara(i) Responden untuk memberikan sumbangan pemikiran dalam bentuk tanggapan terhadap beberapa pernyataan yang tersedia dalam kuesioner ini mengenai **“Pengaruh Kompetensi Aparatur Desa, Praktek Akuntabilitas, Moralitas Individu, dan Sistem Pengendalian Internal Terhadap Pencegahan (*Fraud*) Pengelolaan Dana Desa (Studi Kec. Padang Ratu, Kab. Lampung Tengah)”**. Adapun pengumpulan data dari kuesioner ini semata-mata digunakan untuk keperluan akademik dan penelitian serta data dalam kuesioner ini akan dijamin kerahasiaannya oleh peneliti.

Akhir kata, saya mengucapkan terimakasih yang sebesar-besarnya ataskerjasama, bantuan dan kesediaan Bapak/Ibu/Saudara(i) yang telah meluangkan waktunya dalam pengisian kuesioner ini.

Hormat Saya

Agustinus Frando Suherwanto

A. Identitas Responden

1. Nama Responden :
(Boleh tidak di isi)
2. Jenis Kelamin :
3. Usia :
4. Pendidikan :
5. Jabatan :
6. Lama Bekerja :

B. Petunjuk Pengisian Kuesioner

1. Kepada Bapak/Ibu/Saudara(i) diharapkan untuk menjawab seluruh pernyataan dengan jujur dan apa adanya.
2. Berilah tanda (✓) pada kolom yang tersedia dan pilihlah satu alternatif jawaban yang paling sesuai dengan kondisi yang sebenarnya.
3. Adapun terdapat 5 (lima) alternatif jawaban yang dapat dipilih sebagaiberikut.

Simbol	Keterangan	Bobot Nilai
SS	Sangat Setuju	5
S	Setuju	4
N	Netral	3
TS	Tidak Setuju	2
STS	Sangat Tidak Setuju	1

1. Pencegahan (*Fraud*) Pengelolaan Dana Desa (Y)

No.	Pernyataan	Jawaban				
		SS	S	N	TS	STS
Perencanaan						
1	Sekretaris desa menyusun Raperdes tentang APBDes berdasarkan RKPDesa tahun berkenaan.					
2	Sekretaris desa menyampaikan Raperdes tentang APBDes kepada Kepala Desa.					
3	Raperdes tentang APBDes disampaikan oleh kepala desa kepada BPD untuk dibahas dan disepakati bersama.					
4	Raperdes tentang APBDes yang telah disepakati disampaikan oleh Kepala Desa Kepada Bupati melalui Camat paling lambat 3 hari sejak disepakati untuk dievaluasi.					
5	Bupati menetapkan hasil evaluasi Raperdes tentang APBDes paling lambat 20 hari sejak diterima Raperdes.					
Pelaksanaan						
6	Semua penerimaan dan pengeluaran desa dalam rangka pelaksanaan kewenangan desa dilaksanakan melalui rekening desa.					
7	Semua penerimaan dan pengeluaran desa didukung dengan bukti yang lengkap dan sah.					

8	Pemerintah desa dilarang melakukan pungutan sebagai penerimaan desa selain yang ditetapkan dalam peraturan desa.					
9	Bendahara desa menyimpan uang dalam kas desa untuk memenuhi kebutuhan operasional pemerintah desa.					
10	Pengaturan jumlah uang dalam kas desa ditetapkan dalam peraturan Bupati.					
11	Penggunaan biaya tak terduga terlebih dahulu harus dibuat rincian anggaran biaya (RAB) yang telah disahkan oleh Kepala Desa.					
12	Pelaksana kegiatan mengajukan pendanaan untuk melakukan kegiatan harus disertai dengan dokumen antara lain RAB.					
Penatausahaan						
13	Penatausahaan dilakukan oleh bendahara desa.					
14	Bendahara wajib melakukan pencatatan setiap penerimaan dan pengeluaran serta melakukan tutup buku setiap bulan secara tertib.					
15	Bendahara wajib mempertanggung jawabkan uang melalui laporan pertanggung jawaban.					
16	Laporan pertanggungjawaban disampaikan setiap bulan kepada Kepala desa dan paling lambat tanggal 10 bulan berikutnya.					

Pelaporan					
17	Laporan semester pertama berupa laporan realisasi APBDes.				
18	Laporan realisasi pelaksanaan APBDes semester pertama disampaikan paling lambat pada akhir bulan Juli tahun berjalan.				
19	Laporan semester akhir tahun disampaikan paling lambat pada akhir bulan Januari tahun berikutnya.				
Pertanggung jawaban					
20	Kepala Desa menyampaikan laporan pertanggungjawaban realisasi APB Desa kepada Bupati melalui camat setiap akhir tahun anggaran dan disampaikan paling lambat 3 (tiga) bulan setelah akhir tahun anggaran berkenaan yang ditetapkan dengan Peraturan Desa.				

2. Pengaruh Kompetensi Aparatur Desa (X1)

No.	Pernyataan	Jawaban				
		SS	S	N	TS	STS
Pengetahuan/Knowledge						
1	Aparatur Desa memahami tugas pokok, fungsi dan uraian tugas dengan baik.					

2	Aparatur Desa mampu memahami siklus akuntansi dengan baik.					
3	Aparatur Desa memahami Peraturan Pemerintah No. 20 tahun 2018 tentang Pengelolaan Dana Desa dengan baik.					
Kemampuan/Skill						
4	Adanya keahlian teknis yang dimiliki oleh aparatur desa.					
5	Aparatur desa mampu untuk menyusun dan menyajikan laporan keuangan dengan baik.					
6	Aparatur desa dapat memecahkan masalah yang terjadi dalam pekerjaan.					
Sikap/Attitude						
7	Memiliki tanggung jawab sosial dalam kepentingan publik.					
8	Selalu bekerja dengan mengedepankan etika yang baik.					
9	Dapat melakukan pekerjaan dengan kualitas kerja yang baik.					

3. Praktek Akuntabilitas (X2)

No.	Pernyataan	Jawaban				
		SS	S	N	TS	STS
Kejujuran dan keterbukaan informasi						
1	Masyarakat bisa mengakses informasi mengenai penggunaan dana desa.					
2	Masyarakat dapat mengetahui informasi akurat tentang jumlah dana desa.					
3	Transparansi pengelolaan keuangan dana desa dapat mengakomodasi usulan/suara rakyat.					
4	Adanya keterbukaan dalam proses pelaksanaan dana desa kepada masyarakat.					
5	Masyarakat desa ikut serta dalam melakukan pengawasan terhadap apratur pelaksana kegiatan dana desa.					
6	Mudah untuk mengakses dokumen publik tentang hasil pelaksanaan dana desa.					
Kepatuhan dalam pelaporan						
7	Aparatur Desa memahami prosedur dalam pembuatan pelaporan keuangan desa					
8	Pengelolaan keuangan dana desa terhindar dari penyalahgunaan jabatan dan sesuai dengan hukum.					
9	Adanya pengawasan yang dilakukan oleh BPD terhadap penggunaan dana desa.					

Kesesuaian prosedur						
11	Pengelolaan dana desa dipertanggungjawabkan kepada otoritas yang lebih tinggi (<i>vertical</i>).					
12	Pengelolaan dana desa dipertanggungjawabkan kepada masyarakat luas (<i>horizontal</i>).					
Partisipasi						
13	Adanya partisipasi masyarakat dalam mengusulkan rencana anggaran.					
14	Masyarakat ikut menentukan dalam pengambilan keputusan.					

4. Moralitas Individu (X3)

No.	Pernyataan	Jawaban				
		SS	S	N	TS	STS
Kepatuhan						
1	Aparatur desa mematuhi instuksi yang diberikan.					
2	Melaksanakan pekerjaan yang diberikan oleh atasan					
Perilaku jujur						
3	Pengelolaan keuangan dana desa disusun secara jujur.					

4	Laporan keuangan disajikan secara tepat waktu sehingga dapat digunakan sebagai bahan dalam pengambilan keputusan.					
Keterbukan Dalam Pengelolaan Dana Desa						
5	Masyarakat mengetahui penggunaan Dana Desa untuk apa saja					
6	Pengelolaan dana desa digunakan tepat sasaran					

5. Sistem Pengendalian Internal (X4)

No.	Pernyataan	Jawaban				
		SS	S	N	TS	STS
Lingkungan Pengendalian						
1	Kepala Desa menetapkan aturan mengenai perilaku dan standar etika					
2	Struktur organisasi telah menggambarkan pembagian kewenangan dan tanggung jawab masing-masing.					
3	Kepala Desa selalu mengambil tindakan yang tegas atas pelanggaran kebijakan, prosedur, atau aturan perilaku.					
Penilaian Risiko						
4	Kepala Desa selalu memiliki rencana pengelolaan untuk mengurangi risiko pelanggaran terhadap sistem dan prosedur akuntansi/keuangan terhadap					

	kecurangan pengelolaan dana desa.					
Kegiatan Pengendalian						
5	Pengeluaran uang selalu di dokumentasikan dan bukti kuitansi					
6	Dalam waktu yang tidak ditentukan pimpinan melakukan pemeriksaan mendadak terhadap catatan akuntansi/keuangan.					
Informasi Dan Komunikasi						
7	Instansi mendapatkan informasi yang relevan serta berkualitas untuk mendukung pengendalian internal					
8	Informasi disediakan secara tepat waktu dan memungkinkan untuk dilakukan tindakan korektif secara tepat.					

CORRELATIONS

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 TOTAL_X1

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

Notes

Output Created		25-JAN-2022 13:57:57
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 TOTAL_X1 /PRINT=TWOTAIL NOSIG...
Resources	Processor Time	00:00:00.06
	Elapsed Time	00:00:00.06

[DataSet0]

Correlations

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6
X1.1	Pearson Correlation	1	.249*	.155	.240*	.363**	.495**
	Sig. (2-tailed)		.026	.170	.032	.001	.000
	N	80	80	80	80	80	80
X1.2	Pearson Correlation	.249*	1	.658**	.539**	.542**	.293**
	Sig. (2-tailed)	.026		.000	.000	.000	.008
	N	80	80	80	80	80	80
X1.3	Pearson Correlation	.155	.658**	1	.607**	.592**	.321**
	Sig. (2-tailed)	.170	.000		.000	.000	.004
	N	80	80	80	80	80	80
X1.4	Pearson Correlation	.240*	.539**	.607**	1	.622**	.258*
	Sig. (2-tailed)	.032	.000	.000		.000	.021
	N	80	80	80	80	80	80
X1.5	Pearson Correlation	.363**	.542**	.592**	.622**	1	.691**
	Sig. (2-tailed)	.001	.000	.000	.000		.000
	N	80	80	80	80	80	80
X1.6	Pearson Correlation	.495**	.293**	.321**	.258*	.691**	1
	Sig. (2-tailed)	.000	.008	.004	.021	.000	
	N	80	80	80	80	80	80
X1.7	Pearson Correlation	.068	-.114	-.085	-.036	.245*	.465**
	Sig. (2-tailed)	.546	.316	.456	.750	.028	.000
	N	80	80	80	80	80	80
X1.8	Pearson Correlation	.385**	.110	.107	.136	.330**	.395**
	Sig. (2-tailed)	.000	.330	.346	.229	.003	.000
	N	80	80	80	80	80	80
X1.9	Pearson Correlation	.540**	.401**	.484**	.716**	.744**	.606**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80
TOTAL_X1	Pearson Correlation	.552**	.648**	.674**	.728**	.885**	.736**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80

Correlations

		X1.7	X1.8	X1.9	TOTAL_X1
X1.1	Pearson Correlation	.068	.385**	.540**	.552**
	Sig. (2-tailed)	.546	.000	.000	.000
	N	80	80	80	80
X1.2	Pearson Correlation	-.114	.110	.401**	.648**
	Sig. (2-tailed)	.316	.330	.000	.000
	N	80	80	80	80
X1.3	Pearson Correlation	-.085	.107	.484**	.674**
	Sig. (2-tailed)	.456	.346	.000	.000
	N	80	80	80	80
X1.4	Pearson Correlation	-.036	.136	.716**	.728**
	Sig. (2-tailed)	.750	.229	.000	.000
	N	80	80	80	80
X1.5	Pearson Correlation	.245*	.330**	.744**	.885**
	Sig. (2-tailed)	.028	.003	.000	.000
	N	80	80	80	80
X1.6	Pearson Correlation	.465**	.395**	.606**	.736**
	Sig. (2-tailed)	.000	.000	.000	.000
	N	80	80	80	80
X1.7	Pearson Correlation	1	.650**	.269*	.343**
	Sig. (2-tailed)		.000	.016	.002
	N	80	80	80	80
X1.8	Pearson Correlation	.650**	1	.501**	.530**
	Sig. (2-tailed)	.000		.000	.000
	N	80	80	80	80
X1.9	Pearson Correlation	.269*	.501**	1	.878**
	Sig. (2-tailed)	.016	.000		.000
	N	80	80	80	80
TOTAL_X1	Pearson Correlation	.343**	.530**	.878**	1
	Sig. (2-tailed)	.002	.000	.000	
	N	80	80	80	80

*. Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

```

DATASET ACTIVATE DataSet0.
DATASET CLOSE DataSet1.
NEW FILE.
DATASET NAME DataSet2 WINDOW=FRONT.
CORRELATIONS
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2.13 TOTAL_X2
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		25-JAN-2022 14:08:33
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2.13 TOTAL_X2 /PRINT=TWOTAIL NOSIG...
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.03

[DataSet2]

Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6
X2.1	Pearson Correlation	1	.663**	.494**	.444**	.436**	.648**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	80	80	80	80	80	80
X2.2	Pearson Correlation	.663**	1	.431**	.524**	.637**	.616**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	80	80	80	80	80	80
X2.3	Pearson Correlation	.494**	.431**	1	.633**	.714**	.520**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	80	80	80	80	80	80
X2.4	Pearson Correlation	.444**	.524**	.633**	1	.642**	.624**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	80	80	80	80	80	80
X2.5	Pearson Correlation	.436**	.637**	.714**	.642**	1	.707**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	80	80	80	80	80	80
X2.6	Pearson Correlation	.648**	.616**	.520**	.624**	.707**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	80	80	80	80	80	80
X2.7	Pearson Correlation	.170	.100	.396**	.298**	.217	.342**
	Sig. (2-tailed)	.131	.377	.000	.007	.054	.002
	N	80	80	80	80	80	80
X2.8	Pearson Correlation	-.026	.075	.412**	.028	.337**	.186
	Sig. (2-tailed)	.819	.510	.000	.803	.002	.099
	N	80	80	80	80	80	80
X2.9	Pearson Correlation	-.177	.065	.196	.032	.307**	.143
	Sig. (2-tailed)	.116	.569	.082	.781	.006	.205
	N	80	80	80	80	80	80
X2.10	Pearson Correlation	-.066	.207	-.034	-.072	.167	.043
	Sig. (2-tailed)	.563	.066	.765	.523	.140	.705
	N	80	80	80	80	80	80
X2.11	Pearson Correlation	.477**	.547**	.439**	.448**	.562**	.695**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80
X2.12	Pearson Correlation	.480**	.452**	.263*	.432**	.508**	.603**
	Sig. (2-tailed)	.000	.000	.018	.000	.000	.000
	N	80	80	80	80	80	80
X2.13	Pearson Correlation	.439**	.265*	.346**	.303**	.405**	.487**
	Sig. (2-tailed)	.000	.017	.002	.006	.000	.000
	N	80	80	80	80	80	80

Correlations

		X2.7	X2.8	X2.9	X2.10	X2.11	X2.12
X2.1	Pearson Correlation	.170	-.026	-.177	-.066	.477**	.480**
	Sig. (2-tailed)	.131	.819	.116	.563	.000	.000
	N	80	80	80	80	80	80
X2.2	Pearson Correlation	.100	.075	.065	.207	.547**	.452**
	Sig. (2-tailed)	.377	.510	.569	.066	.000	.000
	N	80	80	80	80	80	80
X2.3	Pearson Correlation	.396**	.412**	.196	-.034	.439**	.263*
	Sig. (2-tailed)	.000	.000	.082	.765	.000	.018
	N	80	80	80	80	80	80
X2.4	Pearson Correlation	.298**	.028	.032	-.072	.448**	.432**
	Sig. (2-tailed)	.007	.803	.781	.523	.000	.000
	N	80	80	80	80	80	80
X2.5	Pearson Correlation	.217	.337**	.307**	.167	.562**	.508**
	Sig. (2-tailed)	.054	.002	.006	.140	.000	.000
	N	80	80	80	80	80	80
X2.6	Pearson Correlation	.342**	.186	.143	.043	.695**	.603**
	Sig. (2-tailed)	.002	.099	.205	.705	.000	.000
	N	80	80	80	80	80	80
X2.7	Pearson Correlation	1	.636**	.321**	-.149	.142	.298**
	Sig. (2-tailed)		.000	.004	.186	.208	.007
	N	80	80	80	80	80	80
X2.8	Pearson Correlation	.636**	1	.640**	.111	.178	.295**
	Sig. (2-tailed)	.000		.000	.325	.115	.008
	N	80	80	80	80	80	80
X2.9	Pearson Correlation	.321**	.640**	1	.322**	.038	.218
	Sig. (2-tailed)	.004	.000		.004	.740	.052
	N	80	80	80	80	80	80
X2.10	Pearson Correlation	-.149	.111	.322**	1	.197	-.101
	Sig. (2-tailed)	.186	.325	.004		.080	.375
	N	80	80	80	80	80	80
X2.11	Pearson Correlation	.142	.178	.038	.197	1	.536**
	Sig. (2-tailed)	.208	.115	.740	.080		.000
	N	80	80	80	80	80	80
X2.12	Pearson Correlation	.298**	.295**	.218	-.101	.536**	1
	Sig. (2-tailed)	.007	.008	.052	.375	.000	
	N	80	80	80	80	80	80
X2.13	Pearson Correlation	-.138	-.133	-.082	.281*	.274*	-.036
	Sig. (2-tailed)	.223	.239	.472	.012	.014	.754
	N	80	80	80	80	80	80

Correlations

		X2.13	TOTAL_X2
X2.1	Pearson Correlation	.439 ^{**}	.670 ^{**}
	Sig. (2-tailed)	.000	.000
	N	80	80
X2.2	Pearson Correlation	.265 [*]	.718 ^{**}
	Sig. (2-tailed)	.017	.000
	N	80	80
X2.3	Pearson Correlation	.346 ^{**}	.716 ^{**}
	Sig. (2-tailed)	.002	.000
	N	80	80
X2.4	Pearson Correlation	.303 ^{**}	.680 ^{**}
	Sig. (2-tailed)	.006	.000
	N	80	80
X2.5	Pearson Correlation	.405 ^{**}	.834 ^{**}
	Sig. (2-tailed)	.000	.000
	N	80	80
X2.6	Pearson Correlation	.487 ^{**}	.886 ^{**}
	Sig. (2-tailed)	.000	.000
	N	80	80
X2.7	Pearson Correlation	-.138	.421 ^{**}
	Sig. (2-tailed)	.223	.000
	N	80	80
X2.8	Pearson Correlation	-.133	.411 ^{**}
	Sig. (2-tailed)	.239	.000
	N	80	80
X2.9	Pearson Correlation	-.082	.318 ^{**}
	Sig. (2-tailed)	.472	.004
	N	80	80
X2.10	Pearson Correlation	.281 [*]	.233 [*]
	Sig. (2-tailed)	.012	.038
	N	80	80
X2.11	Pearson Correlation	.274 [*]	.756 ^{**}
	Sig. (2-tailed)	.014	.000
	N	80	80
X2.12	Pearson Correlation	-.036	.635 ^{**}
	Sig. (2-tailed)	.754	.000
	N	80	80
X2.13	Pearson Correlation	1	.489 ^{**}
	Sig. (2-tailed)		.000
	N	80	80

Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6
TOTAL_X2	Pearson Correlation	.670**	.718**	.716**	.680**	.834**	.886**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80

Correlations

		X2.7	X2.8	X2.9	X2.10	X2.11	X2.12
TOTAL_X2	Pearson Correlation	.421**	.411**	.318**	.233*	.756**	.635**
	Sig. (2-tailed)	.000	.000	.004	.038	.000	.000
	N	80	80	80	80	80	80

Correlations

		X2.13	TOTAL_X2
TOTAL_X2	Pearson Correlation	.489**	1
	Sig. (2-tailed)	.000	
	N	80	80

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```

CORRELATIONS
/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X.6 TOTAL_X3
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		26-JAN-2022 16:37:31
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X.6 TOTAL_X3 /PRINT=TWOTAIL NOSIG...
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.04

[DataSet0]

Correlations

		X3.1	X3.2	X3.3	X3.4	X3.5	X.6
X3.1	Pearson Correlation	1	.659**	.072	.046	.242*	.120
	Sig. (2-tailed)		.000	.525	.685	.031	.289
	N	80	80	80	80	80	80
X3.2	Pearson Correlation	.659**	1	.198	.110	.340**	.179
	Sig. (2-tailed)	.000		.078	.329	.002	.113
	N	80	80	80	80	80	80
X3.3	Pearson Correlation	.072	.198	1	.217	.038	-.125
	Sig. (2-tailed)	.525	.078		.053	.739	.271
	N	80	80	80	80	80	80
X3.4	Pearson Correlation	.046	.110	.217	1	.354**	.368**
	Sig. (2-tailed)	.685	.329	.053		.001	.001
	N	80	80	80	80	80	80
X3.5	Pearson Correlation	.242*	.340**	.038	.354**	1	.270*
	Sig. (2-tailed)	.031	.002	.739	.001		.015
	N	80	80	80	80	80	80
X.6	Pearson Correlation	.120	.179	-.125	.368**	.270*	1
	Sig. (2-tailed)	.289	.113	.271	.001	.015	
	N	80	80	80	80	80	80
TOTAL_X3	Pearson Correlation	.566**	.677**	.352**	.604**	.751**	.497**
	Sig. (2-tailed)	.000	.000	.001	.000	.000	.000
	N	80	80	80	80	80	80

Correlations

		TOTAL_X3
X3.1	Pearson Correlation	.566**
	Sig. (2-tailed)	.000
	N	80
X3.2	Pearson Correlation	.677**
	Sig. (2-tailed)	.000
	N	80
X3.3	Pearson Correlation	.352**
	Sig. (2-tailed)	.001
	N	80
X3.4	Pearson Correlation	.604**
	Sig. (2-tailed)	.000
	N	80
X3.5	Pearson Correlation	.751**
	Sig. (2-tailed)	.000
	N	80
X.6	Pearson Correlation	.497**
	Sig. (2-tailed)	.000
	N	80
TOTAL_X3	Pearson Correlation	1
	Sig. (2-tailed)	
	N	80

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```

NEW FILE.
DATASET NAME DataSet4 WINDOW=FRONT.
CORRELATIONS
/VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 TOTAL_X4
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		25-JAN-2022 14:13:55
Comments		
Input	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 TOTAL_X4 /PRINT=TWOTAIL NOSIG...
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.03

[DataSet4]

Correlations

		X4.1	X4.2	X4.3	X4.4	X4.5	X4.6
X4.1	Pearson Correlation	1	.208	.164	.069	-.179	.442**
	Sig. (2-tailed)		.064	.146	.546	.111	.000
	N	80	80	80	80	80	80
X4.2	Pearson Correlation	.208	1	.406**	.306**	.555**	.173
	Sig. (2-tailed)	.064		.000	.006	.000	.125
	N	80	80	80	80	80	80
X4.3	Pearson Correlation	.164	.406**	1	.150	.262*	.274*
	Sig. (2-tailed)	.146	.000		.184	.019	.014
	N	80	80	80	80	80	80
X4.4	Pearson Correlation	.069	.306**	.150	1	.494**	-.040
	Sig. (2-tailed)	.546	.006	.184		.000	.728
	N	80	80	80	80	80	80
X4.5	Pearson Correlation	-.179	.555**	.262*	.494**	1	-.098
	Sig. (2-tailed)	.111	.000	.019	.000		.387
	N	80	80	80	80	80	80
X4.6	Pearson Correlation	.442**	.173	.274*	-.040	-.098	1
	Sig. (2-tailed)	.000	.125	.014	.728	.387	
	N	80	80	80	80	80	80
X4.7	Pearson Correlation	.226*	.090	.239*	.197	.096	.536**
	Sig. (2-tailed)	.044	.428	.033	.080	.396	.000
	N	80	80	80	80	80	80
X4.8	Pearson Correlation	.286*	.388**	.282*	.109	.152	.473**
	Sig. (2-tailed)	.010	.000	.011	.337	.177	.000
	N	80	80	80	80	80	80
TOTAL_X4	Pearson Correlation	.508**	.626**	.577**	.424**	.413**	.704**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80

Correlations

		X4.7	X4.8	TOTAL_X4
X4.1	Pearson Correlation	.226*	.286*	.508**
	Sig. (2-tailed)	.044	.010	.000
	N	80	80	80
X4.2	Pearson Correlation	.090	.388**	.626**
	Sig. (2-tailed)	.428	.000	.000
	N	80	80	80
X4.3	Pearson Correlation	.239*	.282*	.577**
	Sig. (2-tailed)	.033	.011	.000
	N	80	80	80
X4.4	Pearson Correlation	.197	.109	.424**
	Sig. (2-tailed)	.080	.337	.000
	N	80	80	80
X4.5	Pearson Correlation	.096	.152	.413**
	Sig. (2-tailed)	.396	.177	.000
	N	80	80	80
X4.6	Pearson Correlation	.536**	.473**	.704**
	Sig. (2-tailed)	.000	.000	.000
	N	80	80	80
X4.7	Pearson Correlation	1	.651**	.665**
	Sig. (2-tailed)		.000	.000
	N	80	80	80
X4.8	Pearson Correlation	.651**	1	.700**
	Sig. (2-tailed)	.000		.000
	N	80	80	80
TOTAL_X4	Pearson Correlation	.665**	.700**	1
	Sig. (2-tailed)	.000	.000	
	N	80	80	80

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15 Y.16 Y.17 Y.18 Y
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
  
```

Correlations

Notes

Output Created		25-JAN-2022 15:01:45
Comments		
Input	Active Dataset	DataSet6
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15 Y.16 Y.17 Y.18 Y.19 Y.20 TOTAL_Y /PRINT=TWOTAIL NOSIG...
Resources	Processor Time	00:00:00.08
	Elapsed Time	00:00:00.13

[DataSet6]

Correlations

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6
Y.1	Pearson Correlation	1	.931**	.489**	.719**	.526**	.462**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	80	80	80	80	80	80
Y.2	Pearson Correlation	.931**	1	.471**	.654**	.520**	.431**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	80	80	80	80	80	80
Y.3	Pearson Correlation	.489**	.471**	1	.704**	.605**	.226*
	Sig. (2-tailed)	.000	.000		.000	.000	.044
	N	80	80	80	80	80	80
Y.4	Pearson Correlation	.719**	.654**	.704**	1	.703**	.399**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	80	80	80	80	80	80
Y.5	Pearson Correlation	.526**	.520**	.605**	.703**	1	.448**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	80	80	80	80	80	80
Y.6	Pearson Correlation	.462**	.431**	.226*	.399**	.448**	1
	Sig. (2-tailed)	.000	.000	.044	.000	.000	
	N	80	80	80	80	80	80
Y.7	Pearson Correlation	.603**	.486**	.626**	.673**	.477**	.443**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80
Y.8	Pearson Correlation	.549**	.491**	.161	.494**	.305**	.285*
	Sig. (2-tailed)	.000	.000	.154	.000	.006	.010
	N	80	80	80	80	80	80
Y.9	Pearson Correlation	.043	.043	.229*	.098	.280*	.355**
	Sig. (2-tailed)	.704	.706	.041	.389	.012	.001
	N	80	80	80	80	80	80
Y.10	Pearson Correlation	.290**	.365**	.018	.205	.177	.354**
	Sig. (2-tailed)	.009	.001	.871	.068	.116	.001
	N	80	80	80	80	80	80
Y.11	Pearson Correlation	.258*	.318**	.113	.261*	.271*	.756**
	Sig. (2-tailed)	.021	.004	.317	.020	.015	.000
	N	80	80	80	80	80	80
Y.12	Pearson Correlation	.248*	.302**	-.117	.084	-.058	-.116
	Sig. (2-tailed)	.026	.007	.302	.458	.611	.304
	N	80	80	80	80	80	80
Y.13	Pearson Correlation	.157	.163	.328**	.279*	.232*	-.129
	Sig. (2-tailed)	.165	.148	.003	.012	.039	.255
	N	80	80	80	80	80	80

Correlations

		Y.7	Y.8	Y.9	Y.10	Y.11	Y.12
Y.1	Pearson Correlation	.603**	.549**	.043	.290**	.258*	.248*
	Sig. (2-tailed)	.000	.000	.704	.009	.021	.026
	N	80	80	80	80	80	80
Y.2	Pearson Correlation	.486**	.491**	.043	.365**	.318**	.302**
	Sig. (2-tailed)	.000	.000	.706	.001	.004	.007
	N	80	80	80	80	80	80
Y.3	Pearson Correlation	.626**	.161	.229*	.018	.113	-.117
	Sig. (2-tailed)	.000	.154	.041	.871	.317	.302
	N	80	80	80	80	80	80
Y.4	Pearson Correlation	.673**	.494**	.098	.205	.261*	.084
	Sig. (2-tailed)	.000	.000	.389	.068	.020	.458
	N	80	80	80	80	80	80
Y.5	Pearson Correlation	.477**	.305**	.280*	.177	.271*	-.058
	Sig. (2-tailed)	.000	.006	.012	.116	.015	.611
	N	80	80	80	80	80	80
Y.6	Pearson Correlation	.443**	.285*	.355**	.354**	.756**	-.116
	Sig. (2-tailed)	.000	.010	.001	.001	.000	.304
	N	80	80	80	80	80	80
Y.7	Pearson Correlation	1	.418**	.300**	.273*	.283*	.012
	Sig. (2-tailed)		.000	.007	.014	.011	.916
	N	80	80	80	80	80	80
Y.8	Pearson Correlation	.418**	1	-.147	.284*	.164	.383**
	Sig. (2-tailed)	.000		.195	.011	.147	.000
	N	80	80	80	80	80	80
Y.9	Pearson Correlation	.300**	-.147	1	.141	.179	.060
	Sig. (2-tailed)	.007	.195		.211	.112	.598
	N	80	80	80	80	80	80
Y.10	Pearson Correlation	.273*	.284*	.141	1	.541**	.343**
	Sig. (2-tailed)	.014	.011	.211		.000	.002
	N	80	80	80	80	80	80
Y.11	Pearson Correlation	.283*	.164	.179	.541**	1	-.077
	Sig. (2-tailed)	.011	.147	.112	.000		.496
	N	80	80	80	80	80	80
Y.12	Pearson Correlation	.012	.383**	.060	.343**	-.077	1
	Sig. (2-tailed)	.916	.000	.598	.002	.496	
	N	80	80	80	80	80	80
Y.13	Pearson Correlation	.186	-.026	.375**	.386**	-.085	.293**
	Sig. (2-tailed)	.098	.819	.001	.000	.452	.008
	N	80	80	80	80	80	80

Correlations

		Y.13	Y.14	Y.15	Y.16	Y.17	Y.18
Y.1	Pearson Correlation	.157	.137	.521**	.460**	.109	.200
	Sig. (2-tailed)	.165	.224	.000	.000	.337	.075
	N	80	80	80	80	80	80
Y.2	Pearson Correlation	.163	.122	.604**	.534**	.190	.247*
	Sig. (2-tailed)	.148	.282	.000	.000	.092	.027
	N	80	80	80	80	80	80
Y.3	Pearson Correlation	.328**	.530**	.485**	.312**	.411**	.334**
	Sig. (2-tailed)	.003	.000	.000	.005	.000	.002
	N	80	80	80	80	80	80
Y.4	Pearson Correlation	.279*	.206	.473**	.485**	.243*	.202
	Sig. (2-tailed)	.012	.067	.000	.000	.030	.072
	N	80	80	80	80	80	80
Y.5	Pearson Correlation	.232*	.040	.471**	.295**	.181	.210
	Sig. (2-tailed)	.039	.727	.000	.008	.109	.061
	N	80	80	80	80	80	80
Y.6	Pearson Correlation	-.129	.033	.300**	.046	-.206	-.263*
	Sig. (2-tailed)	.255	.770	.007	.688	.067	.019
	N	80	80	80	80	80	80
Y.7	Pearson Correlation	.186	.307**	.251*	.301**	.250*	.220
	Sig. (2-tailed)	.098	.006	.025	.007	.025	.050
	N	80	80	80	80	80	80
Y.8	Pearson Correlation	-.026	-.066	.294**	.327**	.122	.049
	Sig. (2-tailed)	.819	.560	.008	.003	.280	.667
	N	80	80	80	80	80	80
Y.9	Pearson Correlation	.375**	.314**	-.033	.039	.400**	.404**
	Sig. (2-tailed)	.001	.005	.770	.731	.000	.000
	N	80	80	80	80	80	80
Y.10	Pearson Correlation	.386**	-.233*	-.012	.059	.190	.188
	Sig. (2-tailed)	.000	.038	.918	.601	.091	.095
	N	80	80	80	80	80	80
Y.11	Pearson Correlation	-.085	-.068	.278*	-.062	-.181	-.290**
	Sig. (2-tailed)	.452	.548	.012	.588	.108	.009
	N	80	80	80	80	80	80
Y.12	Pearson Correlation	.293**	-.012	.150	.485**	.358**	.379**
	Sig. (2-tailed)	.008	.914	.183	.000	.001	.001
	N	80	80	80	80	80	80
Y.13	Pearson Correlation	1	.326**	-.055	.261*	.624**	.706**
	Sig. (2-tailed)		.003	.626	.020	.000	.000
	N	80	80	80	80	80	80

Correlations

		Y.19	Y.20	TOTAL_Y
Y.1	Pearson Correlation	.216	.177	.695**
	Sig. (2-tailed)	.054	.116	.000
	N	80	80	80
Y.2	Pearson Correlation	.237*	.190	.715**
	Sig. (2-tailed)	.034	.091	.000
	N	80	80	80
Y.3	Pearson Correlation	.451**	.362**	.685**
	Sig. (2-tailed)	.000	.001	.000
	N	80	80	80
Y.4	Pearson Correlation	.237*	.216	.727**
	Sig. (2-tailed)	.035	.054	.000
	N	80	80	80
Y.5	Pearson Correlation	.126	.376**	.633**
	Sig. (2-tailed)	.265	.001	.000
	N	80	80	80
Y.6	Pearson Correlation	-.178	.287**	.409**
	Sig. (2-tailed)	.114	.010	.000
	N	80	80	80
Y.7	Pearson Correlation	.165	.326**	.664**
	Sig. (2-tailed)	.144	.003	.000
	N	80	80	80
Y.8	Pearson Correlation	-.038	.003	.422**
	Sig. (2-tailed)	.736	.982	.000
	N	80	80	80
Y.9	Pearson Correlation	.337**	.352**	.455**
	Sig. (2-tailed)	.002	.001	.000
	N	80	80	80
Y.10	Pearson Correlation	.209	.489**	.519**
	Sig. (2-tailed)	.063	.000	.000
	N	80	80	80
Y.11	Pearson Correlation	-.234*	.317**	.318**
	Sig. (2-tailed)	.037	.004	.004
	N	80	80	80
Y.12	Pearson Correlation	.321**	.059	.379**
	Sig. (2-tailed)	.004	.605	.001
	N	80	80	80
Y.13	Pearson Correlation	.825**	.425**	.641**
	Sig. (2-tailed)	.000	.000	.000
	N	80	80	80

Correlations

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6
Y.14	Pearson Correlation	.137	.122	.530**	.206	.040	.033
	Sig. (2-tailed)	.224	.282	.000	.067	.727	.770
	N	80	80	80	80	80	80
Y.15	Pearson Correlation	.521**	.604**	.485**	.473**	.471**	.300**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.007
	N	80	80	80	80	80	80
Y.16	Pearson Correlation	.460**	.534**	.312**	.485**	.295**	.046
	Sig. (2-tailed)	.000	.000	.005	.000	.008	.688
	N	80	80	80	80	80	80
Y.17	Pearson Correlation	.109	.190	.411**	.243*	.181	-.206
	Sig. (2-tailed)	.337	.092	.000	.030	.109	.067
	N	80	80	80	80	80	80
Y.18	Pearson Correlation	.200	.247*	.334**	.202	.210	-.263*
	Sig. (2-tailed)	.075	.027	.002	.072	.061	.019
	N	80	80	80	80	80	80
Y.19	Pearson Correlation	.216	.237*	.451**	.237*	.126	-.178
	Sig. (2-tailed)	.054	.034	.000	.035	.265	.114
	N	80	80	80	80	80	80
Y.20	Pearson Correlation	.177	.190	.362**	.216	.376**	.287**
	Sig. (2-tailed)	.116	.091	.001	.054	.001	.010
	N	80	80	80	80	80	80
TOTAL_Y	Pearson Correlation	.695**	.715**	.685**	.727**	.633**	.409**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80

Correlations

		Y.7	Y.8	Y.9	Y.10	Y.11	Y.12
Y.14	Pearson Correlation	.307**	-.066	.314**	-.233*	-.068	-.012
	Sig. (2-tailed)	.006	.560	.005	.038	.548	.914
	N	80	80	80	80	80	80
Y.15	Pearson Correlation	.251*	.294**	-.033	-.012	.278*	.150
	Sig. (2-tailed)	.025	.008	.770	.918	.012	.183
	N	80	80	80	80	80	80
Y.16	Pearson Correlation	.301**	.327**	.039	.059	-.062	.485**
	Sig. (2-tailed)	.007	.003	.731	.601	.588	.000
	N	80	80	80	80	80	80
Y.17	Pearson Correlation	.250*	.122	.400**	.190	-.181	.358**
	Sig. (2-tailed)	.025	.280	.000	.091	.108	.001
	N	80	80	80	80	80	80
Y.18	Pearson Correlation	.220	.049	.404**	.188	-.290**	.379**
	Sig. (2-tailed)	.050	.667	.000	.095	.009	.001
	N	80	80	80	80	80	80
Y.19	Pearson Correlation	.165	-.038	.337**	.209	-.234*	.321**
	Sig. (2-tailed)	.144	.736	.002	.063	.037	.004
	N	80	80	80	80	80	80
Y.20	Pearson Correlation	.326**	.003	.352**	.489**	.317**	.059
	Sig. (2-tailed)	.003	.982	.001	.000	.004	.605
	N	80	80	80	80	80	80
TOTAL_Y	Pearson Correlation	.664**	.422**	.455**	.519**	.318**	.379**
	Sig. (2-tailed)	.000	.000	.000	.000	.004	.001
	N	80	80	80	80	80	80

Correlations

		Y.13	Y.14	Y.15	Y.16	Y.17	Y.18
Y.14	Pearson Correlation	.326**	1	.266*	.355**	.303**	.191
	Sig. (2-tailed)	.003		.017	.001	.006	.089
	N	80	80	80	80	80	80
Y.15	Pearson Correlation	-.055	.266*	1	.567**	.072	.091
	Sig. (2-tailed)	.626	.017		.000	.524	.420
	N	80	80	80	80	80	80
Y.16	Pearson Correlation	.261*	.355**	.567**	1	.375**	.430**
	Sig. (2-tailed)	.020	.001	.000		.001	.000
	N	80	80	80	80	80	80
Y.17	Pearson Correlation	.624**	.303**	.072	.375**	1	.796**
	Sig. (2-tailed)	.000	.006	.524	.001		.000
	N	80	80	80	80	80	80
Y.18	Pearson Correlation	.706**	.191	.091	.430**	.796**	1
	Sig. (2-tailed)	.000	.089	.420	.000	.000	
	N	80	80	80	80	80	80
Y.19	Pearson Correlation	.825**	.476**	-.029	.232*	.637**	.654**
	Sig. (2-tailed)	.000	.000	.799	.038	.000	.000
	N	80	80	80	80	80	80
Y.20	Pearson Correlation	.425**	.178	.098	-.022	.086	.317**
	Sig. (2-tailed)	.000	.115	.388	.846	.450	.004
	N	80	80	80	80	80	80
TOTAL_Y	Pearson Correlation	.641**	.387**	.464**	.554**	.576**	.594**
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	80	80	80	80	80	80

Correlations

		Y.19	Y.20	TOTAL_Y
Y.14	Pearson Correlation	.476**	.178	.387**
	Sig. (2-tailed)	.000	.115	.000
	N	80	80	80
Y.15	Pearson Correlation	-.029	.098	.464**
	Sig. (2-tailed)	.799	.388	.000
	N	80	80	80
Y.16	Pearson Correlation	.232*	-.022	.554**
	Sig. (2-tailed)	.038	.846	.000
	N	80	80	80
Y.17	Pearson Correlation	.637**	.086	.576**
	Sig. (2-tailed)	.000	.450	.000
	N	80	80	80
Y.18	Pearson Correlation	.654**	.317**	.594**
	Sig. (2-tailed)	.000	.004	.000
	N	80	80	80
Y.19	Pearson Correlation	1	.303**	.597**
	Sig. (2-tailed)		.006	.000
	N	80	80	80
Y.20	Pearson Correlation	.303**	1	.533**
	Sig. (2-tailed)	.006		.000
	N	80	80	80
TOTAL_Y	Pearson Correlation	.597**	.533**	1
	Sig. (2-tailed)	.000	.000	
	N	80	80	80

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```

NEW FILE.
DATASET NAME DataSet7 WINDOW=FRONT.
DATASET ACTIVATE DataSet0.
RELIABILITY
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		25-JAN-2022 15:05:03
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

[DataSet0]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.850	9

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	35.41	11.385	.445	.845
X1.2	35.75	10.595	.531	.838
X1.3	35.71	10.739	.578	.833
X1.4	35.64	9.804	.609	.831
X1.5	35.75	8.418	.814	.804
X1.6	35.58	10.425	.650	.826
X1.7	35.28	12.202	.225	.861
X1.8	35.21	11.688	.439	.846
X1.9	35.58	9.842	.833	.807

```

DATASET ACTIVATE DataSet2.
RELIABILITY
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2.13
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		25-JAN-2022 15:06:53
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 X2.8 X2.9 X2.10 X2.11 X2.12 X2.13 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.07

[DataSet2]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.848	13

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	49.51	20.962	.597	.832
X2.2	49.73	20.885	.656	.829
X2.3	49.74	21.234	.661	.830
X2.4	49.90	21.306	.618	.832
X2.5	49.83	20.956	.803	.825
X2.6	50.09	17.068	.831	.809
X2.7	49.68	22.501	.322	.848
X2.8	49.49	22.734	.322	.847
X2.9	49.54	23.214	.226	.852
X2.10	49.36	23.576	.129	.857
X2.11	50.23	18.303	.653	.828
X2.12	49.65	21.041	.553	.834
X2.13	50.23	21.164	.344	.853

```

DATASET ACTIVATE DataSet3.
RELIABILITY
/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		25-JAN-2022 15:08:06
Comments		
Input	Active Dataset	DataSet3
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.05

[DataSet3]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.602	6

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X3.1	21.75	3.405	.373	.548
X3.2	21.86	3.107	.499	.497
X3.3	21.96	3.834	.121	.629
X3.4	21.98	3.215	.385	.538
X3.5	22.33	2.298	.427	.533
X3.6	22.00	3.544	.290	.575


```

DATASET ACTIVATE DataSet4.
RELIABILITY
/VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		25-JAN-2022 15:10:35
Comments		
Input	Active Dataset	DataSet4
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 X4.7 X4.8 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.05

[DataSet4]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.695	8

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X4.1	29.76	5.804	.336	.677
X4.2	29.55	5.466	.477	.647
X4.3	29.45	5.668	.428	.659
X4.4	29.61	6.088	.256	.691
X4.5	29.35	6.104	.239	.695
X4.6	29.85	4.256	.422	.688
X4.7	29.91	5.372	.528	.637
X4.8	29.90	5.610	.608	.636

```

DATASET ACTIVATE DataSet6.
RELIABILITY
/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15 Y.16 Y.17 Y.18 Y
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		25-JAN-2022 15:11:22
Comments		
Input	Active Dataset	DataSet6
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Y.1 Y.2 Y. 3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y.15 Y.16 Y.17 Y.18 Y.19 Y.20 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

[DataSet6]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	80	100.0
	Excluded ^a	0	.0
	Total	80	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics


Cronbach's Alpha	N of Items
.874	20

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y.1	82.92	37.691	.650	.863
Y.2	82.89	37.721	.674	.863
Y.3	82.72	37.291	.633	.863
Y.4	82.95	36.934	.680	.861
Y.5	83.14	37.639	.574	.865
Y.6	83.00	39.595	.338	.872
Y.7	82.72	37.974	.616	.864
Y.8	82.79	39.537	.352	.872
Y.9	83.00	38.861	.374	.872
Y.10	83.42	36.956	.409	.874
Y.11	83.00	40.380	.249	.875
Y.12	82.97	39.873	.308	.873
Y.13	83.35	35.268	.544	.867
Y.14	82.87	39.858	.318	.873
Y.15	82.75	39.405	.401	.871
Y.16	83.02	38.961	.501	.868
Y.17	82.92	38.197	.513	.867
Y.18	83.00	37.747	.527	.866
Y.19	83.12	37.123	.519	.867
Y.20	83.06	38.464	.465	.868

Hasil Uji Histogram

```
REGRESSION  
  /MISSING LISTWISE  
  /STATISTICS COEFF OUTS R ANOVA  
  /CRITERIA=PIN(.05) POUT(.10)  
  /NOORIGIN  
  /DEPENDENT Y  
  /METHOD=ENTER X1 X2 X3 X4  
  /RESIDUALS HISTOGRAM(ZRESID) .
```



Hasil Uji Multikolinearitas

```


REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2 X3 X4
  /RESIDUALS DURBIN.
  
```

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	17.481	7.316		2.389	.019	
	PENGARUH KOMPETENSI APARATUR DESA	.282	.174	.157	1.614	.111	.611
	PRAKTEK AKUNTABILITAS	.246	.153	.188	1.605	.113	.424
	MORALITAS INDIVIDU	.596	.358	.191	1.664	.100	.441
	SISTEM PENGENDALIAN INTERNAL	.874	.295	.355	2.960	.004	.404
							1.637
							2.358
							2.266
							2.478

a. Dependent Variable: PENCEGAHAN (FRAUD) DANA DESA

Hasil Uji Heterokedastisitas

```
REGRESSION  
  /MISSING LISTWISE  
  /STATISTICS COEFF OUTS R ANOVA  
  /CRITERIA=PIN(.05) POUT(.10)  
  /NOORIGIN  
  /DEPENDENT Y  
  /METHOD=ENTER X1 X2 X3 X4  
  /SCATTERPLOT=( *SRESID , *ZPRED) .
```



Hasil Uji Analisis Regresi Linier Berganda

```

REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2 X3 X4
  /SCATTERPLOT=(*SRESID ,*ZPRED) .
  
```

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
(Constant)	17.481	7.316		2.389	.019
1 PENGARUH KOMPETENSI APARATUR DESA PRAKTEK AKUNTABILITAS MORALITAS INDIVIDU SISTEM PENGENDALIAN INTERNAL	.282	.174	.157	1.614	.111
	.246	.153	.188	1.605	.113
	.596	.358	.191	1.664	.100
	.874	.295	.355	2.960	.004

a. Dependent Variable: PENCEGAHAN (FRAUD) DANA DESA

Hasil Uji Koefisiensi Determinasi

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2 X3 X4
  /SCATTERPLOT=(*SRESID ,*ZPRED) .
```

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.752 ^a	.565	.542	4.391

a. Predictors: (Constant), SISTEM PENGENDALIAN INTERNAL, PENGARUH KOMPETENSI APARATUR DESA, MORALITAS INDIVIDU, PRAKTEK AKUNTABILITAS

b. Dependent Variable: PENCEGAHAN (FRAUD) DANA DESA

Hasil Uji F

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2 X3 X4
  /SCATTERPLOT=(*SRESID ,*ZPRED) .
```

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1881.851	4	470.463	24.396	.000 ^b
	Residual	1446.349	75	19.285		
	Total	3328.200	79			

a. Dependent Variable: PENCEGAHAN (FRAUD) DANA DESA

b. Predictors: (Constant), SISTEM PENGENDALIAN INTERNAL, PENGARUH KOMPETENSI APARATUR DESA, MORALITAS INDIVIDU, PRAKTEK AKUNTABILITAS

Hasil Uji t

```

REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2 X3 X4
  /SCATTERPLOT=(*SRESID ,*ZPRED) .
  
```

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
(Constant)	17.481	7.316		2.389	.019
1 PENGARUH KOMPETENSI APARATUR DESA PRAKTEK AKUNTABILITAS MORALITAS INDIVIDU SISTEM PENGENDALIAN INTERNAL	.282	.174	.157	1.614	.111
	.246	.153	.188	1.605	.113
	.596	.358	.191	1.664	.100
	.874	.295	.355	2.960	.004

a. Dependent Variable: PENCEGAHAN (FRAUD) DANA DESA