

## Listing Coding

### Index.php

```
<?php session_start (); ?>
<!DOCTYPE html>
<?php include('config.php');?>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>SIG</title>

    <!-- Bootstrap core CSS -->
    <link href="css/bootstrap.css" rel="stylesheet">

    <!-- Add custom CSS here -->
    <link href="css/sb-admin.css" rel="stylesheet">
    <link rel="stylesheet" href="font-awesome/css/font-awesome.min.css">
    <!-- Page Specific CSS -->
    <link rel="stylesheet" href="css/morris-0.4.3.min.css">
    <link rel="stylesheet" href="css/bootstrap-datepicker/css/datepicker.css">
    <script src="js/jquery-1.10.2.js"></script>
    <script src="js/bootstrap.js"></script>
    <script src="css/bootstrap-datepicker/js/bootstrap-datepicker.js"></script>
    <script>
      jQuery(document).ready(function(){
        jQuery('#tgl').datepicker();
      }
    );
    </script>
  </head>

  <body>

    <div id="wrapper">

      <!-- Sidebar -->
      <nav class="navbar navbar-inverse navbar-fixed-top" role="navigation">
        <!-- Brand and toggle get grouped for better mobile display -->
        <div class="navbar-header">
          <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-ex1-collapse">
            <span class="sr-only">Toggle navigation</span>
          </div>
        </div>
      </nav>
    </div>
  </body>
</html>
```

```
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<?php include"title.php"; ?>
</div>
```

```
<!-- Collect the nav links, forms, and other content for toggling -->
```

```
<?php include"menu.php"; ?>
```

```
</nav>
```

```
<div id="page-wrapper">
  <?php
```

```
    switch (@$_GET['chart']){
        case "home":
            include('adm.php');
            break;
        case "ganti":
            include('ganti.php');
            break;
        case "cari":
            include('cari.php');
            break;
        case "kec":
            include('kec.php');
            break;
        case "editkec":
            include('editkec.php');
            break;
        case "jenis":
            include('jenis.php');
            break;
        case "editjenis":
            include('editjenis.php');
            break;
        case "rumah":
            include('rumah.php');
            break;
```

```

case "grafik":
    include('chart.php');
    break;
case "tabel":
    include('table.php');
    break;
case "edittabel":
    include('edittable.php');
    break;
case "foto":
    include('foto.php');
    break;
case "maps":
    include('maps.php');
    break;
default:
    switch (@$_GET['chart'])
    {
    case "kontak":
        include('kontak.php');
        break;
    case "help":
        include('help.php');
        break;
    case "lokasi":
        include('maps1.php');
        break;
    case "lokasi1":
        include('maps2.php');
        break;
    case "lokasi2":
        include('maps3.php');
        break;
    case "lokasi3":
        include('maps4.php');
        break;
    case "lokasi4":
        include('maps5.php');
        break;
    case "lokasi5":
        include('maps6.php');
        break;
    case "search":
        include('search.php');
        break;
    }

```

```

        default:
        include('awal.php');
        }

        //
    }

?>

</div><!-- /#page-wrapper -->

</div><!-- /#wrapper -->

<!-- JavaScript -->

<!-- Page Specific Plugins
<script src="//cdnjs.cloudflare.com/ajax/libs/raphael/2.1.0/raphael-
min.js"></script>-->
<!--<script src="http://cdn.oesmith.co.uk/morris-0.4.3.min.js"></script>

<script src="js/tablesorter/jquery.tablesorter.js"></script>
<script src="js/tablesorter/tables.js"></script>-->
<!--[if lte IE 8]><script src="js/excanvas.min.js"></script><![endif]-->

<script src="js/morris-0.4.3.min.js"></script>
<script src="js/morris/raphael-min.js"></script>
<script src="js/morris/chart-data-morris.php"></script>
    <script src="js/flot/chart-data-flot.js"></script>
    <script src="js/flot/jquery.flot.js"></script>
    <script src="js/flot/jquery.flot.tooltip.min.js"></script>
    <script src="js/flot/jquery.flot.resize.js"></script>
    <script src="js/flot/jquery.flot.pie.js"></script>
</body>
</html>

```

### Lokasi.php

```

<?php include('config.php');?>
<!DOCTYPE html>
<html lang="en">
<head>

```

```

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="">

<title>SIG</title>

<!-- Bootstrap core CSS -->
<link href="css/bootstrap.css" rel="stylesheet">

<!-- Add custom CSS here -->
<link href="css/sb-admin.css" rel="stylesheet">
<link rel="stylesheet" href="font-awesome/css/font-awesome.min.css">
<!-- Page Specific CSS -->
<link rel="stylesheet" href="css/morris-0.4.3.min.css">
<link rel="stylesheet" href="css/bootstrap-datepicker/css/datepicker.css">
<script src="js/jquery-1.10.2.js"></script>
<script src="js/bootstrap.js"></script>
    <script src="css/bootstrap-datepicker/js/bootstrap-datepicker.js"></script>
    <script>
        jQuery(document).ready(function(){
            jQuery('#tgl').datepicker();
        }
    );
</script>
</head>

<body>

<div id="wrapper">

<!-- Sidebar -->
<nav class="navbar navbar-inverse navbar-fixed-top" role="navigation">
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="navbar-header">
        <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-ex1-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>
        <?php include"title.php"; ?>
    </div>

```

```

<!-- Collect the nav links, forms, and other content for toggling -->

<?php include "menu.php"; ?>

</nav>

        <div id="page-wrapper">
            <div class="row">
                <link rel="stylesheet" href="css/templatemo_main.css">
                    <script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
    eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
    if (restore) selObj.selectedIndex=0;
}
                    </script>
                <table width="100%" class="table table-striped table-hover table-bordered">
                    <thead>
                        <tr> <td width="80%" align="center">
                            <style type='text/css'>
                                #peta {
                                width: 100%;
                                height: 500px;
                                } </style>
                            <script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
                                <script src="../jquery.js"></script>
                                <script type="text/javascript">

                                    <?php
                                        //konfigurasi koneksi database
                                        include 'config.php';

                                        $sql_lokasi="select *
                                        from layanan ";
                                        $result=mysql_query($sql_lokasi); ?>

                                    (function() {
                                        window.onload = function() {
                                        var map;
                                        var locations = [

```

```

<?php // ambil nama,lat dan lon dari table lokasi
        while($data=mysql_fetch_object($result)){ ?>
            ['<?=$data->id;?>', <?=$data->koorx;?>, <?=$data->koory;?>],
            <? } ?>

];

//Parameter Google maps
var options = {
    zoom: 12, //level zoom
        //posisi tengah peta
    center: new google.maps.LatLng(-5.38343, 105.260696),
    mapTypeId: google.maps.MapTypeId.ROADMAP
};

        // Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
        // Tambahkan Marker

        var infowindow = new google.maps.InfoWindow();

var marker, i;
/* kode untuk menampilkan banyak marker */
for (i = 0; i < locations.length; i++)
    {

    marker = new google.maps.Marker
    (
        {
            position: new google.maps.LatLng(locations[i][1], locations[i][2]),
            map: map,
                icon:'images/icon/logo1.png'
        }
    );

/* menambahkan event klik untuk menampilkan

```

infowindows dengan isi sesuai dengan  
marker yang di klik \*/

```
        google.maps.event.addListener(marker, 'click', (function(marker, i) {
            return function() {
                var id= locations[i][0];

                $.ajax({
                    url : "get_info.php",
                    data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                    success : function(data) {
                        infowindow.setContent(data);
                        infowindow.open(map, marker);
                    }
                });
            }
        })(marker, i));
    }

};
})();

</script>

<div id="peta">

</td>

</tr>

</thead> </table>
<?php //include 'cariSekolah.php' ?>
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>

</div>
</div>
<p>&nbsp;</p>
</div><!-- /#page-wrapper -->

</div><!-- /#wrapper -->

<!-- JavaScript -->
```



```

<!-- Page Specific Plugins
<script src="//cdnjs.cloudflare.com/ajax/libs/raphael/2.1.0/raphael-
min.js"></script>-->
<!--<script src="http://cdn.oesmith.co.uk/morris-0.4.3.min.js"></script>

<script src="js/tablesorter/jquery.tablesorter.js"></script>
<script src="js/tablesorter/tables.js"></script>-->
<!--[if lte IE 8]><script src="js/excanvas.min.js"></script><![endif]-->

<script src="js/morris-0.4.3.min.js"></script>
<script src="js/morris/raphael-min.js"></script>
<script src="js/morris/chart-data-morris.php"></script>
  <script src="js/flot/chart-data-flot.js"></script>
  <script src="js/flot/jquery.flot.js"></script>
  <script src="js/flot/jquery.flot.tooltip.min.js"></script>
  <script src="js/flot/jquery.flot.resize.js"></script>
  <script src="js/flot/jquery.flot.pie.js"></script>
</body>
</html>

```

## Maps.php

```

<script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">

<link rel="stylesheet" href="css/templatemo_main.css">
  <script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
  eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
  if (restore) selObj.selectedIndex=0;
}
  </script><?php //include 'menu1.php' ?>
<table width="100%" class="table table-striped table-hover table-bordered">
  <thead>
  <tr> <td width="80%" align="center">
  <style type='text/css'>

#peta {
width: 100%;
height: 500px;

} </style>
  <script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
  <script src="../jquery.js"></script>

```

```

<script type="text/javascript">

    <?php
    //konfigurasi koneksi database
    include 'config.php';

        $sql_lokasi="select *
        from layanan ";
        $result=mysql_query($sql_lokasi); ?>

        (function() {
        window.onload = function() {
var map;
        var locations = [
        <?php // ambil nama,lat dan lon dari table lokasi
                while($data=mysql_fetch_object($result)){ ?>
                    ['<?=$data->id;?>', <?=$data->koorx;?>, <?=$data->koory;?>],
                    <? } ?>

        ];

        //Parameter Google maps
        var options = {
            zoom: 12, //level zoom
            //posisi tengah peta
            center: new google.maps.LatLng(-5.38343, 105.260696),
            mapTypeId: google.maps.MapTypeId.ROADMAP
        };

        // Buat peta di
        var map = new google.maps.Map(document.getElementById('peta'), options);
        // Tambahkan Marker

        var infowindow = new google.maps.InfoWindow();

var marker, i;
        /* kode untuk menampilkan banyak marker */
        for (i = 0; i < locations.length; i++)
        {

            marker = new google.maps.Marker
            (

```

```

        {
        position: new google.maps.LatLng(locations[i][1], locations[i][2]),
        map: map,
        icon:'images/icon/logo1.png'
        }
    );

    /* menambahkan event klik untuk menampilkan
    infowindows dengan isi sesuai denga
    marker yang di klik */

    google.maps.event.addListener(marker, 'click', (function(marker, i) {
        return function() {
            var id= locations[i][0];

            $.ajax({
                url : "get_info.php",
                data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                success : function(data) {
                    infowindow.setContent(data);
                    infowindow.open(map, marker);
                }
            });
        }
    })(marker, i));
}

};
})();

</script>

<div id="peta">

</td>

</tr>

</thead> </table>
<script src="js/jquery.min.js"></script>

```

```

<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>
<script type="text/javascript">
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif"});
</script>

```

### Maps1.php

```

<script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">

```

```

<link rel="stylesheet" href="css/templatemo_main.css">
<script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
if (restore) selObj.selectedIndex=0;
}
</script><?php //include 'menu1.php' ?>
<br /><br /><br />
<table width="100%" class="table table-striped table-hover table-bordered">
<thead>
<tr><td><?php include 'menu1.php' ?></td></tr>
<tr> <td width="80%" align="center">
<style type='text/css'>
#peta {
width: 100%;
height: 500px;
} </style>
<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
<script src="../jquery.js"></script>
<script type="text/javascript">

```

```

<?php
//konfigurasi koneksi database
include 'config.php';

$sql_lokasi="select *
from layanan ";
$result=mysql_query($sql_lokasi); ?>

```

```

        (function() {
window.onload = function() {
var map;
    var locations = [
<?php // ambil nama,lat dan lon dari table lokasi
        while($data=mysql_fetch_object($result)){ ?>
            ['<?=$data->id;?>', '<?=$data->koorx;?>', '<?=$data->koory;?>'],
            <? } ?>

];

//Parameter Google maps
var options = {
    zoom: 12, //level zoom
    //posisi tengah peta
    center: new google.maps.LatLng(-5.38343, 105.260696),
    mapTypeId: google.maps.MapTypeId.ROADMAP
};

    // Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
    // Tambahkan Marker

    var infowindow = new google.maps.InfoWindow();

var marker, i;
/* kode untuk menampilkan banyak marker */
for (i = 0; i < locations.length; i++)
    {

marker = new google.maps.Marker
    (
        {
position: new google.maps.LatLng(locations[i][1], locations[i][2]),
map: map,
            icon:'images/icon/logo1.png'
        }
    );

```

```

/* menambahkan event klik untuk menampilkan
   infowindows dengan isi sesuai dengan
   marker yang di klik */

        google.maps.event.addListener(marker, 'click', (function(marker, i) {
            return function() {
                var id= locations[i][0];

                $.ajax({
                    url : "get_info.php",
                    data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                    success : function(data) {
                        infowindow.setContent(data);
                        infowindow.open(map, marker);
                    }
                });
            }
        })(marker, i));
    }

};
})();

</script>

<div id="peta">

</td>

</tr>

</thead> </table>
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>
<script type="text/javascript">
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif" });
</script>

```

## Maps2.php

```
<script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">
```

```
<link rel="stylesheet" href="css/templatemo_main.css">
<script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
if (restore) selObj.selectedIndex=0;
}
</script><?php include 'menu1.php' ?>
<table width="100%" class="table table-striped table-hover table-bordered">
<thead>
<tr> <td width="80%" align="center">
<style type='text/css'>
```

```
#peta {
width: 100%;
height: 500px;
```

```
} </style>
<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
<script src="../jquery.js"></script>
<script type="text/javascript">
```

```
<?php
//konfigurasi koneksi database
include 'config.php';

$sql_lokasi="select *
from layanan where idjenis='$_GET[idjenis]";
$result=mysql_query($sql_lokasi); ?>
```

```
(function() {
window.onload = function() {
var map;
var locations = [
<?php // ambil nama,lat dan lon dari table lokasi
while($data=mysql_fetch_object($result)){ ?>
['<?=$data->id;?>', <?=$data->koorx;?>, <?=$data->koory;?>],
<? } ?>
];
```

```

//Parameter Google maps
var options = {
  zoom: 12, //level zoom
  //posisi tengah peta
  center: new google.maps.LatLng(-5.38343, 105.260696),
  mapTypeId: google.maps.MapTypeId.ROADMAP
};

// Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
// Tambahkan Marker

var infowindow = new google.maps.InfoWindow();

var marker, i;
/* kode untuk menampilkan banyak marker */
for (i = 0; i < locations.length; i++)
  {

  marker = new google.maps.Marker
  (
  {
  position: new google.maps.LatLng(locations[i][1], locations[i][2]),
  map: map,
  icon:'images/icon/logo1.png'
  }
  );

/* menambahkan event klik untuk menampilkan
infowindows dengan isi sesuai denga
marker yang di klik */

google.maps.event.addListener(marker, 'click', (function(marker, i) {
return function() {
var id= locations[i][0];

```



```

                $.ajax({
                    url : "get_info.php",
                    data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                    success : function(data) {
                        infowindow.setContent(data);
                        infowindow.open(map, marker);
                    }
                });
            }
        })(marker, i);
    }
};
})();

```

```
</script>
```

```
<div id="peta">
```

```
</td>
```

```
</tr>
```

```
</thead> </table>
```

```
<script src="js/jquery.min.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<script src="js/templatemo_script.js"></script>
```

```
<script type="text/javascript">
```

```
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif"});
```

```
</script>
```

### Maps3.php

```
<script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
```

```
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">
```

```
<link rel="stylesheet" href="css/templatemo_main.css">
```

```
<script type="text/javascript">
```

```
function MM_jumpMenu(targ,selObj,restore){ //v3.0
```

```
eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+'");
```

```
if (restore) selObj.selectedIndex=0;
```

```
}
```

```
</script><?php include 'menu1.php' ?>
```

```

<table width="100%" class="table table-striped table-hover table-bordered">
    <thead>
    <tr> <td width="80%" align="center">
        <style type='text/css'>

#peta {
width: 100%;
height: 500px;

} </style>
    <script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
        <script src="../jquery.js"></script>
    <script type="text/javascript">

        <?php
//konfigurasi koneksi database
include 'config.php';

        $sql_lokasi="select *
from layanan where idkec='$_GET[idkec]";
$result=mysql_query($sql_lokasi); ?>

        (function() {
window.onload = function() {
var map;
    var locations = [
    <?php // ambil nama,lat dan lon dari table lokasi
        while($data=mysql_fetch_object($result)){ ?>
            ['<?=$data->id;?>', <?=$data->koorx;?>, <?=$data->koory;?>],
    <? } ?>

];

//Parameter Google maps
var options = {
    zoom: 12, //level zoom
        //posisi tengah peta
    center: new google.maps.LatLng(-5.38343, 105.260696),
    mapTypeId: google.maps.MapTypeId.ROADMAP
};

        // Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
        // Tambahkan Marker

```

```
var infowindow = new google.maps.InfoWindow();
```

```
var marker, i;  
/* kode untuk menampilkan banyak marker */  
for (i = 0; i < locations.length; i++)  
{  
  
    marker = new google.maps.Marker  
    (  
        {  
        position: new google.maps.LatLng(locations[i][1], locations[i][2]),  
        map: map,  
        icon:'images/icon/logo1.png'  
        }  
    );
```

```
/* menambahkan event klik untuk menampilkan  
infowindows dengan isi sesuai dengan  
marker yang di klik */
```

```
        google.maps.event.addListener(marker, 'click', (function(marker, i) {  
            return function() {  
                var id= locations[i][0];  
  
                $.ajax({  
                    url : "get_info.php",  
                    data : "tanaman=<?php  
echo"$_GET[tanaman]"; ?>&id=" +id ,  
                    success : function(data) {  
                        infowindow.setContent(data);  
                        infowindow.open(map, marker);  
                    }  
                });  
            }  
        })(marker, i));  
    }  
}
```

```

    };
  })();

  </script>

  <div id="peta">

</td>

                                </tr>

</thead> </table>
  <script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>
<script type="text/javascript">
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif"});
  </script>

```

#### Maps4.php

```

  <script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">

  <link rel="stylesheet" href="css/templatemo_main.css">
                                <script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
  eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
  if (restore) selObj.selectedIndex=0;
}
  </script><br /><br /><br />
<table width="100%" class="table table-striped table-hover table-bordered">
  <thead>
    <tr><td><?php include 'menu1.php' ?>
<br>
    Hasil Pencarian Dengan Nama &quot;<strong><?php echo "$_GET[nama]";
?></strong>&quot;<br></td></tr>

                                <tr> <td width="80%" align="center">
                                <style type='text/css'>
#peta {
width: 100%;
height: 500px;

```

```

} </style>
<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
<script src="../jquery.js"></script>
<script type="text/javascript">

    <?php
    //konfigurasi koneksi database
    include 'config.php';

    $sql_lokasi="select *
    from layanan where nama like '%$_GET[nama]%'";
    $result=mysql_query($sql_lokasi); ?>

    (function() {
    window.onload = function() {
var map;
    var locations = [
    <?php // ambil nama,lat dan lon dari table lokasi
        while($data=mysql_fetch_object($result)){ ?>
            ['<?=$data->id;?>', <?=$data->koorx;?>, <?=$data->koory;?>],
            <? } ?>

];

//Parameter Google maps
var options = {
    zoom: 12, //level zoom
    //posisi tengah peta
    center: new google.maps.LatLng(-5.38343, 105.260696),
    mapTypeId: google.maps.MapTypeId.ROADMAP
};

    // Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
    // Tambahkan Marker

    var infowindow = new google.maps.InfoWindow();

var marker, i;
/* kode untuk menampilkan banyak marker */

```

```

for (i = 0; i < locations.length; i++)
{
    marker = new google.maps.Marker
    (
        {
            position: new google.maps.LatLng(locations[i][1], locations[i][2]),
            map: map,
            icon:'images/icon/logo1.png'
        }
    );

    /* menambahkan event klik untuk menampilkan
    infowindows dengan isi sesuai denga
    marker yang di klik */

    google.maps.event.addListener(marker, 'click', (function(marker, i) {
        return function() {
            var id= locations[i][0];

            $.ajax({
                url : "get_info.php",
                data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                success : function(data) {
                    infowindow.setContent(data);
                    infowindow.open(map, marker);
                }
            });
        }
    })(marker, i));
}

};
})();

</script>

<div id="peta">

```

```

</td>
</tr>
</thead> </table>
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>
<script type="text/javascript">
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif"});
</script>

```

### Maps5.php

```

<script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">

```

```

<link rel="stylesheet" href="css/templatemo_main.css">
<script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
if (restore) selObj.selectedIndex=0;
}
</script><br /><br /><br />
<table width="100%" class="table table-striped table-hover table-bordered">
<thead>
<tr><td><?php include 'menu1.php' ?>
<br>
Hasil Pencarian Dengan Nama &quot;<strong><?php echo "$_GET[nama]";
?></strong>&quot;;<br></td></tr>

```

```

<tr> <td width="80%" align="center">
<style type='text/css'>
#peta {
width: 100%;
height: 500px;
} </style>
<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
<script src="../jquery.js"></script>
<script type="text/javascript">

```

```

<?php
//konfigurasi koneksi database
include 'config.php';

    $sql_lokasi="select *
    from layanan where alamat like '%$_GET[alamat]%'";
    $result=mysql_query($sql_lokasi); ?>

    (function() {
window.onload = function() {
var map;
    var locations = [
<?php // ambil nama,lat dan lon dari table lokasi
        while($data=mysql_fetch_object($result)){ ?>
            ['<?=$data->id;?>', '<?=$data->koorx;?>', '<?=$data->koory;?>'],
            <? } ?>
    ];

//Parameter Google maps
var options = {
    zoom: 12, //level zoom
        //posisi tengah peta
    center: new google.maps.LatLng(-5.38343, 105.260696),
    mapTypeId: google.maps.MapTypeId.ROADMAP
};

    // Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
    // Tambahkan Marker

    var infowindow = new google.maps.InfoWindow();

var marker, i;
/* kode untuk menampilkan banyak marker */
for (i = 0; i < locations.length; i++)
    {

marker = new google.maps.Marker
    (
        {
            position: new google.maps.LatLng(locations[i][1], locations[i][2]),

```



```

map: map,
    icon:'images/icon/logo1.png'
    }
    );

/* menambahkan event klik untuk menampilkan
infowindows dengan isi sesuai dengan
marker yang di klik */

    google.maps.event.addListener(marker, 'click', (function(marker, i) {
        return function() {
            var id= locations[i][0];

            $.ajax({
                url : "get_info.php",
                data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                success : function(data) {
                    infowindow.setContent(data);
                    infowindow.open(map, marker);
                }
            });
        }
    })(marker, i);
}

};
})();

</script>

<div id="peta">

</td>

</tr>

</thead> </table>
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>

```

```

<script type="text/javascript">
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif"});
</script>

```

### Maps6.php

```

<script src="SpryAssets/SpryMenuBar.js" type="text/javascript"></script>
<link href="SpryAssets/SpryMenuBarHorizontal.css" rel="stylesheet"
type="text/css">

<link rel="stylesheet" href="css/templatemo_main.css">
<script type="text/javascript">
function MM_jumpMenu(targ,selObj,restore){ //v3.0
eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
if (restore) selObj.selectedIndex=0;
}
</script><?php include 'menu1.php' ?><br>
Hasil Pencarian Rumah Makan Dengan Menu Rumah Makan &quot;<strong><?php
echo"$_GET[menu]"; ?></strong>&quot;<br>
<table width="100%" class="table table-striped table-hover table-bordered">
<thead>
<tr> <td width="80%" align="center">
<style type='text/css'>

#peta {
width: 100%;
height: 500px;

} </style>
<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
<script src="../jquery.js"></script>
<script type="text/javascript">

<?php
//konfigurasi koneksi database
include 'config.php';

$sql_lokasi="select *
from rumahmakan where menu like '%$_GET[menu]%'";
$result=mysql_query($sql_lokasi); ?>

(function() {
window.onload = function() {

```

```

var map;
  var locations = [
    <?php // ambil nama,lat dan lon dari table lokasi
      while($data=mysql_fetch_object($result)){ ?>
        ['<?=$data->id;?>', <?=$data->koorx;?>, <?=$data->koory;?>],
        <? } ?>

    ];

//Parameter Google maps
var options = {
  zoom: 12, //level zoom
  //posisi tengah peta
  center: new google.maps.LatLng(-5.38343, 105.260696),
  mapTypeId: google.maps.MapTypeId.ROADMAP
};

// Buat peta di
var map = new google.maps.Map(document.getElementById('peta'), options);
// Tambahkan Marker

var infowindow = new google.maps.InfoWindow();

var marker, i;
/* kode untuk menampilkan banyak marker */
for (i = 0; i < locations.length; i++)
  {

  marker = new google.maps.Marker
  (
    {
  position: new google.maps.LatLng(locations[i][1], locations[i][2]),
  map: map,
  icon:'images/icon/logo1.png'
    }
  );

```

```

/* menambahkan event klik untuk menampilkan
infowindows dengan isi sesuai dengan
marker yang di klik */

        google.maps.event.addListener(marker, 'click', (function(marker, i) {
            return function() {
                var id= locations[i][0];

                $.ajax({
                    url : "get_info.php",
                    data : "tanaman=<?php
echo"$_GET[tanaman]"; ?>&id=" +id ,
                    success : function(data) {
                        infowindow.setContent(data);
                        infowindow.open(map, marker);
                    }
                });
            }
        })(marker, i));
    }

};
})();

</script>

<div id="peta">

</td>

</tr>

</thead> </table>
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/templatemo_script.js"></script>
<script type="text/javascript">
var MenuBar1 = new Spry.Widget.MenuBar("MenuBar1",
{imgDown:"SpryAssets/SpryMenuBarDownHover.gif",
imgRight:"SpryAssets/SpryMenuBarRightHover.gif"});
</script>

```