

```
-- Database: `dome`
```

```
--
```

```
-----
```

```
--
```

```
-- Table structure for table `tb_booking`
```

```
--
```

```
CREATE TABLE IF NOT EXISTS `tb_booking` (  
  `kode` varchar(50) NOT NULL,  
  `nama` varchar(50) NOT NULL,  
  `nohp` varchar(12) NOT NULL,  
  `nm_lapangan` varchar(10) NOT NULL,  
  `tglmain` date NOT NULL,  
  `lm_main` char(5) NOT NULL,  
  `jammmain` varchar(50) NOT NULL,  
  `jambooking` time NOT NULL,  
  `harga` varchar(50) NOT NULL,  
  `status` enum('Waiting Transfer','Booking') NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--
```

```
-- Dumping data for table `tb_booking`
```

```
--
```

```
INSERT INTO `tb_booking` (`kode`, `nama`, `nohp`, `nm_lapangan`, `tglmain`,  
  `lm_main`, `jammmain`, `jambooking`, `harga`, `status`) VALUES  
(  
'201701010001', '11', '23', 'Lapangan 1', '2017-01-10', '2 Jam', '07.00 - 09.00', '08:34:16',  
'250000', 'Booking'),  
(  
'201701010002', 'cc', '6', 'Lapangan 1', '2017-01-11', '1 Jam', '07.00 - 08.00', '08:39:21',  
'100000', 'Waiting Transfer'),  
(  
'201701010003', '1s', '47', 'Lapangan 1', '2017-01-04', '2 Jam', '07.00 - 09.00', '08:43:15',  
'200000', 'Waiting Transfer'),
```

```
('201701010004', 'nn', '77', 'Lapangan 4', '2017-01-11', '2 Jam', '07.00 - 09.00', '08:44:17',
'200000', 'Waiting Transfer'),
('201701010005', 'nn', 'kk', 'Lapangan 1', '2017-01-25', '1 Jam', '07.00 - 08.00', '08:45:59',
'100000', 'Waiting Transfer'),
('201701010006', 'dd', '34', 'Lapangan 2', '2017-01-16', '1 Jam', '08.00 - 09.00', '19:31:35',
'125000', 'Waiting Transfer'),
('201701010007', 'll', '90', 'Lapangan 3', '2017-01-10', '1 Jam', '08.00 - 09.00', '19:38:33',
'100000', 'Waiting Transfer'),
('201701060001', 'kml', '33', 'Lapangan 1', '2017-01-13', '1 Jam', '08.00 - 09.00',
'06:07:13', '125000', 'Waiting Transfer'),
('201701060002', 'vcg', '9090', 'Lapangan 3', '2017-01-07', '1 Jam', '08.00 - 09.00',
'06:09:07', '125000', 'Waiting Transfer'),
('201701060003', 'aa', '33', 'Lapangan 1', '2017-01-07', '1 Jam', '09.00 - 10.00', '07:17:21',
'100000', 'Waiting Transfer'),
('201701060004', 'qqw', '3321', 'Lapangan 2', '2017-01-23', '1 Jam', '11.00 - 12.00',
'07:18:23', '80000', 'Waiting Transfer');
```

--

-- Table structure for table `tb_jammain`

--

```
CREATE TABLE IF NOT EXISTS `tb_jammain` (
  `id` int(11) NOT NULL,
  `jammain` varchar(50) NOT NULL,
  `lm_main` char(5) NOT NULL,
  `harga` varchar(50) NOT NULL,
  `hrgmember` varchar(50) NOT NULL,
  `weekend` varchar(50) NOT NULL,
  `weekend_member` varchar(50) NOT NULL
) ENGINE=InnoDB AUTO_INCREMENT=44 DEFAULT CHARSET=latin1;
```

--

-- Dumping data for table `tb_jammain`

--

```
INSERT INTO `tb_jammain` (`id`, `jammain`, `lm_main`, `harga`, `hrgmember`,  
`weekend`, `weekend_member`) VALUES
```

```
(5, '09.00 - 10.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(6, '10.00 - 11.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(7, '11.00 - 12.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(8, '12.00 - 13.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(9, '13.00 - 14.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(10, '14.00 - 15.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(11, '15.00 - 16.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(12, '16.00 - 17.00', '1 Jam', '80000', '70000', '100000', '90000'),  
(13, '17.00 - 18.00', '1 Jam', '100000', '90000', '150000', '140000'),  
(14, '18.00 - 19.00', '1 Jam', '100000', '90000', '150000', '140000'),  
(15, '19.00 - 20.00', '1 Jam', '100000', '90000', '150000', '140000'),  
(16, '20.00 - 21.00', '1 Jam', '100000', '90000', '150000', '140000'),  
(17, '21.00 - 22.00', '1 Jam', '100000', '90000', '150000', '140000'),  
(18, '22.00 - 23.00', '1 Jam', '100000', '90000', '150000', '140000'),  
(19, '09.00 - 11.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(20, '11.00 - 13.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(21, '13.00 - 15.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(22, '15.00 - 17.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(23, '17.00 - 19.00', '2 Jam', '200000', '190000', '300000', '290000'),  
(24, '19.00 - 21.00', '2 Jam', '200000', '190000', '300000', '290000'),  
(25, '21.00 - 23.00', '2 Jam', '200000', '190000', '300000', '290000'),  
(26, '09.00 - 12.00', '3 Jam', '240000', '230000', '300000', '290000'),  
(27, '12.00 - 15.00', '3 Jam', '240000', '230000', '300000', '290000'),  
(28, '15.00 - 18.00', '3 Jam', '260000', '250000', '350000', '340000'),  
(29, '18.00 - 21.00', '3 Jam', '300000', '290000', '450000', '440000'),  
(30, '10.00 - 12.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(31, '12.00 - 14.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(32, '14.00 - 16.00', '2 Jam', '160000', '150000', '200000', '190000'),  
(33, '16.00 - 18.00', '2 Jam', '200000', '190000', '300000', '290000'),  
(34, '18.00 - 20.00', '2 Jam', '200000', '190000', '300000', '290000'),
```

```
(35, '20.00 - 22.00', '2 Jam', '200000', '190000', '300000', '290000'),
(36, '10.00 - 13.00', '3 Jam', '240000', '230000', '300000', '290000'),
(37, '11.00 - 14.00', '3 Jam', '240000', '230000', '300000', '290000'),
(38, '13.00 - 16.00', '3 Jam', '240000', '230000', '300000', '290000'),
(39, '14.00 - 17.00', '3 Jam', '240000', '230000', '300000', '290000'),
(40, '16.00 - 19.00', '3 Jam', '280000', '270000', '400000', '390000'),
(41, '17.00 - 20.00', '3 Jam', '300000', '290000', '450000', '440000'),
(42, '19.00 - 22.00', '3 Jam', '300000', '290000', '450000', '440000'),
(43, '20.00 - 23.00', '3 Jam', '300000', '290000', '450000', '440000');
```

```
-----
```

```
--
```

```
-- Table structure for table `tb_konfirmasi`
```

```
--
```

```
CREATE TABLE IF NOT EXISTS `tb_konfirmasi` (
  `id` int(11) NOT NULL,
  `kode` varchar(50) NOT NULL,
  `norek` varchar(50) NOT NULL,
  `nama` varchar(50) NOT NULL,
  `jml_trf` varchar(50) NOT NULL,
  `gambar` varchar(50) NOT NULL
) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=latin1;
```

```
--
```

```
-- Dumping data for table `tb_konfirmasi`
```

```
--
```

```
INSERT INTO `tb_konfirmasi` (`id`, `kode`, `norek`, `nama`, `jml_trf`, `gambar`)
VALUES
(2, '201701010006', '89', 'jj', '100000', 'logo.jpg');
```

```
-----  
  
--  
-- Table structure for table `tb_lapangan`  
--  
  
CREATE TABLE IF NOT EXISTS `tb_lapangan` (  
  `id` int(11) NOT NULL,  
  `nm_lapangan` varchar(10) NOT NULL  
) ENGINE=InnoDB AUTO_INCREMENT=5 DEFAULT CHARSET=latin1;  
  
--  
-- Dumping data for table `tb_lapangan`  
--  
  
INSERT INTO `tb_lapangan` (`id`, `nm_lapangan`) VALUES  
(1, 'Lapangan 1'),  
(2, 'Lapangan 2'),  
(3, 'Lapangan 3'),  
(4, 'Lapangan 4');  
  
-----  
  
--  
-- Table structure for table `tb_login`  
--  
  
CREATE TABLE IF NOT EXISTS `tb_login` (  
  `id` int(11) NOT NULL,  
  `nama` varchar(50) NOT NULL,  
  `nohp` varchar(12) NOT NULL,  
  `user` varchar(50) NOT NULL,
```

```

`pw` varchar(50) NOT NULL,
`level` enum('admin','member') NOT NULL
) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=latin1;

--
-- Dumping data for table `tb_login`
--

INSERT INTO `tb_login` (`id`, `nama`, `nohp`, `user`, `pw`, `level`) VALUES
(1, 'Muhammad Iqbal Arfi Tuala', '08992273488', 'admin',
'21232f297a57a5a743894a0e4a801fc3', 'admin'),
(2, 'asep', '123', 'asep', 'dc855efb0dc7476760afaa1b281665f1', 'member');

--
-- Indexes for dumped tables
--

--
-- Indexes for table `tb_booking`
--

ALTER TABLE `tb_booking`
  ADD PRIMARY KEY (`kode`);

--
-- Indexes for table `tb_jammain`
--

ALTER TABLE `tb_jammain`
  ADD PRIMARY KEY (`id`);

--
-- Indexes for table `tb_konfirmasi`
--

ALTER TABLE `tb_konfirmasi`

```

```
ADD PRIMARY KEY (`id`);

--
-- Indexes for table `tb_lapangan`
--
ALTER TABLE `tb_lapangan`
ADD PRIMARY KEY (`id`);

--
-- Indexes for table `tb_login`
--
ALTER TABLE `tb_login`
ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--
--
-- AUTO_INCREMENT for table `tb_jammain`
--
ALTER TABLE `tb_jammain`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=44;

--
-- AUTO_INCREMENT for table `tb_konfirmasi`
--
ALTER TABLE `tb_konfirmasi`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=3;

--
-- AUTO_INCREMENT for table `tb_lapangan`
--
ALTER TABLE `tb_lapangan`
```

```
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=5;
--
-- AUTO_INCREMENT for table `tb_login`
--
ALTER TABLE `tb_login`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=3;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION
*/;
```