

INDEX.PHP

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8" />
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1" />
<meta name="description" content="" />
<meta name="author" content="" />

<title>Login | SIKPP Kec.
Gisting</title>
<link rel="shortcut icon"
href="images/favicon.png">

<!-- Bootstrap Style -->
<link href="assets/css/bootstrap.css"
rel="stylesheet" />
<!-- Font-Awesome Style -->
<link href="assets/css/font-
awesome.min.css" rel="stylesheet" />
<!-- Animation Style -->
<link href="assets/css/animate.css"
rel="stylesheet" />
<!-- Custom Style -->
<link href="assets/css/style.css"
rel="stylesheet" />
<link href="assets/css/custom.css"
rel="stylesheet" />
</head>

<body class="bg_index">
<!-- JQuery Core Script -->
<script src="assets/js/jquery-
1.10.2.js"></script>
<!-- Core Bootstrap Script -->
<script
src="assets/js/bootstrap.js"></script>
<!-- WOW Script -->
<script
src="assets/js/wow.min.js"></script>
<!-- Scrolling Script -->
<script
src="assets/js/jquery.easing.min.js"><
/script>
<!-- PrettyPhoto Script -->
<!-- Custom Scripts -->
<script
src="assets/js/custom.js"></script>

<div id="pre-div">
<div id="loader"></div>
</div>
<!--/. PRELOADER END -->
<!--./ NAV BAR END -->
<div id="home" >
<div class="overlay">
<div class="container">

<div class="row-fluid">
<div class="col-md-6 col-md-offset-1">
<div class="span3"></div>

</div>
</div>
<div class="span3">
<!--
<div class="title_index">
<div class="row-fluid">

</div>
</div>
-->
<div class="col-lg-4 col-md-5">
<div class="time_index">
<span id=tick2></span>&nbsp;&nbsp;&nbsp;|
<script>
function show2(){
if
(!document.all&&!document.getElementById)
return
thelement=document.getElementById?
document.getElementById("tick2"):
document.all.tick2
var Digital=new Date()
var hours=Digital.getHours()
var minutes=Digital.getMinutes()
var seconds=Digital.getSeconds()
var dn="PM"
if (hours<12)
dn="AM"
if (hours>12)
hours=hours-12
if (hours==0)
hours=12
if (minutes<=9)
minutes="0"+minutes
if (seconds<=9)
seconds="0"+seconds
var
ctime=hours+":"+minutes+":"+seconds+"
"+dn
thelement.innerHTML=ctime
setTimeout("show2()",1000)
}
window.onload=show2
//-->
</script>
<?php
$date = new DateTime();
echo $date->format('l, F jS, Y');
?>
</div>
<div class="div-trans text-center">
```

```

</h3>LOGIN</h3>
<br>
<br>
<div class="col-lg-12 col-md-12 col-sm-12" >
<form action="login.php?op=in"
class="form-signin" method="post"
role="form">
<div class="form-group">
<input type="text" class="form-control
input-md" name="username"
id="username" placeholder="Username"
required autofocus>
</div>
<div class="form-group">
<input type="password" class="form-
control input-md" name="password"
id="password" placeholder="Password"
required>
</div>
<br>
<div class="form-group">
<button type="submit" class="btn btn-
primary btn-block" id="login"
name="login"><i class="fa fa-sign-
in"></i>LOGIN</button>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="footer_bar">
<center>2017 © SIKPP Kec. Gisting
Tanggamus | Skripsi Puput
Fitriawati</center>
</div>
<!--./ FOOTER SECTION END -->
</body>
</html>

```

LOGIN.PHP

```

<?php
session_start();
error_reporting(0);

$host = "localhost";
$user = "root";
$pass = "";
$dbname = "sikpp";
$kon = mysql_connect($host, $user,
$pass);
if(!$kon) die ("Gagal koneksi karena
".mysql_error());
$dbkon = mysql_select_db($dbname,
$kon);
if(!$dbkon) die ("Gagal membuka
database $dbname
karena".mysql_error());

```

```

?>
<?php
$username = $_POST['username'];
$password = $_POST['password'];
$op = $_GET['op'];
if($op=="in"){
$ccek = mysql_query("SELECT * FROM
tbl_pns WHERE nip='$username' AND
pwd=md5(md5('$password'))");
if(mysql_num_rows($cek)==1){
$c = mysql_fetch_array($cek);
$_SESSION['userid'] = $c['nip'];
$_SESSION['level'] = $c['level'];
$_SESSION['name'] = $c['nama_pns'];
$_SESSION['jab'] = $c['id_jabatan'];
$_SESSION['pal'] = $c['id_palru'];
if($c['level']=="admin"){header("locat
ion:dashboard_admin.php");}
else
if($c['level']=="atasan"){header("loca
tion:dashboard_atasan.php");}
else if($c['level']=="pegawai")
{header("location:dashboard_pegawai.ph
p");}
else if($c['level']=="penilai")
{header("location:dashboard_penilai.ph
p");}
}else{
header("location:login_error.php");
exit();
}
}else if($op=="out"){
unset($_SESSION['userid']);
unset($_SESSION['level']);
mysql_close();
header("location:index.php");
session_destroy();
exit();
}
?>

```

HEADER.PHP

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<meta name="viewport"
content="width=device-width, initial-
scale=1">
<meta name="description" content="">
<meta name="author" content="">

<title>SIKPP Kec. Gisting
Tanggamus</title>
<link rel="shortcut icon"
href="images/favicon.png">

<link href="assets/css/alert.css"
rel="stylesheet">
<!-- Bootstrap Core CSS -->
<link
href="assets/css/bootstrap.min.css"
rel="stylesheet">
<!-- Morris Charts CSS -->
<link href="assets/css/morris.css"
rel="stylesheet">
<!-- Custom Fonts -->

```

```

<link href="assets/css/font-awesome.min.css" rel="stylesheet" type="text/css">
<!-- Custom CSS -->
<link href="assets/css/sb-admin.css" rel="stylesheet">
<link href="assets/css/custom.css" rel="stylesheet">
<script type="text/javascript" src="assets/js/ie-emulation-modes-warning.js"></script>
<script type="text/javascript" src="assets/js/scripts.js"></script>

<script>
!function(d,s,id){
var
js,fjs=d.getElementsByTagName(s)[0];
if(!d.getElementById(id)){
js=d.createElement(s);
js.id=id;
js.src="//platform.twitter.com/widgets.js";
fjs.parentNode.insertBefore(js,fjs);
}
}(document,"script","twitter-wjs");
</script>
</head>
<body>
<div id="wrapper">
<!-- Navigation -->
<nav class="navbar navbar-inverse navbar-fixed-top navbar_header" role="navigation">
<!-- Brand and toggle get grouped for better mobile display -->
<div class="navbar-header">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-ex1-collapse">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<div class="span3"></div>
</div>
<!-- Top Menu Items -->
<ul class="nav navbar-right top-nav">
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="fa fa-user"></i>&nbsp;
<?php
//Check to see if the user is logged in.
if(isset($_SESSION['username'])){
echo "".$_SESSION['f_name']. "
".$_SESSION['l_name']. "";
}
?>
<b class="caret"></b>
</a>
<ul class="dropdown-menu">
<li><a href="profile.php"><i class="fa fa-user"></i> Profil Saya</a></li>

```

```

<li class="divider"></li>
<li><a href="login.php?op=out"><i class="fa fa-sign-out"></i>
Keluar</a></li>
</ul>
</li>
</ul>

```

FOOTER.PHP

```

</nav>
</div>
</div>
</div>
<!-- jQuery Version 1.11.0 -->
<script type="text/javascript" src="assets/js/jquery-1.11.0.js"></script>
<!-- Bootstrap Core JavaScript -->
<script type="text/javascript" src="assets/js/bootstrap.min.js"></script>
</body>
</html>

```

PEGAWAI_DATA_PKP.PHP

```

<?php
include ('login.php');
if(($_SESSION['level']!="admin")
&& ($_SESSION['level']!="atasan")
&& ($_SESSION['level']!="pegawai")
&& ($_SESSION['level']!="penilai")){
header("location:login_error.php");
}
?>
<?php include('header.php'); ?>

<!-- Sidebar Menu Items - These collapse to the responsive navigation menu on small screens -->
<div class="collapse navbar-collapse">
<ul class="nav navbar-nav side-nav">
<li><a href="dashboard_pegawai.php"><i class="fa fa-home"></i>
Beranda</a></li>
<li><a href="pegawai_data_skp.php"><i class="fa fa-book"></i> SKP</a></li>
<li class="active"><a href="pegawai_data_pkp.php"><i class="fa fa-book"></i> PKP</a></li>
<li><a href="pegawai_komplain.php"><i class="fa fa-cog"></i>
Komplain</a></li>
</ul>
</div>
<!-- /.navbar-collapse -->
</nav>

<div id="page-wrapper">
<div class="container-fluid">
<nav>
<div class="row">
<!-- START CONTENT -->

<div>
<center><h3><i class="fa fa-book"></i>
DATA PRESTASI KERJA
PEGAWAI</i></h3></center><br/>

```

```

<!-- <button class="btn btn-primary"
onClick="history.go(-
1);">kembali</button> -->
<input class="btn btn-warning"
type=button value="Refresh"
onClick="window.location.reload()" />
<br/>
<?php
$nip = $_SESSION['userid'];
echo "<table class='frmtbl'
border='1'><tr><td style='padding:
5px;text-align: left;vertical-align:
baseline;'>";
// DATA PENILAI
$get_kasum = mysql_query("select *
from tbl_pns, tbl_jabatan, tbl_pangkat
where tbl_pns.id_jabatan =
tbl_jabatan.id_jabatan AND
tbl_pns.id_palru =
tbl_pangkat.id_palru AND
tbl_pns.nip = '$nip'");
if (!$get_kasum)
die("Gagal Query get kasum karena :
".mysql_error());
if ($row_getkasum =
mysql_fetch_array($get_kasum))
$hasil_lagi = mysql_query("select
a.nip, a.nama_pns, c.nama_palru,
b.nama_jabatan, a.unit_kerja, a.jekel,
a.tmt, a.level
from tbl_pns a, tbl_jabatan b,
tbl_pangkat c
where a.id_palru=c.id_palru AND
a.id_jabatan=b.id_jabatan AND
b.kode=' $row_getkasum[kode]' AND
a.level='penilai' ORDER BY a.level");
if($rowx =
mysql_fetch_array($hasil_lagi)){
$nippetilai = $rowx['nip'];
echo "<b>Pejabat Penilai </b><br>";
echo "NIP : ".$rowx['nip']."<br>";
echo "Nama :
".$rowx['nama_pns']."<br>";
echo "Jabatan :
".$rowx['nama_jabatan']."<br>";
echo "Pangkat/Golru :
".$rowx['nama_palru']."<br>";
}
echo "</td><td style='padding:
5px;text-align: left;vertical-align:
baseline;'>";
// DATA DINILAI
$ambil = mysql_query("select a.nip,
a.nama_pns, c.nama_palru,
b.nama_jabatan, a.unit_kerja, a.jekel,
a.tmt, a.level
from tbl_pns a, tbl_jabatan b,
tbl_pangkat c
where a.id_palru=c.id_palru AND
a.id_jabatan=b.id_jabatan AND
a.nip='".$nip."'");
if ($rowy = mysql_fetch_array($ambil))
$nipdinilai = $rowy['nip'];
echo "<b>Pegawai Dinilai </b><br>";
echo "NIP : ".$rowy['nip']."<br>";
echo "Nama :
".$rowy['nama_pns']."<br>";
echo "Jabatan :
".$rowy['nama_jabatan']."<br>";
echo "Pangkat/Golru :
".$rowy['nama_palru']."<br>";

```

```

echo "</td></tr></table>";
?>

<?php
$nip = $_SESSION['userid'];
$hasil = mysql_query("select * from
tbl_pkp where dinilai='".$nip."' ORDER
BY tahun_pkp");
if (!$hasil)
die("Gagal Query data karena :
".mysql_error());
$ambil = mysql_query("select nama_pns
from tbl_pns where nip='".$nip."'");
if ($buaris =
mysql_fetch_array($ambil))
echo "<select id='selectBtn'
onChange='this.options[this.selectedIn
dex].value && (window.location =
this.options[this.selectedIndex].value
);' name='tahun_skp'><option>Cetak
PKP</option>";
ngeprint = mysql_query("select
distinct (tahun_pkp) from tbl_pkp
where dinilai='$nip'");
while ($ngeprint_row =
mysql_fetch_array($ngeprint)){
echo "<option
value='pegawai_output_pkp_pdf.php?tahu
n_pkp=$ngeprint_row[tahun_pkp]&dinilai
=$nip'>$ngeprint_row[tahun_pkp]</optio
n>";
}
echo "</select>&nbsp;";
?>

<!-- MENAMPILKAN TABLE -->

<?php
$nip = $_SESSION['userid'];
$hasil = mysql_query("select * from
tbl_pkp where dinilai='".$nip."' ORDER
BY tahun_pkp");
if (!$hasil)
die("Gagal Query data karena :
".mysql_error());
$ambil = mysql_query("select nama_pns
from tbl_pns where nip='".$nip."'");
if ($buaris =
mysql_fetch_array($ambil))
echo "<center><table id='tblContent'
border=1>
<tr align='center'>
<th rowspan='2'>Tahun SKP</th>
<th colspan='6'>UNSUR</th>
<th rowspan='2'>Jumlah</th>
<th rowspan='2'>Rata</th>
<th rowspan='2'>Nilai (40%)</th>
<th rowspan='2'>Tanggapan</th>
<th rowspan='2'>Keputusan</th>
<th rowspan='2'>Rekomendasi</th>
<th rowspan='2'>Tanggal PKP</th>
</tr>
<tr>
<th>Orientasi Pelayanan</th>
<th>Integritas</th>
<th>Komitmen</th>
<th>Disiplin</th>
<th>Kerjasama</th>
<th>Kepemimpinan</th>
</tr>";

```

```

while($row =
mysql_fetch_array($hasil)){
echo "<tr>";
echo "<td>" . $row['tahun_pkp'].
"</td>";
echo "<td>"
.$row['orientasi_pelayanan']. "</td>";
echo "<td>" . $row['integritas'].
"</td>";
echo "<td>" . $row['komitmen'].
"</td>";
echo "<td>" . $row['disiplin'].
"</td>";
echo "<td>" . $row['kerjasama'].
"</td>";
echo "<td>" . $row['kepemimpinan'].
"</td>";
echo "<td>" . $row['jumlah']. "</td>";
if ($row['nilai_rata'] > 91)
echo "<td>" . $row['nilai_rata']. "
(Sangat Baik) </td>";
elseif ($row['nilai_rata'] >76 &&
$row['nilai_rata'] <90)
echo "<td>" . $row['nilai_rata']. "
(Baik) </td>";
elseif ($row['nilai_rata'] >61 &&
$row['nilai_rata'] <75)
echo "<td>" . $row['nilai_rata']. "
(Cukup)</td>";
elseif ($row['nilai_rata'] >51 &&
$row['nilai_rata'] <60)
echo "<td>" . $row['nilai_rata']. "
(Kurang)</td>";
elseif ($row['nilai_capaian_skp'] <50)
echo "<td>" . $row['nilai_rata']. "
(Buruk)</td>";
echo "<td>" . $row['nilai_pkp'].
"</td>";
echo "<td>" . $row['tanggapan'].
"</td>";
echo "<td>" . $row['keputusan'].
"</td>";
echo "<td>" . $row['rekomendasi'].
"</td>";
echo "<td>"
.$row['tgl_penilaian_pkp']. "</td>";
echo "</tr>";
}
mysql_free_result($result);
echo "</table>";
?>

```

```
</div>
```

```
<!-- END CONTENT -->
```

```
</div>
```

```
</nav>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- CONTENT -->
```

```
<div class="row">
```

```
</div>
```

```
</head>
```

```
<?php include('footer.php'); ?>
```

PEGAWAI_DATA_SKP.PHP

```

<?php
include ('login.php');
if(($_SESSION['level']!="admin")
&& ($_SESSION['level']!="atasan")
&& ($_SESSION['level']!="pegawai")
&& ($_SESSION['level']!="penilai")){
header("location:login_error.php");
}
?>
<?php include('header.php'); ?>

<!-- Sidebar Menu Items - These
collapse to the responsive navigation
menu on small screens -->
<div class="collapse navbar-collapse"
navbar-ex1-collapse">
<ul class="nav navbar-nav side-nav">
<li><a href="dashboard_pegawai.php"><i
class="fa fa-home"></i>
Beranda</a></li>
<li class="active"><a
href="pegawai_data_skp.php"><i
class="fa fa-book"></i> SKP</a></li>
<li><a href="pegawai_data_pkp.php"><i
class="fa fa-book"></i> PKP</a></li>
<li><a href="pegawai_komplain.php"><i
class="fa fa-cog"></i>
Komplain</a></li>
</ul>
</div>
<!-- /.navbar-collapse -->
</nav>

<div id="page-wrapper">
<div class="container-fluid">
<nav>
<div class="row">
<!-- START CONTENT -->

<div>
<center><h3><i class="fa fa-book">
DATA SASARAN KERJA
PEGAWAI</i></h3></center><br/> <!--
<button class="btn btn-primary"
onClick="history.go(-
1);">Kembali</button> -->
<input class="btn btn-warning"
type="button" value="Refresh"
onClick="window.location.reload()" />
<br/>
<?php
$nip = $_SESSION['userid'];
echo "<table class='frmtbl'
border='1'><tr><td style='padding:
5px;text-align: left;vertical-align:
baseline;'>";
// DATA PENILAI
$get_kasum = mysql_query("select *
from tbl_pns, tbl_jabatan, tbl_pangkat
where tbl_pns.id_jabatan =
tbl_jabatan.id_jabatan AND
tbl_pns.id_palru =
tbl_pangkat.id_palru AND
tbl_pns.nip ='$nip'");
if (!$get_kasum)
die("Gagal Query get kasum karena :
".mysql_error());
if ($row_getkasum =
mysql_fetch_array($get_kasum))
$hasil_lagi = mysql_query("select
a.nip, a.nama_pns, c.nama_palru,

```

```

b.nama_jabatan, a.unit_kerja, a.jekel,
a.tmt, a.level
from tbl_pns a, tbl_jabatan b,
tbl_pangkat c
where a.id_palru=c.id_palru AND
a.id_jabatan=b.id_jabatan AND
b.kode='$row_getkasum[kode]' AND
a.level='penilai' ORDER BY a.level");
if($rowx =
mysql_fetch_array($hasil_lagi)){
$nippenilai = $rowx['nip'];
echo "<b>Pejabat Penilai :</b><br>";
echo "NIP : ".$rowx['nip']."<br>";
echo "Nama :
".$rowx['nama_pns']."<br>";
echo "Jabatan :
".$rowx['nama_jabatan']."<br>";
echo "Pangkat/Golru :
".$rowx['nama_palru']."<br>";
}
echo "</td><td style='padding:
5px;text-align: left;vertical-align:
baseline;'>";
// DATA DINILAI
$sambil = mysql_query("select a.nip,
a.nama_pns, c.nama_palru,
b.nama_jabatan, a.unit_kerja, a.jekel,
a.tmt, a.level
from tbl_pns a, tbl_jabatan b,
tbl_pangkat c
where a.id_palru=c.id_palru AND
a.id_jabatan=b.id_jabatan AND
a.nip='".$nip."'");
if ($rowy = mysql_fetch_array($sambil))
$nipdinilai = $rowy['nip'];
echo "<b>Pegawai Dinilai :</b><br>";
echo "NIP : ".$rowy['nip']."<br>";
echo "Nama :
".$rowy['nama_pns']."<br>";
echo "Jabatan :
".$rowy['nama_jabatan']."<br>";
echo "Pangkat/Golru :
".$rowy['nama_palru']."<br>";
echo "</td></tr></table>";
?>

<?php
$nip = $_SESSION['userid'];

echo "<select id='selectBtn'
onchange='this.options[this.selectedIn
dex].value && (window.location =
this.options[this.selectedIndex].value
);' name='tahun_skp'><option>Cetak
Formulir SKP</option>";
$ngeprint = mysql_query("select
distinct (tahun_skp) from tbl_skp
where dinilai='$nip'");
while ($ngeprint_row =
mysql_fetch_array($ngeprint)){
echo " <option
value='pegawai_output_form_skp_pdf.php
?tahun_skp=$ngeprint_row[tahun_skp]&di
nilai=$nipdinilai&penilai=$nippenilai'
>$ngeprint_row[tahun_skp]</option>";
}
echo "</select>&nbsp;";

echo "<select id='selectBtn'
onchange='this.options[this.selectedIn
dex].value && (window.location =

```

```

this.options[this.selectedIndex].value
);' name='tahun_skp'><option>Cetak
Penilaian SKP</option>";
$ngeprint = mysql_query("select
distinct (tahun_skp) from tbl_skp
where dinilai='$nip'");
while ($ngeprint_row =
mysql_fetch_array($ngeprint)){
echo " <option
value='pegawai_output_nilai_skp_pdf.ph
p?tahun_skp=$ngeprint_row[tahun_skp]&d
inilai=$nipdinilai&penilai=$nippenilai'
>$ngeprint_row[tahun_skp]</option>";
}
echo "</select><br>";
?>

<!-- MENAMPILKAN TABLE -->

<?php
$hasil = mysql_query("select * from
tbl_skp where dinilai='".$nip."' ORDER
BY tahun_skp");
echo "<center><table id='tblContent'
border=1>
<tr align='center'>
<th rowspan='2'>Tahun SKP</th>
<!--<th rowspan='2'>Penilai</th>
<th rowspan='2'>Dinilai</th-->
<th rowspan='2'>Tugas</th>
<th colspan='5'>TARGET</th>
<th colspan='5'>REALISASI</th>
<th rowspan='2'>Count</th>
<th rowspan='2'>Capaian SKP</th>
</tr>
<tr>
<th>Kredit</th>
<th>Kuantitas</th>
<th>Kualitas</th>
<th>waktu</th>
<th>Biaya</th>
<th>Kredit</th>
<th>Kuantitas</th>
<th>Kualitas</th>
<th>waktu</th>
<th>Biaya</th>
</tr>";
while($row =
mysql_fetch_array($hasil)){
echo "<tr>";
echo "<td>" . $row['tahun_skp'].
"</td>";
echo "<td>" . $row['tugas']. "</td>";
echo "<td>" . $row['kredit']. "</td>";
echo "<td>" . $row['kuantitas'].
"</td>";
echo "<td>" . $row['kualitas'].
"</td>";
echo "<td>" . $row['waktu']. "</td>";
echo "<td>" . $row['biaya']. "</td>";
echo "<td>" . $row['kredit_real'].
"</td>";
echo "<td>" . $row['kuantitas_real'].
"</td>";
echo "<td>" . $row['kualitas_real'].
"</td>";
echo "<td>" . $row['waktu_real'].
"</td>";
echo "<td>" . $row['biaya_real'].
"</td>";
echo "<td>" . $row['penghitungan'].

```

```

"/td>";
if ($row['nilai_capaian_skp'] > 91)
echo "<td>"
.$row['nilai_capaian_skp']. " (Sangat
Baik) </td>";
elseif ($row['nilai_capaian_skp'] >76
&& $row['nilai_capaian_skp'] <90)
echo "<td>"
.$row['nilai_capaian_skp']. " (Baik)
</td>";
elseif ($row['nilai_capaian_skp'] >61
&& $row['nilai_capaian_skp'] <75)
echo "<td>"
.$row['nilai_capaian_skp']. "
(Cukup)</td>";
elseif ($row['nilai_capaian_skp'] >51
&& $row['nilai_capaian_skp'] <60)
echo "<td>"
.$row['nilai_capaian_skp']. "
(Kurang)</td>";
elseif ($row['nilai_capaian_skp'] <50)
echo "<td>"
.$row['nilai_capaian_skp']. "
(Buruk)</td>";
echo "</tr>";
}
mysql_free_result($result);
echo "</table>";
?>

</div>

<!-- END CONTENT -->
</div>
</nav>
</div>
</div>
</div>
</div>
</div>
<!-- CONTENT -->
<div class="row">
</div>
</head>
<?php include('footer.php'); ?>

```

PEGAWAI_KOMPLAIN.PHP

```

<?php
include ('login.php');
if(($_SESSION['level']!="admin")
&& ($_SESSION['level']!="atasan")
&& ($_SESSION['level']!="pegawai")
&& ($_SESSION['level']!="penilai")){
header("location:login_error.php");
}
?>
<?php include('header.php'); ?>
<?php
if($_GET['mode'] == 'delete') {
if($_GET['no_komplain']) {
$query = "DELETE FROM tbl_komplain
WHERE
no_komplain='".$_GET['no_komplain']."'";
mysql_query($query);
if($query) header('Location:
pegawai_komplain.php');
}
}
}

```

```

?>
<script type="text/javascript"
language="JavaScript">
function konfirmasi(){
tanya = confirm("Anda Yakin Akan
Menghapus Data ?");
if (tanya == true)return true;
else return false;
}
</script>

<!-- Sidebar Menu Items - These
collapse to the responsive navigation
menu on small screens -->
<div class="collapse navbar-collapse"
navbar-ex1-collapse">
<ul class="nav navbar-nav side-nav">
<li><a href="dashboard_pegawai.php"><i
class="fa fa-home"></i>
Beranda</a></li>
<li><a href="pegawai_data_skp.php"><i
class="fa fa-book"></i> SKP</a></li>
<li><a href="pegawai_data_pkp.php"><i
class="fa fa-book"></i> PKP</a></li>
<li class="active"><a
href="pegawai_komplain.php"><i
class="fa fa-cog"></i>
Komplain</a></li>
</ul>
</div>
<!-- /.navbar-collapse -->
</nav>

<div id="page-wrapper">
<div class="container-fluid">
<nav>
<div class="row">
<!-- START CONTENT -->
<div>
<center><h3><i class="fa fa-cogs">
AJUKAN KOMPLAIN</i></h3></center><br/>
<?php
$nip = $_SESSION['userid'];
$get_kasum = mysql_query("select *
from tbl_pns, tbl_jabatan, tbl_pangkat
where tbl_pns.id_jabatan =
tbl_jabatan.id_jabatan AND
tbl_pns.id_palru =
tbl_pangkat.id_palru AND
tbl_pns.nip ='$nip'");
if (!$get_kasum)
die("Gagal Query get kasum karena :
".mysql_error());
if ($row_getkasum =
mysql_fetch_array($get_kasum))
$hasil_lagi = mysql_query("select
a.nip, a.nama_pns, c.nama_palru,
b.nama_jabatan, a.unit_kerja, a.jekel,
a.tmt, a.level
from tbl_pns a, tbl_jabatan b,
tbl_pangkat c
where a.id_palru=c.id_palru AND
a.id_jabatan=b.id_jabatan AND
b.kode='$row_getkasum[kode]' AND
a.level='penilai' ORDER BY a.level");
if($rowx =
mysql_fetch_array($hasil_lagi)){
$nippenilai = $rowx['nip'];
$namapenilai = $rowx['nama_pns'];
}
Sambil = mysql_query("select * from

```

```

tbl_pns where nip='".$nip."'");
if ($rowy =
mysql_fetch_array($ambil)){
$nipdinilai = $rowy['nip'];
$namadinilai = $rowy['nama_pns'];
}
?>
<?php
function db(){
$conn =
mysql_connect('localhost','root','')
or die("Cannot connect to the database
server now". mysql_error());
mysql_select_db('sikpp',$conn) or
die("Error in selecting database now
".mysql_errno());
return $conn;
}

function simpan(){
$conn = db();
$a
=
$_POST['tgl_komplain'];//datepicker
$b
= $_POST['dinilai'];//textfield
$c
= $_POST['penilai'];//textfield
$d
=
$_POST['isi_komplain'];//textarea
$sql=" insert into tbl_komplain
(tgl_komplain,dinilai,penilai,isi_komp
lain) values ('$a','$b','$c','$d)";
$hasil=mysql_query($sql);
if(!$hasil)
die("Gagal kirim komplain karena
:".mysql_error());
header('Location:
pegawai_komplain.php');exit;
}
?>
<form class="form-horizontal"
action="<?php if
(isset($_REQUEST['simpan']))
{simpan();} ?>" method="post"
onsubmit="return simpan()">
<div class="form-group">
<label class="col-md-5 control-
label">Tanggal Komplain :</label>
<div class="col-md-3">
<?php
date_default_timezone_set("Asia/Bangko
k");
$tgl=date('Y-m-d h:i:sa');
?>
<input type="text"
name="tgl_komplain" class="form-
control input-md" maxlength="30"
value='<?php echo "$tgl" ?>'
readonly/>
</div>
</div>
<div class="form-group">
<label class="col-md-5 control-
label">NIP Pegawai Dinilai :</label>
<div class="col-md-3">
<input type="text" name="dinilai"
class="form-control input-md"
maxlength="21" value='<?php echo
"$nipdinilai" ?>' readonly/>
</div>
</div>
<div class="form-group">
<label class="col-md-5 control-
label">NIP Pejabat Penilai :</label>
<div class="col-md-3">
<input type="text" name="penilai"
class="form-control input-md"
maxlength="21" value='<?php echo
"$nipdinilai" ?>' readonly/>
</div>
</div>
<div class="control-group">
<div class="controls" align="center">
<button type="reset" id="reset"
name="reset" class="btn btn-
warning">Reset</button>
<button type="submit" id="simpan"
name="simpan" class="btn btn-
success">Submit</button>
</div>
</div>
</form>
<!-- MENAMPILKAN TABLE -->
<br>
<center><h3><i class="fa fa-book">
HISTORY
KOMPLAIN</i></h3></center><br/>
<?php
$tblkomp = mysql_query("select * from
tbl_komplain WHERE
dinilai='$nipdinilai' ORDER BY
tgl_komplain DESC");
if (!$tblkomp) die("Gagal Query data
karena : ".mysql_error());
echo '<input class="btn btn-warning"
type=button value="Refresh"
onClick="window.location.reload()"
/>';
//echo ' ';
//echo '<button id="clear"
name="clear" class="btn btn-
success">Clear</button>';
echo "
<center>
<table id='tblContent' border=1>
<tr align='center'>
<th>TANGGAL KOMPLAIN</th>
<th>ISI KOMPLAIN</th>
<th>JAWABAN KOMPLAIN</th>
<th>TINDAKAN</th>
</tr>";
//while(mysql_fetch_assoc($hasil))
//while(mysql_num_rows($hasil)==$hitun
g)
while($row =
mysql_fetch_array($tblkomp))
{
echo "<tr>";
echo "<td>" . $row['tgl_komplain'].
"</td>";
echo "<td>" . $row['isi_komplain'].
"</td>";
echo "<td>" . $row['jawab_komplain'].
"</td>";
echo "<td align='center'><a class='del

```



```

btn btn-danger' onclick='return
konfirmasi()'
href=pegawai_komplain.php?mode=delete&
no_komplain=$row[no_komplain]>Hapus</a
></td> ";
echo "</tr>";
}
mysql_free_result($result);
echo "</table>";
?>
</div>
<!-- END CONTENT -->
</div>
</nav>
</div>
</div>
</div>
</div>
<!-- CONTENT -->
<div class="row">
</div>
</head>
<?php include('footer.php'); ?>

```

PEGAWAI_OUTPUT_FORM_SKP _PDF.PHP

```

<?php
include("login.php");
include("mpdf/mpdf.php");

$html .= '<h2 align="center">FORMULIR
SASARAN KERJA<br>PEGAWAI PEMERINTAH
KEC. GISTING TANGGAMUS</h2><br>';

//=====LEFT=====
$year = $_GET['tahun_skp'];
$nip = $_GET['dinilai'];
$penilai = $_GET['penilai'];
$get_penilai = mysql_query("select *
from tbl_pns where nip='$nip'");
if($row_get_penilai =
mysql_fetch_array($get_penilai))
$html .= "<div style='float: left;
alignment-adjust: middle; width: 28%;
margin-bottom: 0pt;'>";
$html .= "
<b>PEJABAT PENILAI</b><br>
Nama : $row_get_penilai[nama_pns]<br>
NIP : $penilai<br>";
$get_golrujab = mysql_query("select *
from tbl_jabatan, tbl_pangkat where
tbl_jabatan.id_jabatan=$row_get_penila
i[id_jabatan] AND
tbl_pangkat.id_palru=$row_get_penilai[
id_palru]");
if($row_get_golrujab =
mysql_fetch_array($get_golrujab))
$html .= "
Pangkat/Golru :
$row_get_golrujab[nama_palru]<br>
Jabatan :
$row_get_golrujab[nama_jabatan]<br>";
$html .= "</div>";

//=====QUERY=====
/*$hasil2 = mysql_query("select *
from tbl_skp where
penilai='$penilai'");

```

```

if (!$hasil2) die("Gagal Query data
karena : ".mysql_error());
if($row =
mysql_fetch_array($hasil2))*/
$hasil = mysql_query("select * from
tbl_skp where tahun_skp=$year AND
dinilai='".$nip.'" ORDER BY
tahun_skp");
$ambil = mysql_query("select * from
tbl_pns where nip='".$nip.'");
if ($buaris =
mysql_fetch_array($ambil))
$ambil2 = mysql_query("select * from
tbl_pangkat where
id_palru='".$buaris['id_palru'].");
$ambil3 = mysql_query("select * from
tbl_jabatan where
id_jabatan='".$buaris['id_jabatan'].");
echo "<b>Nama Pegawai Dinilai :
".$buaris['nama_pns'].<br> NIP :
".$nip."</b><br><br>";

```

```

//=====RIGHT=====
$html .= "
<div style='float: right; alignment-
adjust: middle; width: 30%; margin-
bottom: 0pt;'>
<b>PEGAWAI YANG DINILAI</b><br>
Nama :
$buaris[nama_pns]<br>
NIP : $nip<br>";
if ($buarisz =
mysql_fetch_array($ambil2)) $html .= "
Pangkat/Golru :
$buarisz[nama_palru]<br>";
if ($buariszs =
mysql_fetch_array($ambil3)) $html .= "
Jabatan :
$buariszs[nama_jabatan]<br>
</div>";

```

```

//=====CONTENT=====
$html .= "<br><br><br><br><br><br>";
$html .= "<center><table id='rounded-
corner' summary='2007 Major IT
Companies Profit' border=1>
<tr align='center'>
<th rowspan='2'>Tahun SKP</th>
<!--
<th rowspan='2'>Penilai</th>
<th rowspan='2'>Dinilai</th>
-->
<th rowspan='2'>Tugas</th>
<th colspan='5'
align='center'>TARGET</th>
</tr>
<tr>
<th>Kredit</th>
<th>Kuantitas</th>
<th>Kualitas</th>
<th>Waktu</th>
<th>Biaya</th>
</tr>";
while($row =
mysql_fetch_array($hasil)){
$html .= "<tr>";
$html .= "<td>" . $row['tahun_skp'].
"</td>";
$html .= "<td>" . $row['tugas'].
"</td>";

```

```

$html .= "<td>" . $row['kredit'].
"</td>";
$html .= "<td>" . $row['kuantitas'].
"</td>";
$html .= "<td>" . $row['kualitas'].
"</td>";
$html .= "<td>" . $row['waktu'].
"</td>";
$html .= "<td>" . $row['biaya'].
"</td>";
$html .= "</tr>";
}
$tahun = $_GET['tahun_skp'];
$nip = $_GET['dinilai'];
mysql_free_result($result);
$html .= "</table>";

//=====SIGNATURE=====
$html .= "<br><br>";
$html .= "<div style='float: left;
alignment-adjust: middle; width: 28%;
margin-bottom: 0pt;'>
Pejabat Penilai,<br><br><br><br><br>
($row_get_penilai[nama_pns])<br>
NIP: $penilai</div> ";
$html .= "<div style='float: right;
width: 28%; margin-bottom:
0pt;'><b>Gisting, 31 Desember
$tahun</b><br>
Pegawai Yang Dinilai,<br><br><br><br>
($buaris[nama_pns]) <br>
NIP: $nip </div>";

//=====
//change your echo/print with
$html.=""; to show in PDF view
//=====

$mpdf=new mPDF('c','A4-
L','','',15,15,27,25,16,13);
$mpdf->mirrorMargins = 1; // Use
different Odd/Even headers and footers
and mirror margins
$mpdf->defaultheaderfontsize = 10; /*
in pts */
$mpdf->defaultheaderfontstyle = B; /*
blank, B, I, or BI */
$mpdf->defaultheaderline = 1; /* 1 to
include line below header/above footer
*/
$mpdf->defaultfooterfontsize = 10; /*
in pts */
$mpdf->defaultfooterfontstyle = B; /*
blank, B, I, or BI */
$mpdf->defaultfooterline = 1; /* 1 to
include line below header/above footer
*/
$mpdf->SetHeader('{DATE j-m-Y}|| SIKPP
Kec. Gisting Tanggamus');
$mpdf->SetFooter('{PAGENO}'); /*
defines footer for Odd and Even Pages
- placed at Outer margin */
$mpdf->setDisplayMode('fullpage');
$mpdf->list_indent_first_level = 0;
// 1 or 0 - whether to indent
the first level of a list

// LOAD CSS
$stylesheet =

```

```

file_get_contents('mpdf/examples/mpdfs
tyletables_form_skp.css');
$mpdf->writeHTML($stylesheet,1);// The
parameter 1 tells that this is
css/style only and no body/html/text
$mpdf->writeHTML($html,2);
$mpdf-
>Output('form_skp_'. $buaris['nama_pns'
].'_'. $nip. '_tahun_'. $year. '.pdf','I')
;
exit;

//=====
//=====
?>

```

PEGAWAI_OUTPUT_NILAI_SKP_PDF.PHP

```

<?php
include("login.php");
include("mpdf/mpdf.php");

$html .= '<h2 align="center">PENILAIAN
SASARAN KERJA<br>PEGAWAI PEMERINTAH
KEC. GISTING TANGGAMUS</h2><br>';

//=====LEFT=====
$nip = $_GET['dinilai'];
$year = $_GET['tahun_skp'];
$penilai = $_GET['penilai'];

//=====CONTENT=====
/*$hasil2 = mysql_query("select *
from tbl_skp where
penilai='$penilai'");
if (!$hasil2)
die("Gagal Query data karena :
".mysql_error());
if($row =
mysql_fetch_array($hasil2))*

$hasil = mysql_query("select * from
tbl_skp where tahun_skp=$year AND
dinilai='".$nip.'" ORDER BY
tahun_skp");
$ambil = mysql_query("select nama_pns
from tbl_pns where nip='".$nip.'"");
if ($buaris =
mysql_fetch_array($ambil))
$html .= "<b>Nama Pegawai Dinilai :
". $buaris['nama_pns']. "<br> NIP :
". $nip. "</b>";
$html .= "<br><br>";
$html .= "<center><table id='rounded-
corner' summary='2007 Major IT
Companies Profit' border=1>
<tr align='center'>
<th rowspan='2'>Tahun SKP</th>
<!--<th rowspan='2'>Penilai</th>
<th rowspan='2'>Dinilai</th>-->
<th rowspan='2'>Tugas</th>
<th colspan='5'
align='center'>TARGET</th>
<th colspan='5'>REALISASI</th>
<th rowspan='2'>Count</th>
<th rowspan='2'>Capaian SKP</th>

```

```

</tr>
<tr>
<th>kredit</th>
<th>kuantitas</th>
<th>kualitas</th>
<th>waktu</th>
<th>Biaya</th>
<th>kredit</th>
<th>kuantitas</th>
<th>kualitas</th>
<th>waktu</th>
<th>Biaya</th>
</tr>;

while($row =
mysql_fetch_array($hasil))
{

$html .= "<tr>";
$html .= "<td>" . $row['tahun_skp'].
"</td>";
$html .= "<td>" . $row['tugas'].
"</td>";
$html .= "<td>" . $row['kredit'].
"</td>";
$html .= "<td>" . $row['kuantitas'].
"</td>";
$html .= "<td>" . $row['kualitas'].
"</td>";
$html .= "<td>" . $row['waktu'].
"</td>";
$html .= "<td>" . $row['biaya'].
"</td>";
$html .= "<td>" . $row['kredit_real'].
"</td>";
$html .= "<td>"
.$row['kuantitas_real']. "</td>";
$html .= "<td>"
.$row['kualitas_real']. "</td>";
$html .= "<td>" . $row['waktu_real'].
"</td>";
$html .= "<td>" . $row['biaya_real'].
"</td>";
$html .= "<td>" . $row['penghitungan'].
"</td>";
if ($row['nilai_capaian_skp'] > 91)
$html .= "<td>"
.$row['nilai_capaian_skp']. " (Sangat
Baik) </td>";
elseif ($row['nilai_capaian_skp'] >76
&& $row['nilai_capaian_skp'] <90)
$html .= "<td>"
.$row['nilai_capaian_skp']. " (Baik)
</td>";
elseif ($row['nilai_capaian_skp'] >61
&& $row['nilai_capaian_skp'] <75)
$html .= "<td>"
.$row['nilai_capaian_skp']. "
(Cukup)</td>";
elseif ($row['nilai_capaian_skp'] >51
&& $row['nilai_capaian_skp'] <60)
$html .= "<td>"
.$row['nilai_capaian_skp']. "
(Kurang)</td>";
elseif ($row['nilai_capaian_skp'] <50)
$html .= "<td>"
.$row['nilai_capaian_skp']. "
(Buruk)</td>";
$html .= "</tr>";
}

$tahun = $_GET['tahun_skp'];
$nip = $_GET['dinilai'];
$q1 = mysql_query("select
sum(nilai_capaian_skp)/count(tahun_skp
) AS Nilai_SKP from tbl_skp
where tahun_skp=$tahun AND
dinilai='".$nip."'");
if (!$q1)
die("Gagal Query data karena :
".mysql_error());

if($rowz = mysql_fetch_array($q1))
$html .= "<tr align='center'>
<th rowspan='2' colspan='13'
align='right'>NILAI CAPAIAN SKP (60%)
</th>
<th rowspan='2'>". $rowz['Nilai_SKP']. "
( ". $rowz['Nilai_SKP']*0.6." )</th>
</tr>";

mysql_free_result($result);
$html .= "</table>";

//=====SIGNATURE=====
$get_penilai = mysql_query("select
nama_pns from tbl_pns where
nip='".$penilai."'");
if ($row_get_penilai =
mysql_fetch_array($get_penilai))
$html .= "<br><br>";
$html .= "<b>Gisting, 31 Desember
$tahun</b><br>";
$html .= "Pejabat
Penilai,<br><br>";
$html .= "($row_get_penilai[nama_pns])
<br>";
$html .= "NIP : $penilai <br>";

//=====
//change your echo/print with
$html.=""; to show in PDF view
//=====

$mpdf=new mPDF('c','A4-
L','','',15,15,27,25,16,13);
$mpdf->mirrorMargins = 1; // Use
different Odd/Even headers and footers
and mirror margins
$mpdf->defaultHeaderfontsize = 10; /*
in pts */
$mpdf->defaultHeaderfontstyle = B; /*
blank, B, I, or BI */
$mpdf->defaultHeaderline = 1; /* 1 to
include line below header/above footer
*/
$mpdf->defaultFooterfontsize = 10; /*
in pts */
$mpdf->defaultFooterfontstyle = B; /*
blank, B, I, or BI */
$mpdf->defaultFooterline = 1; /* 1 to
include line below header/above footer
*/
$mpdf->SetHeader('{DATE j-m-Y}|| SIKPP
Kec. Gisting Tanggamus');
$mpdf->SetFooter('{PAGE}'); /*
defines footer for Odd and Even Pages
- placed at Outer margin */
$mpdf->SetDisplayMode('fullpage');

```

```

$mpdf->list_indent_first_level = 0;
    // 1 or 0 - whether to indent
the first level of a list

// LOAD CSS
$stylesheet =
file_get_contents('mpdf/examples/mpdfs
tyletables_form_skp.css');
$mpdf->writeHTML($stylesheet,1);// The
parameter 1 tells that this is
css/style only and no body/html/text
$mpdf->writeHTML($html,2);
$mpdf-
>Output('form_skp_'. $buaris['nama_pns'
].'_'. $nip.'_tahun_'. $year.'.pdf', 'I')
;
exit;

//=====
//=====
//=====
?>

```

PEGAWAI_OUTPUT_PKP_PDF.P HP

```

<?php
include("login.php");
include("mpdf/mpdf.php");

$html = '<h2 align="center">PENILAIAN
PRESTASI KERJA<br>PEGAWAI PEMERINTAH
KEC. GISTING TANGGAMUS</h2><br>';

//=====CONTENT=====
$nip = $_GET['dinilai'];
$year = $_GET['tahun_pkp'];
$hasil = mysql_query("select * from
tbl_pkp where tahun_pkp=$year AND
dinilai='".$nip.'" ORDER BY
tahun_pkp");
$sambil = mysql_query("select nama_pns
from tbl_pns where nip='".$nip.'"");
if ($buaris =
mysql_fetch_array($sambil))
$html .= "<b>Nama Pegawai Dinilai :
".$buaris['nama_pns'].<br> NIP :
".$nip."</b>";
$html .= "<br><br>";
$html .= "<center><table id='rounded-
corner' summary='2007 Major IT
Companies Profit' border=1>
<tr align='center'>
<th rowspan='2'>Tahun PKP</th>
<th colspan='6'>UNSUR</th>
<th rowspan='2'>Jumlah</th>
<th rowspan='2'>Rata</th>
<th rowspan='2'>Nilai(40%)</th>
<th rowspan='2'>Tanggapan</th>
<th rowspan='2'>Keputusan</th>
<th rowspan='2'>Rekomendasi</th>
<th rowspan='2'>Tanggal PKP</th>
</tr>
<tr>
<th>Orientasi Pelayanan</th>
<th>Integritas</th>
<th>Komitmen</th>
<th>Disiplin</th>

```

```

<th>Kerjasama</th>
<th>Kepemimpinan</th>
</tr>";

while($row =
mysql_fetch_array($hasil))
{
$html .= "<tr>";
$html .= "<td>" . $row['tahun_pkp'].
"</td>";
$html .= "<td>"
.$row['orientasi_pelayanan']. "</td>";
$html .= "<td>" . $row['integritas'].
"</td>";
$html .= "<td>" . $row['komitmen'].
"</td>";
$html .= "<td>" . $row['disiplin'].
"</td>";
$html .= "<td>" . $row['kerjasama'].
"</td>";
$html .= "<td>" . $row['kepemimpinan'].
"</td>";
$html .= "<td>" . $row['jumlah'].
"</td>";
if ($row['nilai_rata'] > 91)
$html .= "<td>" . $row['nilai_rata'].
(Sangat Baik) </td>";
elseif ($row['nilai_rata'] >76 &&
$row['nilai_rata'] <90)
$html .= "<td>" . $row['nilai_rata']. "
(Baik) </td>";
elseif ($row['nilai_rata'] >61 &&
$row['nilai_rata'] <75)
$html .= "<td>" . $row['nilai_rata']. "
(Cukup)</td>";
elseif ($row['nilai_rata'] >51 &&
$row['nilai_rata'] <60)
$html .= "<td>" . $row['nilai_rata']. "
(Kurang)</td>";
elseif ($row['nilai_capaian_skp'] <50)
$html .= "<td>" . $row['nilai_rata']. "
(Buruk)</td>";
$html .= "<td>" . $row['nilai_pkp'].
"</td>";
$html .= "<td>" . $row['tanggapan'].
"</td>";
$html .= "<td>" . $row['keputusan'].
"</td>";
$html .= "<td>" . $row['rekomendasi'].
"</td>";
$html .= "<td>"
.$row['tgl_penilaian_pkp']. "</td>";
$html .= "</tr>";
}

mysql_free_result($result);

$hasil = mysql_query("select a.kode,
a.nama_jabatan, b.nama_palru from
tbl_jabatan a, tbl_pangkat b
where
a.id_jabatan='".$SESSION['jab']."' AND
b.id_palru='".$SESSION['palru']."'");
if($row = mysql_fetch_array($hasil))
$hasil_lagi = mysql_query("select
a.nip, a.nama_pns, c.nama_palru,
b.nama_jabatan, a.unit_kerja, a.jekel,
a.tmt, a.level
from tbl_pns a, tbl_jabatan b,
tbl_pangkat c
where a.id_palru=c.id_palru AND

```

```

a.id_jabatan=b.id_jabatan AND
b.kode='".$rowz['kode']."' AND
a.level='penilai' ORDER BY a.level");
if($rowz =
mysql_fetch_array($hasil_lagi))
$html .= "</table>";

//=====SIGNATURE=====
$html .= "<br><br>";
$html .= "<b>Gisting, 31 Desember
$year</b><br>";
$html .= "Pejabat
Penilai,<br><br>";
$html .= "$rowz[nama_pns] <br>";
$html .= "NIP: $rowz[nip] <br>";

//=====
//change your echo/print with
$html.=""; to show in PDF view
//=====

$mpdf=new mPDF('c','A4-
L','','',15,15,27,25,16,13);
$mpdf->mirrorMargins = 1; // Use
different Odd/Even headers and footers
and mirror margins
$mpdf->defaultHeaderFontSize = 10; /*
in pts */
$mpdf->defaultHeaderFontStyle = B; /*
blank, B, I, or BI */
$mpdf->defaultHeaderLine = 1; /* 1 to
include line below header/above footer
*/
$mpdf->defaultFooterFontSize = 10; /*
in pts */
$mpdf->defaultFooterFontStyle = B; /*
blank, B, I, or BI */
$mpdf->defaultFooterLine = 1; /* 1 to
include line below header/above footer
*/
$mpdf->SetHeader('{DATE j-m-Y}|| SIKPP
Kec. Gisting Tanggamus');
$mpdf->SetFooter('{PAGENO}'); /*
defines footer for Odd and Even Pages
- placed at Outer margin */
$mpdf->setDisplayMode('fullpage');
$mpdf->list_indent_first_level = 0;
// 1 or 0 - whether to indent
the first level of a list

// LOAD CSS
$stylesheet =
file_get_contents('mpdf/examples/mpdfs
tyletables_form_skp.css');
$mpdf->writeHTML($stylesheet,1);// The
parameter 1 tells that this is
css/style only and no body/html/text
$mpdf->writeHTML($html,2);
$mpdf-
>Output('form_skp_'. $buaris['nama_pns']
.'_' . $nip . '_tahun_' . $year . '.pdf', 'I')
;
exit;
//=====
//=====
?>

```